

Sire Summary of Ram Test Performance (1995-2016)

Research Center Technical Report 2016-2

Texas A&M AgriLife Research - San Angelo
Texas A&M System

Summary

Performance data from the Texas A&M Ram Performance Tests from 1995 to 2016 were summarized by sire. The calculations used performance of all rams tested that had sire identified. This included 1752 rams from 345 different sires. In order to be included in the report, a sire must have had 4 or more sons with data, or have 3 sons with at least one of those sons on the current year's test. Evaluations based on 3 or fewer sons are less reliable. Substantial changes could occur in the rankings for rams with small numbers of sons if/when data from additional sons become available in future years. A mixed linear model was used to calculate the values. (For more details on how the numbers were calculated contact Dan Waldron).

Methods

The Texas A&M Central Ram Performance Test has been conducted annually to provide a tool for sheep breeders to use in selecting breeding stock. The test's purpose is to identify genetic differences in performance of rams evaluated in the same environment. The test can be considered either as a performance test, where the emphasis is on evaluating the rams on test, or as a progeny test, where the emphasis is on evaluating the sires of the rams on test. This report focuses on the progeny test aspect.

In calculating this summary, the following assumptions were made: 1) all sires were mated to similar ewes, and 2) all sires have a representative sample of sons on test. If a particular sire was mated to genetically superior ewes, his evaluation will be biased upward. No pedigree or performance

information is collected on the ewes that produced the tested rams. So, even though it is known that all ewes are not equal, we must assume that all sires were mated to similar ewes.

If a breeder tests only the best sons of Sire A and merely average sons of sire B, Sire A's evaluation will be biased upward. Of course, it is not feasible to test the entire lamb crop of each sire. Therefore, we assume that each sire group is a representative sample of sons.

Even though the information contained in this report has limitations, it is being presented so sheep breeders can make more informed selection decisions. If you need a ram whose daughters will produce finer fleeces, select from among the rams on test with fine fleeces and use these lists to select a ram from a sire that consistently produced finer-fleeced sons.

The ROM Index (shown on following page) was developed with the aim of combining growth rate, clean fleece weight, staple length, and fiber diameter into one measure of overall genetic merit. The ROM Index is recommended as a selection criterion. However, breeders may want to weight the traits differently from the ROM Index depending on their breeding objective.

This report was compiled by:

D.F. Waldron
Texas A&M AgriLife Research
Texas A&M System
7887 US Highway 87 N
San Angelo, TX 76901

Notes about sire rankings

The sire ranking pages show how many sons contributed to each sire's estimate. The column marked 'EBV' shows the sire's Estimated Breeding Value. The EBVs are the expected performance based on the average performance from 1995-2000 at the Texas A&M Sonora Central Ram Performance Test. Performance of progeny will vary in different management programs. However, the differences between sires are not expected to vary in different environments. Therefore, if Sire A has a finer EBV for fiber diameter than Sire B, Sire A's daughters are expected to be finer than those of Sire B, even though they are managed on pasture and expected to be finer than their sires.

The ROM (Registry of Merit) Index was calculated as follows:

$$\begin{aligned}
 I = & 60 \quad \times \quad [\text{average daily body weight gain in pounds}] \\
 & + 4 \quad \times \quad [365\text{-day staple length in inches}] \text{ (with no credit above 5.5 inches)} \\
 & + 4 \quad \times \quad [365\text{-day clean fleece weight in pounds}] \\
 & - 3 \quad \times \quad [\text{fiber diameter in microns } (\mu\text{m}) - 22.9] \text{ (no additional credit for} \\
 & \quad \quad \quad \text{being finer than 19.9 microns or coarser than 24.9 microns)} \\
 & + 1.25 \times [22.0 - \text{CV}] \text{ (with a maximum increase or decrease of 5 points)}
 \end{aligned}$$

The index calculation used the average fiber diameter and CV from a core sample. Because fleeces were not cored in 1997, sons tested in 1997 were not used for the rankings for fiber diameter (core), fiber variability (CV), and ROM index.

Breeder prefixes, names and towns.

Prefix	Breeder	Town
ASU	Angelo State University	San Angelo
B Faris	Brian Faris	Sonora
Bradford	Maurice Bradford	San Angelo
C&S Menzies	Carl & Shirley Menzies	San Angelo
Campbell	Fred Campbell	Paint Rock
Eckhoff	Eckhoff	Bend
Fincher	Ken Fincher	Water Valley
Gainer	Gainer Ranch	Menard
Hageman	Hageman Sisters	Wyoming
HCR	Hill Country Rambouillet	Sonora
JWR	JW Ranch	Menard
Landers	Landers Ranch	Menard
M Jernigan	Mike Jernigan	Iraan
MSC	Mortgaged Sheep Company	Eden
OFP	Our Father's Place	Ft. Stockton
P Rose	Pat Rose III	Brackettville
R-J	Richardson-Jernigan	Iraan
S Menzies	Scotty Menzies	Menard
Schunke	James Schunke	Goldthwaite
T.Jones	Travis Jones	Fredericksburg
TAES	Texas Agric. Experiment Station	Sonora and Barnhart
TRSG	Texas Rambouillet Superior Gen.	Mertzson
WB	Walking Bars	Garden City

Sires Ranked for ROM Index

* Designates sires with sons tested in 2016.

Rank	Sire	Sons	EBV	Rank	Sire	Sons	EBV
1	R-J 6140	30	134	65	SCHUNKE 2388	5	122
2	R-J 3188	71	132	66	TAES 6574	4	122
3	R-J 192	19	132	67	TAES 8896	5	122
4	OFP 956	7	131	68	TAES 8803	11	122
5	TAES 6483	5	130	69	GAINER 01119	9	122
6	OFP 656	10	129	70	TAES 6987	27	122
7	TAES 6090	11	129	71	TRSG 881	7	122
8	TAES B3167	16	129	72	TAES B2452	7	122
9	P ROSE R3297	14	128	73	TRSG 1377	5	122
10	OFP 829	13	128	74	C&S MENZIES 2626	15	122
11	TAES B2863	7	128	75	C&S MENZIES 2720	5	121
12	OFP 809	7	128	76	TAES 7171	13	121
13	TAES 6808	12	128	77	M JERNIGAN 5650	5	121
14	TAES 8468	5	128	78	R-J 243	18	121
15	C&S MENZIES 1325	11	128	79	TRSG 298	25	121
16	TAES 8762	17 *	127	80	P ROSE R3317	4	121
17	P ROSE R3763	7	127	81	RABEL143 WYOMING	5	121
18	TAES 8656	10 *	127	82	T.JONES 1-83	11	121
19	P ROSE R3557	17	127	83	TAES 6648	6	121
20	TAES 7610	9	127	84	TRSG 902	10	121
21	TAES B3252	22	127	85	CAMPBELL 4047	5	121
22	TAES 6099	12	127	86	TRSG 753	9	121
23	M JERNIGAN 2367	15	127	87	TAES B2365	4	121
24	TAES B2888	25	127	88	R-J 2669	7	120
25	LANDERS J511	5	126	89	TRSG 1008	7	120
26	TAES 8778	10 *	126	90	TAES 6724	6	120
27	TAES 7570	38	126	91	TAES 5678	4	120
28	P ROSE R3865	10	126	92	TAES 5034	4	120
29	TRSG 773	20	126	93	P ROSE R3761	15	120
30	TAES B2202	10	126	94	TRSG 1223	5	120
31	P ROSE R4167	6	126	95	JENNINGS 77	4	120
32	TRSG 310	7	126	96	S MENZIES 866	7	120
33	TAES 7824	5	126	97	WB 2402	5	119
34	B FARIS 253	4	126	98	B FARIS 392	25	119
35	P ROSE R3645	8	125	99	CAMPBELL 5399	10	119
36	TAES 8582	5	125	100	Keyes 202	5 *	119
37	TAES 5501	8	125	101	TAES 7003	12	119
38	TAES 5795	11	125	102	B FARIS 242	5	118
39	P ROSE R3653	7	125	103	TRSG 953	8	118
40	TAES 6014	7	125	104	C&S MENZIES 1833	14	118
41	M JERNIGAN 6968	12	125	105	C&S MENZIES 3138	8	118
42	TAES B3403	12	125	106	MSC 1415	4	117
43	C&S MENZIES 2464	27	125	107	CLARK 156	4	117
44	M JERNIGAN 3683	7	125	108	SCHUNKE 1878	13	117
45	W Fincher 142	5	124	109	C&S MENZIES 3113	12	117
46	C&S MENZIES 2532	26	124	110	JWR 557-978640	7	117
47	TAES 7693	4	124	111	ASU 4084	7	117
48	HAGEMAN 3051	6	124	112	WB 2365	4	117
49	B FARIS 388	14	124	113	BRADFORD 0242	4	116
50	TAES 6880	6	124	114	SCHUNKE 1992	6	116
51	TAES 6439	6	124	115	TLB	4	116
52	TAES 7118	16	124	116	Price 1245	5	116
53	SCHUNKE 317	8	124	117	ECKHOFF 0400	7	116
54	T.JONES 448	14	124	118	T.JONES 545	5	116
55	TRSG 1610	4	124	119	C&S MENZIES 2454	4	116
56	Schunke 3447	11 *	124	120	S MENZIES 865	12	116
57	HCR 622	48	123	121	FINCHER 1407	9	115
58	TAES 8036	4	123	122	R-758	5	115
59	P ROSE R4407	6	123	123	T.JONES 8-21	10	115
60	TAES 7363	14	123	124	C&S MENZIES 1771	10	115
61	B FARIS 325	11	123	125	HCR 634	12	114
62	TAES 8117	4	123	126	WB 2715	5	114
63	M JERNIGAN 5715	4	122	127	HCR 711	6	113
64	TAES 8287	24	122	128	ECKHOFF 212	4	113
				129	BRADFORD 0009	4	113
				130	S MENZIES 934	6	113
				131	C&S MENZIES 2887	4	113
				132	WB 2233	4	112
				133	HCR 504	4	112

Sire summary of Texas A&M ram test performance (1995-2016)

Sires Ranked for 140-day ADG-body

* Designates sires with sons tested in 2016.

Rank	Sire	Sons	EBV	Rank	Sire	Sons	EBV
1	C&S MENZIES 2532	26	.879	66	TAES 7118	16	.810
2	R-J 5064	10	.849	67	C&S MENZIES 3138	8	.810
3	TAES 8762	17 *	.847	68	TAES 6574	4	.809
4	B FARIS 388	14	.847	69	TAES 6090	11	.809
5	TAES 6014	7	.846	70	JWR 557-978640	7	.809
6	Keyes 202	5 *	.843	71	TAES 7570	38	.809
7	R-J 2669	7	.840	72	TAES 6987	27	.809
8	TAES 6483	5	.836	73	TAES B2365	4	.809
9	HCR 622	48	.836	74	ECKHOFF 212	4	.808
10	C&S MENZIES 1325	11	.835	75	TAES 8778	10 *	.807
11	R-J 192	19	.833	76	CAMPBELL 4047	5	.806
12	TRSG 310	7	.833	77	TAES B3403	12	.805
13	TAES 6880	6	.832	78	TAES 7693	4	.804
14	B FARIS 253	4	.832	79	TAES 7003	12	.803
15	P ROSE R4167	6	.832	80	TAES 8117	4	.802
16	TRSG 1377	5	.831	81	TAES 5678	4	.801
17	TAES 8582	5	.831	82	P ROSE R3653	7	.801
18	S MENZIES 865	12	.831	83	FINCHER 1407	9	.800
19	SCHUNKE 317	8	.830	84	TRSG 1008	7	.800
20	RABEL143 WYOMING	5	.830	85	C&S MENZIES 2626	15	.800
21	TAES 8656	10 *	.830	86	OPF 829	13	.800
22	B FARIS 325	11	.829	87	M JERNIGAN 2367	15	.799
23	M JERNIGAN 3683	7	.829	88	TAES 8896	5	.799
24	R-J 3188	71	.829	89	CLARK 156	4	.799
25	OPF 809	7	.828	90	SCHUNKE 1878	13	.798
26	TAES 5795	11	.828	91	WB 2715	5	.798
27	TAES B3252	22	.828	92	R-J 6140	30	.797
28	TAES 7610	9	.827	93	TAES 5034	4	.796
29	TAES 6724	6	.827	94	HCR 504	4	.796
30	C&S MENZIES 2464	27	.826	95	M JERNIGAN 5650	5	.796
31	S MENZIES 866	7	.826	96	M JERNIGAN 6968	12	.795
32	C&S MENZIES 3113	12	.825	97	P ROSE R4407	6	.795
33	P ROSE R3317	4	.825	98	S MENZIES 934	6	.794
34	T.JONES 1-83	11	.825	99	WB 2233	4	.794
35	TAES 6439	6	.824	100	C&S MENZIES 1833	14	.794
36	TAES 6099	12	.824	101	M JERNIGAN 5715	4	.794
37	GAINER 01119	9	.824	102	TRSG 902	10	.793
38	TAES 8468	5	.824	103	TRSG 1610	4	.793
39	LANDERS J511	5	.823	104	P ROSE R3557	17	.793
40	TAES 8036	4	.822	105	TRSG 1223	5	.793
41	TRSG 298	25	.822	106	C&S MENZIES 2454	4	.793
42	P ROSE R3763	7	.820	107	OPF 656	10	.792
43	S MENZIES 801	4	.819	108	P ROSE R3761	15	.792
44	HCR 634	12	.819	109	Schunke 3447	11 *	.792
45	JENNINGS 77	4	.819	110	TAES B2863	7	.791
46	HAGEMAN 3051	6	.819	111	TAES 5501	8	.790
47	P ROSE R3645	8	.818	112	TAES B2452	7	.788
48	ERK 7170	4	.818	113	ASU 4084	7	.788
49	C&S MENZIES 2720	5	.818	114	TRSG 953	8	.787
50	W Fincher 142	5	.818	115	CAMPBELL 5399	10	.786
51	SCHUNKE 2388	5	.817	116	ECKHOFF 0400	7	.786
52	TRSG 881	7	.816	117	BRADFORD 0242	4	.786
53	R-J 243	18	.816	118	TAES B2888	25	.785
54	TAES 7824	5	.815	119	BRADFORD 0009	4	.781
55	WB 2402	5	.813	120	P ROSE R3297	14	.781
56	TAES B3167	16	.813	121	TAES 8287	24	.780
57	B FARIS 242	5	.813	122	T.JONES 448	14	.779
58	OPF 956	7	.812	123	TAES 7363	14	.778
59	TAES B2202	10	.811	124	TAES 8803	11	.775
60	TRSG 773	20	.811	125	TRSG 753	9	.775
61	TAES 6808	12	.811	126	MSC 1415	4	.775
62	B FARIS 392	25	.811	127	TLB	4	.773
63	WB 2365	4	.811	128	R-758	5	.771
64	HCR 711	6	.810	129	SCHUNKE 1992	6	.771
65	TAES 6648	6	.810	130	T.JONES 545	5	.770
				131	P ROSE R3865	10	.769
				132	T.JONES 8-21	10	.766
				133	C&S MENZIES 2887	4	.764
				134	TAES 7171	13	.762
				135	Price 1245	5	.756
				136	C&S MENZIES 1771	10	.752

Sire summary of Texas A&M ram test performance (1995-2016)

Sires Ranked for Staple Length

* Designates sires with sons tested in 2016.

Rank	Sire	Sons	EBV	Rank	Sire	Sons	EBV
1	P ROSE R3865	10	5.68	67	SCHUNKE 317	8	5.13
2	P ROSE R3297	14	5.63	68	TAES 6574	4	5.13
3	R-J 6140	30	5.54	69	B FARIS 388	14	5.12
4	P ROSE R3557	17	5.52	70	TAES 7118	16	5.12
5	P ROSE R3653	7	5.49	71	WB 2402	5	5.12
6	R-J 192	19	5.49	72	M JERNIGAN 3683	7	5.12
7	R-J 3188	71	5.45	73	GAINER 01119	9	5.12
8	M JERNIGAN 6968	12	5.44	74	SCHUNKE 2388	5	5.11
9	OFFP 956	7	5.42	75	T.JONES 1-83	11	5.11
10	P ROSE R3761	15	5.41	76	P ROSE R3317	4	5.11
11	TAES B2863	7	5.41	77	TRSG 1223	5	5.11
12	TAES B3403	12	5.40	78	TRSG 773	20	5.10
13	P ROSE R4407	6	5.39	79	TRSG 881	7	5.10
14	OFFP 809	7	5.39	80	Price 1245	5	5.09
15	TAES B2888	25	5.39	81	C&S MENZIES 2454	4	5.09
16	TRSG 902	10	5.38	82	TAES 6014	7	5.08
17	TAES B3252	22	5.36	83	TAES 6987	27	5.08
18	TRSG 1610	4	5.35	84	ASU 4084	7	5.08
19	TAES 7363	14	5.34	85	S MENZIES 801	4	5.08
20	TAES B3167	16	5.33	86	TAES 8036	4	5.08
21	M JERNIGAN 2367	15	5.32	87	C&S MENZIES 2626	15	5.08
22	TAES 6648	6	5.32	88	HCR 622	48	5.08
23	TAES 7610	9	5.31	89	MSC 1415	4	5.07
24	OFFP 656	10	5.31	90	TAES B2202	10	5.06
25	OFFP 829	13	5.29	91	CLARK 156	4	5.06
26	TAES B2452	7	5.29	92	C&S MENZIES 1833	14	5.06
27	TAES 6099	12	5.29	93	C&S MENZIES 2720	5	5.06
28	TAES 5501	8	5.29	94	JENNINGS 77	4	5.05
29	TAES 7693	4	5.29	95	B FARIS 392	25	5.05
30	LANDERS J511	5	5.27	96	TAES 6439	6	5.04
31	P ROSE R3763	7	5.27	97	HAGEMAN 3051	6	5.04
32	TAES 6090	11	5.27	98	ECKHOFF 0400	7	5.04
33	P ROSE R4167	6	5.27	99	T.JONES 448	14	5.03
34	R-758	5	5.27	100	C&S MENZIES 1771	10	5.03
35	TAES 8287	24	5.27	101	TAES 5034	4	5.03
36	R-J 5064	10	5.26	102	TRSG 953	8	5.02
37	TAES 7570	38	5.25	103	SCHUNKE 1878	13	5.02
38	CAMPBELL 5399	10	5.25	104	TAES 6880	6	5.02
39	TAES 8468	5	5.25	105	JWR 557-978640	7	5.01
40	TAES 8656	10 *	5.24	106	TAES 7171	13	5.01
41	TAES 8803	11	5.23	107	S MENZIES 866	7	5.00
42	TAES 8582	5	5.23	108	TAES 6724	6	5.00
43	SCHUNKE 1992	6	5.22	109	T.JONES 545	5	4.99
44	TRSG 1377	5	5.21	110	T.JONES 8-21	10	4.99
45	B FARIS 253	4	5.20	111	BRADFORD 0242	4	4.99
46	TAES 6483	5	5.20	112	BRADFORD 0009	4	4.99
47	TAES B2365	4	5.19	113	TAES 5795	11	4.98
48	M JERNIGAN 5715	4	5.19	114	C&S MENZIES 1325	11	4.96
49	R-J 2669	7	5.19	115	TAES 5678	4	4.96
50	TAES 8778	10 *	5.18	116	WB 2365	4	4.96
51	M JERNIGAN 5650	5	5.18	117	TRSG 298	25	4.96
52	TAES 6808	12	5.18	118	B FARIS 325	11	4.96
53	TRSG 753	9	5.17	119	HCR 634	12	4.94
54	TAES 8896	5	5.17	120	S MENZIES 865	12	4.94
55	TAES 7824	5	5.17	121	C&S MENZIES 2887	4	4.93
56	CAMPBELL 4047	5	5.17	122	RABEL143 WYOMING	5	4.93
57	P ROSE R3645	8	5.16	123	C&S MENZIES 2464	27	4.92
58	TLB	4	5.16	124	TAES 7003	12	4.92
59	Schunke 3447	11 *	5.16	125	C&S MENZIES 3138	8	4.90
60	W Fincher 142	5	5.16	126	ERK 7170	4	4.90
61	TAES 8762	17 *	5.15	127	Keyes 202	5 *	4.90
62	TRSG 1008	7	5.15	128	C&S MENZIES 2532	26	4.89
63	TAES 8117	4	5.15	129	S MENZIES 934	6	4.88
64	R-J 243	18	5.15	130	ECKHOFF 212	4	4.88
65	B FARIS 242	5	5.15	131	WB 2233	4	4.85
66	TRSG 310	7	5.14	132	HCR 711	6	4.84
				133	C&S MENZIES 3113	12	4.83
				134	WB 2715	5	4.83
				135	HCR 504	4	4.81
				136	FINCHER 1407	9	4.79

Sire summary of Texas A&M ram test performance (1995-2016)

Sires Ranked for Clean Fleece Wt

* Designates sires with sons tested in 2016

Rank	Sire	Sons	EBV	Rank	Sire	Sons	EBV
1	R-J 6140	30	14.9	66	B FARIS 388	14	12.0
2	R-J 3188	71	14.4	67	TRSG 1377	5	12.0
3	R-J 192	19	13.9	68	P ROSE R3317	4	12.0
4	OFFP 956	7	13.6	69	SCHUNKE 2388	5	12.0
5	OFFP 656	10	13.6	70	C&S MENZIES 1833	14	12.0
6	R-J 5064	10	13.5	71	TAES 8762	17	12.0
7	TAES B2863	7	13.4	72	TAES 8803	11	12.0
8	OFFP 829	13	13.3	73	SCHUNKE 317	8	12.0
9	M JERNIGAN 2367	15	13.2	74	CAMPBELL 5399	10	12.0
10	M JERNIGAN 6968	12	13.1	75	R-758	5	11.9
11	TAES 6483	5	12.9	76	GAINER 01119	9	11.9
12	P ROSE R3763	7	12.9	77	TAES 6439	6	11.9
13	TRSG 773	20	12.9	78	TRSG 1223	5	11.9
14	P ROSE R3297	14	12.9	79	TAES 6648	6	11.9
15	P ROSE R4167	6	12.8	80	TRSG 1008	7	11.9
16	TAES 7570	38	12.8	81	T.JONES 545	5	11.9
17	P ROSE R3865	10	12.8	82	TAES 8117	4	11.9
18	LANDERS J511	5	12.7	83	TAES B2452	7	11.9
19	TAES 8896	5	12.7	84	TAES 8287	24	11.9
20	TAES 6808	12	12.7	85	HCR 622	48	11.9
21	TAES B3167	16	12.7	86	P ROSE R3761	15	11.9
22	TAES B2202	10	12.7	87	C&S MENZIES 2464	27	11.8
23	TAES B2888	25	12.7	88	SCHUNKE 1992	6	11.8
24	P ROSE R3653	7	12.7	89	ERK 7170	4	11.8
25	TAES 5501	8	12.7	90	TAES 6574	4	11.8
26	TAES 6099	12	12.6	91	S MENZIES 801	4	11.8
27	TAES 7693	4	12.6	92	R-J 243	18	11.8
28	TAES 8468	5	12.6	93	TAES 5678	4	11.7
29	P ROSE R3557	17	12.6	94	C&S MENZIES 2532	26	11.7
30	TRSG 310	7	12.5	95	TAES 8036	4	11.7
31	TAES 7610	9	12.5	96	CAMPBELL 4047	5	11.7
32	TAES 7363	14	12.5	97	TRSG 298	25	11.7
33	TRSG 1610	4	12.4	98	Keyes 202	5	11.7
34	OFFP 809	7	12.4	99	TAES 5795	11	11.7
35	M JERNIGAN 5715	4	12.4	100	S MENZIES 866	7	11.7
36	TAES 8778	10	12.4	101	TAES 6014	7	11.6
37	TAES 6090	11	12.4	102	TAES B2365	4	11.6
38	TAES 7118	16	12.4	103	C&S MENZIES 1771	10	11.6
39	Schunke 3447	11	12.4	104	C&S MENZIES 2454	4	11.6
40	W Fincher 142	5	12.4	105	TAES 6987	27	11.6
41	C&S MENZIES 1325	11	12.3	106	RABEL143 WYOMING	5	11.5
42	TAES 6880	6	12.3	107	B FARIS 325	11	11.5
43	M JERNIGAN 3683	7	12.3	108	TAES 5034	4	11.5
44	M JERNIGAN 5650	5	12.3	109	B FARIS 392	25	11.5
45	Price 1245	5	12.3	110	SCHUNKE 1878	13	11.5
46	TRSG 902	10	12.2	111	BRADFORD 0242	4	11.5
47	C&S MENZIES 2720	5	12.2	112	WB 2402	5	11.4
48	TAES 7824	5	12.2	113	ASU 4084	7	11.4
49	T.JONES 448	14	12.2	114	TAES 7003	12	11.3
50	TAES B3252	22	12.2	115	JENNINGS 77	4	11.3
51	TAES 7171	13	12.2	116	ECKHOFF 0400	7	11.3
52	TAES 8582	5	12.2	117	JWR 557-978640	7	11.3
53	B FARIS 253	4	12.2	118	B FARIS 242	5	11.3
54	R-J 2669	7	12.2	119	WB 2715	5	11.3
55	TAES 8656	10	12.2	120	CLARK 156	4	11.2
56	TRSG 881	7	12.2	121	ECKHOFF 212	4	11.2
57	P ROSE R3645	8	12.2	122	FINCHER 1407	9	11.2
58	TRSG 753	9	12.1	123	C&S MENZIES 2887	4	11.2
59	C&S MENZIES 2626	15	12.1	124	C&S MENZIES 3138	8	11.2
60	TRSG 953	8	12.1	125	WB 2365	4	11.2
61	TAES 6724	6	12.1	126	T.JONES 1-83	11	11.1
62	P ROSE R4407	6	12.1	127	BRADFORD 0009	4	11.1
63	HAGEMAN 3051	6	12.0	128	TLB	4	11.0
64	TAES B3403	12	12.0	129	T.JONES 8-21	10	11.0
65	MSC 1415	4	12.0	130	HCR 504	4	10.9
				131	WB 2233	4	10.8
				132	C&S MENZIES 3113	12	10.8
				133	S MENZIES 865	12	10.7
				134	HCR 711	6	10.5
				135	S MENZIES 934	6	10.5
				136	HCR 634	12	10.3

Sire summary of Texas A&M ram test performance (1995-2016)

Sires Ranked for Fiber Diam. (core)

* Designates sires with sons tested in 2016.

Rank	Sire	Sons	EBV	Rank	Sire	Sons	EBV
1	TAES 8656	10 *	20.7	66	W Fincher 142	5	21.9
2	TAES 8287	24	20.9	67	C&S MENZIES 3113	12	22.0
3	TAES 8803	11	21.0	68	TRSG 753	9	22.0
4	TAES 8117	4	21.1	69	C&S MENZIES 2532	26	22.0
5	TAES 8762	17 *	21.1	70	C&S MENZIES 1771	10	22.0
6	C&S MENZIES 2464	27	21.1	71	JWR 557-978640	7	22.0
7	TAES 6014	7	21.1	72	B FARIS 242	5	22.0
8	TAES 6090	11	21.2	73	P ROSE R3761	15	22.0
9	TAES 6808	12	21.3	74	TAES 7693	4	22.0
10	P ROSE R3653	7	21.3	75	OPF 656	10	22.0
11	TAES B3167	16	21.3	76	P ROSE R3763	7	22.0
12	P ROSE R3865	10	21.3	77	S MENZIES 934	6	22.0
13	TAES 5795	11	21.3	78	SCHUNKE 317	8	22.0
14	P ROSE R3297	14	21.3	79	TRSG 1008	7	22.1
15	TAES B3252	22	21.3	80	HCR 504	4	22.1
16	P ROSE R3557	17	21.3	81	TAES 7118	16	22.1
17	TAES 6987	27	21.3	82	T.JONES 8-21	10	22.1
18	TAES B3403	12	21.4	83	JENNINGS 77	4	22.1
19	TAES 7824	5	21.4	84	TRSG 1223	5	22.1
20	T.JONES 1-83	11	21.4	85	B FARIS 388	14	22.1
21	TAES 8036	4	21.4	86	TAES B2863	7	22.1
22	TAES 6574	4	21.4	87	TRSG 773	20	22.1
23	TAES 7610	9	21.5	88	CAMPBELL 4047	5	22.1
24	T.JONES 448	14	21.5	89	T.JONES 545	5	22.1
25	OPF 809	7	21.5	90	B FARIS 392	25	22.1
26	P ROSE R4407	6	21.5	91	R-J 3188	71	22.2
27	TAES B2888	25	21.5	92	TRSG 881	7	22.2
28	TAES 5034	4	21.5	93	TRSG 1610	4	22.2
29	TAES 8468	5	21.5	94	ASU 4084	7	22.2
30	TAES B2452	7	21.5	95	R-J 243	18	22.2
31	TAES 6099	12	21.5	96	TRSG 298	25	22.2
32	TLB	4	21.6	97	M JERNIGAN 2367	15	22.2
33	P ROSE R3645	8	21.6	98	M JERNIGAN 5715	4	22.2
34	TAES 8778	10 *	21.6	99	CAMPBELL 5399	10	22.2
35	TAES 6439	6	21.6	100	LANDERS J511	5	22.3
36	RABEL143 WYOMING	5	21.6	101	BRADFORD 0242	4	22.3
37	Schunke 3447	11 *	21.6	102	TRSG 310	7	22.3
38	CLARK 156	4	21.7	103	HCR 622	48	22.3
39	TAES 6880	6	21.7	104	M JERNIGAN 5650	5	22.3
40	C&S MENZIES 2887	4	21.7	105	WB 2233	4	22.3
41	WB 2402	5	21.7	106	TRSG 1377	5	22.3
42	C&S MENZIES 1325	11	21.7	107	SCHUNKE 1878	13	22.3
43	TAES 7171	13	21.7	108	C&S MENZIES 2454	4	22.3
44	HCR 711	6	21.7	109	GAINER 01119	9	22.3
45	TAES 5501	8	21.7	110	WB 2365	4	22.4
46	TAES 6483	5	21.7	111	S MENZIES 865	12	22.4
47	B FARIS 253	4	21.7	112	SCHUNKE 2388	5	22.4
48	TAES 7363	14	21.8	113	S MENZIES 866	7	22.4
49	TAES 8582	5	21.8	114	TRSG 953	8	22.4
50	OPF 829	13	21.8	115	R-758	5	22.5
51	FINCHER 1407	9	21.8	116	M JERNIGAN 6968	12	22.5
52	TAES 7570	38	21.8	117	SCHUNKE 1992	6	22.5
53	OPF 956	7	21.8	118	P ROSE R3317	4	22.5
54	TAES 7003	12	21.8	119	MSC 1415	4	22.5
55	TAES B2365	4	21.8	120	BRADFORD 0009	4	22.5
56	B FARIS 325	11	21.8	121	R-J 192	19	22.6
57	HAGEMAN 3051	6	21.8	122	WB 2715	5	22.6
58	TAES 5678	4	21.9	123	C&S MENZIES 2720	5	22.6
59	TRSG 902	10	21.9	124	ECKHOFF 0400	7	22.6
60	HCR 634	12	21.9	125	TAES 6724	6	22.7
61	C&S MENZIES 2626	15	21.9	126	R-J 6140	30	22.7
62	M JERNIGAN 3683	7	21.9	127	P ROSE R4167	6	22.7
63	TAES B2202	10	21.9	128	C&S MENZIES 1833	14	22.7
64	C&S MENZIES 3138	8	21.9	129	TAES 8896	5	22.7
65	TAES 6648	6	21.9	130	R-J 2669	7	22.7
				131	Price 1245	5	22.7
				132	ECKHOFF 212	4	22.9
				133	Keyes 202	5 *	23.0

Sire summary of Texas A&M ram test performance (1995-2016)

Sires Ranked for Fiber Variability (CV)

* Designates sires with sons tested in 2016.

Rank	Sire	Sons	EBV	Rank	Sire	Sons	EBV
1	T.JONES 448	14	19.1	66	P ROSE R4407	6	20.3
2	P ROSE R3865	10	19.1	67	C&S MENZIES 3138	8	20.3
3	TAES B2888	25	19.2	68	TAES 6099	12	20.3
4	TRSG 1610	4	19.3	69	TAES 8117	4	20.3
5	TAES 7171	13	19.3	70	TAES 8762	17	20.3
6	HCR 622	48	19.3	71	TAES B2202	10	20.3
7	T.JONES 8-21	10	19.4	72	WB 2233	4	20.3
8	TAES B2863	7	19.6	73	TAES 7693	4	20.3
9	TAES B3403	12	19.6	74	TAES 7003	12	20.3
10	R-J 6140	30	19.6	75	SCHUNKE 1878	13	20.3
11	R-J 3188	71	19.6	76	SCHUNKE 1992	6	20.3
12	M JERNIGAN 2367	15	19.6	77	TAES 8582	5	20.4
13	C&S MENZIES 1325	11	19.6	78	TAES 8896	5	20.4
14	R-J 192	19	19.7	79	B FARIS 388	14	20.4
15	HAGEMAN 3051	6	19.7	80	TAES 6987	27	20.4
16	TAES 5795	11	19.7	81	SCHUNKE 317	8	20.4
17	OFF 956	7	19.7	82	C&S MENZIES 2626	15	20.4
18	TRSG 298	25	19.7	83	GAINER 01119	9	20.4
19	TAES B2452	7	19.8	84	R-J 243	18	20.4
20	C&S MENZIES 2464	27	19.8	85	P ROSE R4167	6	20.4
21	TAES 6439	6	19.8	86	Price 1245	5	20.4
22	LANDERS J511	5	19.8	87	S MENZIES 866	7	20.4
23	TAES 6090	11	19.9	88	C&S MENZIES 2720	5	20.4
24	TAES 8803	11	19.9	89	TAES 6808	12	20.4
25	TRSG 773	20	19.9	90	C&S MENZIES 3113	12	20.4
26	TAES 5034	4	19.9	91	B FARIS 253	4	20.4
27	M JERNIGAN 5715	4	19.9	92	CAMPBELL 5399	10	20.4
28	OFF 656	10	19.9	93	P ROSE R3557	17	20.4
29	TAES 5501	8	19.9	94	TAES B2365	4	20.4
30	SCHUNKE 2388	5	20.0	95	TRSG 1008	7	20.4
31	TAES 8778	10	20.0	96	W Fincher 142	5	20.4
32	B FARIS 325	11	20.0	97	S MENZIES 934	6	20.5
33	TLB	4	20.0	98	TAES 7363	14	20.5
34	OFF 809	7	20.0	99	CLARK 156	4	20.5
35	MSC 1415	4	20.0	100	S MENZIES 865	12	20.5
36	TRSG 753	9	20.0	101	TAES 8036	4	20.5
37	TAES B3167	16	20.0	102	P ROSE R3761	15	20.6
38	B FARIS 392	25	20.0	103	TAES 6574	4	20.6
39	P ROSE R3297	14	20.1	104	P ROSE R3317	4	20.6
40	ECKHOFF 0400	7	20.1	105	TAES 6724	6	20.6
41	M JERNIGAN 5650	5	20.1	106	C&S MENZIES 1833	14	20.6
42	TAES 8656	10	20.1	107	WB 2715	5	20.6
43	BRADFORD 0242	4	20.1	108	T.JONES 1-83	11	20.6
44	JENNINGS 77	4	20.1	109	P ROSE R3653	7	20.7
45	M JERNIGAN 6968	12	20.1	110	TRSG 881	7	20.7
46	CAMPBELL 4047	5	20.1	111	ECKHOFF 212	4	20.7
47	M JERNIGAN 3683	7	20.1	112	P ROSE R3763	7	20.7
48	TRSG 1223	5	20.1	113	RABEL143 WYOMING	5	20.8
49	TAES B3252	22	20.1	114	B FARIS 242	5	20.8
50	TAES 7824	5	20.1	115	WB 2402	5	20.8
51	P ROSE R3645	8	20.1	116	TRSG 953	8	20.9
52	TAES 7118	16	20.1	117	TAES 5678	4	20.9
53	TAES 6483	5	20.2	118	C&S MENZIES 2532	26	20.9
54	OFF 829	13	20.2	119	JWR 557-978640	7	20.9
55	C&S MENZIES 1771	10	20.2	120	Keyes 202	5	21.0
56	ASU 4084	7	20.2	121	TAES 6648	6	21.0
57	TAES 8287	24	20.2	122	R-J 2669	7	21.0
58	BRADFORD 0009	4	20.2	123	TRSG 1377	5	21.1
59	TAES 7570	38	20.2	124	TRSG 902	10	21.1
60	Schunke 3447	11	20.2	125	HCR 634	12	21.2
61	TAES 7610	9	20.2	126	FINCHER 1407	9	21.2
62	TRSG 310	7	20.3	127	C&S MENZIES 2454	4	21.2
63	WB 2365	4	20.3	128	HCR 711	6	21.2
64	TAES 8468	5	20.3	129	HCR 504	4	21.2
65	TAES 6014	7	20.3	130	TAES 6880	6	21.2
				131	C&S MENZIES 2887	4	21.3
				132	T.JONES 545	5	21.4
				133	R-758	5	21.5

Sire summary of Texas A&M ram test performance (1995-2016)

Sire Summary of Ram Test Performance (1995-2016)

Alphabetical listing of sires

The following pages list all sires with 4 or more tested sons. Sires are listed in alphabetical order by the breeder prefix. The breeding values are expressed as a deviation from a base. The base was the average performance on test from 1995 to 2000. Therefore, animals with a value of zero are average for this group of rams. A value of .5 in the fleece weight column indicates that this ram is .5 lbs better than the base for clean fleece weight. A value of -.5 in the fleece weight column indicates that he is .5 lbs below the base. The values can be used to make comparisons of different sires. As an example, consider TAES 6090 shown below. He had 11 tested sons. His breeding value for the ROM index is 7.7, indicating that he is 7.7 points better than the base. Immediately below the 7.7 is his rank (7) for ROM index value among all rams with 4 or more tested sons. His ADG value is .002 which indicates that he was slightly above average. His rank is 69, which is near the middle of the 135 rams in the list. A breeding value and rank are shown for each of the 6 traits. TAES 6090 is a very fine ram (rank of 8, but he is near average for growth rate. Sons of this ram would be of interest to ram buyers that want to improve their wool quality in a flock that already has a desirable growth rate. If a producer wants to improve growth rate in a flock, rams with a high breeding value for ADG should be considered.

Sire	Sons	ROM Index	ADG	Staple	Fleece Weight	Fiber Diameter	Fiber CV
TAES 6090	11	7.7	0.002	0.17	0.50	-0.76	-0.43
TAES 6090	Rank ->	7	69	32	37	8	23

Several rams have a blank value for ROM index, Fiber Diameter and Fiber CV. These rams had sons tested in 1997 only and in 1997 a core sample from the final fleece was not obtained. Fiber diameter was only determined from the side and britch samples in 1997. A core sample is not directly comparable to a side sample in this situation. So the wool quality measures of rams that had sons tested only in 1997 are not directly comparable to the rest of the rams. Because the wool quality measures are a part of the ROM index calculations, the ROM index values for these rams were also excluded.

Base values :

ROM Index	121.0
ADG	.807 lb/d
Staple Length	5.1 inches
Clean Fleece Wt	11.9 lbs
Fiber Diameter	22.0 microns
Fiber CV	20.3

Texas A&M Sire Summary 1995-2016

Sire	Sons	ROM Index	ADG	Staple	Fleece Weight	Fiber Diameter	Fiber CV
ASU 4084	7	-4.1	-.019	-0.02	-0.50	0.19	-0.10
ASU 4084	Rank ->111		113	84	113	94	56
B FARIS 242	5	-2.7	0.006	0.05	-0.63	-0.03	0.54
B FARIS 242	Rank ->102		57	65	118	72	114
B FARIS 253	4	4.6	0.025	0.10	0.27	-0.25	0.12
B FARIS 253	Rank -> 34		14	45	53	47	91
B FARIS 325	11	1.6	0.022	-0.14	-0.41	-0.16	-0.30
B FARIS 325	Rank -> 61		22	118	107	56	32
B FARIS 388	14	3.3	0.040	0.02	0.11	0.11	0.06
B FARIS 388	Rank -> 49		4	69	66	85	79
B FARIS 392	25	-1.7	0.004	-0.05	-0.43	0.14	-0.25
B FARIS 392	Rank -> 98		62	95	109	90	38
BRADFORD 0009	4	-7.9	-.026	-0.11	-0.83	0.54	-0.09
BRADFORD 0009	Rank ->129		119	112	127	120	58
BRADFORD 0242	4	-4.6	-.021	-0.11	-0.45	0.27	-0.21
BRADFORD 0242	Rank ->113		117	111	111	101	43
C&S MENZIES 1325	11	6.6	0.028	-0.14	0.41	-0.28	-0.67
C&S MENZIES 1325	Rank -> 15		10	114	41	42	13
C&S MENZIES 1771	10	-6.3	-.055	-0.07	-0.34	-0.04	-0.10
C&S MENZIES 1771	Rank ->124		136	100	103	70	55
C&S MENZIES 1833	14	-3.0	-.013	-0.04	0.09	0.69	0.33
C&S MENZIES 1833	Rank ->104		100	92	70	128	106
C&S MENZIES 2454	4	-5.4	-.014	-0.01	-0.34	0.34	0.86
C&S MENZIES 2454	Rank ->119		106	81	104	108	127
C&S MENZIES 2464	27	4.0	0.019	-0.18	-0.07	-0.87	-0.52
C&S MENZIES 2464	Rank -> 43		30	123	87	6	20
C&S MENZIES 2532	26	3.4	0.072	-0.21	-0.18	-0.04	0.59
C&S MENZIES 2532	Rank -> 46		1	128	94	69	118
C&S MENZIES 2626	15	0.8	-.007	-0.02	0.21	-0.11	0.06
C&S MENZIES 2626	Rank -> 74		85	87	59	61	82
C&S MENZIES 2720	5	0.5	0.011	-0.04	0.32	0.63	0.10
C&S MENZIES 2720	Rank -> 75		49	93	47	123	88
C&S MENZIES 2887	4	-8.4	-.043	-0.17	-0.72	-0.30	1.01
C&S MENZIES 2887	Rank ->131		133	121	123	40	131
C&S MENZIES 3113	12	-4.0	0.018	-0.27	-1.13	-0.05	0.12
C&S MENZIES 3113	Rank ->109		32	133	132	67	90
C&S MENZIES 3138	8	-3.0	0.003	-0.20	-0.72	-0.08	-0.02
C&S MENZIES 3138	Rank ->105		67	125	124	64	67
CAMPBELL 4047	5	-0.4	-.001	0.07	-0.19	0.14	-0.20
CAMPBELL 4047	Rank -> 85		76	56	96	88	46
CAMPBELL 5399	10	-1.8	-.021	0.15	0.06	0.24	0.14
CAMPBELL 5399	Rank -> 99		115	38	74	99	92
CLARK 156	4	-3.7	-.008	-0.04	-0.68	-0.35	0.20
CLARK 156	Rank ->107		89	91	120	38	99
ECKHOFF 0400	7	-5.2	-.021	-0.06	-0.62	0.64	-0.22
ECKHOFF 0400	Rank ->117		116	98	116	124	40
ECKHOFF 212	4	-7.7	0.001	-0.22	-0.70	0.89	0.37
ECKHOFF 212	Rank ->128		74	130	121	132	111
ERK 7170	4	.	0.011	-0.20	-0.08	.	.
ERK 7170	Rank -> .		48	126	89	.	.

Sires with * following the number of sons, have sons on test this year.
 Each trait shows the EBV, the rank among rams with 4 or more sons is shown below.

Sire summary of Texas A&M ram test performance (1995-2016)

Texas A&M Sire Summary 1995-2016

Sire	Sons	ROM Index	ADG	Staple	Fleece Weight	Fiber Diameter	Fiber CV
FINCHER 1407	9	-5.6	-.007	-0.31	-0.70	-0.21	0.86
FINCHER 1407	Rank ->121		83	136	122	51	126
GAINER 01119	9	1.1	0.017	0.02	0.02	0.34	0.06
GAINER 01119	Rank -> 69		37	73	76	109	83
HAGEMAN 3051	6	3.3	0.012	-0.06	0.12	-0.16	-0.63
HAGEMAN 3051	Rank -> 48		46	97	63	57	15
HCR 504	4	-8.9	-.011	-0.29	-1.03	0.06	0.88
HCR 504	Rank ->133		94	135	130	80	129
HCR 622	48	2.4	0.029	-0.02	-0.05	0.31	-0.97
HCR 622	Rank -> 57		9	88	85	103	6
HCR 634	12	-6.7	0.012	-0.16	-1.63	-0.11	0.85
HCR 634	Rank ->125		44	119	136	60	125
HCR 711	6	-7.6	0.003	-0.26	-1.43	-0.27	0.88
HCR 711	Rank ->127		64	132	134	44	128
JENNINGS 77	4	-1.4	0.012	-0.05	-0.60	0.09	-0.21
JENNINGS 77	Rank -> 95		45	94	115	83	44
JWR 557-978640	7	-4.1	0.002	-0.09	-0.62	-0.04	0.62
JWR 557-978640	Rank ->110		70	105	117	71	119
Keyes 202	5*	-1.8	0.036	-0.20	-0.23	0.99	0.66
Keyes 202	Rank ->100		6	127	98	133	120
LANDERS J511	5	5.5	0.016	0.17	0.83	0.25	-0.49
LANDERS J511	Rank -> 25		39	30	18	100	22
M JERNIGAN 2367	15	5.8	-.008	0.22	1.29	0.23	-0.68
M JERNIGAN 2367	Rank -> 23		87	21	9	97	12
M JERNIGAN 3683	7	3.9	0.022	0.02	0.37	-0.09	-0.20
M JERNIGAN 3683	Rank -> 44		23	72	43	62	47
M JERNIGAN 5650	5	0.4	-.011	0.08	0.36	0.32	-0.22
M JERNIGAN 5650	Rank -> 77		95	51	44	104	41
M JERNIGAN 5715	4	1.4	-.013	0.09	0.52	0.24	-0.39
M JERNIGAN 5715	Rank -> 63		101	48	35	98	27
M JERNIGAN 6968	12	4.1	-.012	0.34	1.19	0.48	-0.21
M JERNIGAN 6968	Rank -> 41		96	8	10	116	45
MSC 1415	4	-3.7	-.032	-0.03	0.11	0.53	-0.27
MSC 1415	Rank ->106		126	89	65	119	35
OFF 656	10	7.9	-.015	0.21	1.67	-0.02	-0.37
OFF 656	Rank -> 6		107	24	5	75	28
OFF 809	7	6.9	0.021	0.29	0.52	-0.51	-0.28
OFF 809	Rank -> 12		25	14	34	25	34
OFF 829	13	7.2	-.007	0.19	1.36	-0.22	-0.14
OFF 829	Rank -> 10		86	25	8	50	54
OFF 956	7	10.5	0.005	0.32	1.69	-0.19	-0.57
OFF 956	Rank -> 4		58	9	4	53	17
P ROSE R3297	14	7.3	-.026	0.53	0.99	-0.70	-0.24
P ROSE R3297	Rank -> 9		120	2	14	14	39
P ROSE R3317	4	0.2	0.018	0.01	0.10	0.53	0.31
P ROSE R3317	Rank -> 80		33	76	68	118	104
P ROSE R3557	17	6.2	-.014	0.42	0.71	-0.68	0.14
P ROSE R3557	Rank -> 19		104	4	29	16	93
P ROSE R3645	8	4.4	0.011	0.06	0.25	-0.44	-0.17
P ROSE R3645	Rank -> 35		47	57	57	33	51

Sires with * following the number of sons, have sons on test this year.
 Each trait shows the EBV, the rank among rams with 4 or more sons is shown below.

Texas A&M Sire Summary 1995-2016

Sire	Sons	ROM Index	ADG	Staple	Fleece Weight	Fiber Diameter	Fiber CV
P ROSE R3653	7	4.2	-.006	0.39	0.78	-0.73	0.37
P ROSE R3653	Rank -> 39		82	5	24	10	109
P ROSE R3761	15	-0.9	-.015	0.31	-0.06	-0.03	0.29
P ROSE R3761	Rank -> 93		108	10	86	73	102
P ROSE R3763	7	6.3	0.013	0.17	1.00	-0.01	0.41
P ROSE R3763	Rank -> 17		42	31	12	76	112
P ROSE R3865	10	5.0	-.038	0.58	0.84	-0.72	-1.16
P ROSE R3865	Rank -> 28		131	1	17	12	2
P ROSE R4167	6	4.9	0.025	0.17	0.93	0.69	0.07
P ROSE R4167	Rank -> 31		15	33	15	127	85
P ROSE R4407	6	1.9	-.012	0.29	0.16	-0.49	-0.02
P ROSE R4407	Rank -> 59		97	13	62	26	66
Price 1245	5	-5.2	-.051	-0.01	0.34	0.74	0.08
Price 1245	Rank ->116		135	80	45	131	86
R-758	5	-5.7	-.036	0.17	0.03	0.46	1.16
R-758	Rank ->122		128	34	75	115	133
R-J 192	19	11.0	0.026	0.39	2.02	0.56	-0.65
R-J 192	Rank -> 3		11	6	3	121	14
R-J 243	18	0.3	0.009	0.05	-0.15	0.22	0.07
R-J 243	Rank -> 78		53	64	92	95	84
R-J 2669	7	-0.6	0.033	0.09	0.27	0.74	0.73
R-J 2669	Rank -> 88		7	49	54	130	122
R-J 3188	71	11.3	0.022	0.35	2.45	0.17	-0.68
R-J 3188	Rank -> 2		24	7	2	91	11
R-J 5064	10	.	0.042	0.16	1.63	.	.
R-J 5064	Rank -> .		2	36	6	.	.
R-J 6140	30	12.6	-.010	0.44	2.96	0.68	-0.69
R-J 6140	Rank -> 1		92	3	1	126	10
RABEL143 WYOMING	5	0.2	0.023	-0.17	-0.39	-0.37	0.51
RABEL143 WYOMING	Rank -> 81		20	122	106	36	113
S MENZIES 801	4	.	0.012	-0.02	-0.12	.	.
S MENZIES 801	Rank -> .		43	85	91	.	.
S MENZIES 865	12	-5.5	0.024	-0.16	-1.23	0.38	0.21
S MENZIES 865	Rank ->120		18	120	133	111	100
S MENZIES 866	7	-1.4	0.019	-0.10	-0.24	0.42	0.08
S MENZIES 866	Rank -> 96		31	107	100	113	87
S MENZIES 934	6	-7.9	-.013	-0.22	-1.44	-0.01	0.17
S MENZIES 934	Rank ->130		98	129	135	77	97
SCHUNKE 1878	13	-3.8	-.009	-0.08	-0.44	0.34	0.02
SCHUNKE 1878	Rank ->108		90	103	110	107	75
SCHUNKE 1992	6	-4.8	-.036	0.12	-0.08	0.48	0.04
SCHUNKE 1992	Rank ->114		129	43	88	117	76
SCHUNKE 2388	5	1.3	0.010	0.01	0.10	0.41	-0.34
SCHUNKE 2388	Rank -> 65		51	74	69	112	30
SCHUNKE 317	8	2.8	0.023	0.03	0.07	0.02	0.06
SCHUNKE 317	Rank -> 53		19	67	73	78	81
Schunke 3447	11*	2.5	-.015	0.06	0.45	-0.37	-0.08
Schunke 3447	Rank -> 56		109	59	39	37	60
T.JONES 1-83	11	0.1	0.018	0.01	-0.79	-0.59	0.34
T.JONES 1-83	Rank -> 82		34	75	126	20	108

Sires with * following the number of sons, have sons on test this year.
 Each trait shows the EBV, the rank among rams with 4 or more sons is shown below.

Texas A&M Sire Summary 1995-2016

Sire	Sons	ROM Index	ADG	Staple	Fleece Weight	Fiber Diameter	Fiber CV
T.JONES 448	14	2.7	-.028	-0.07	0.31	-0.52	-1.22
T.JONES 448	Rank ->	54	122	99	49	24	1
T.JONES 545	5	-5.4	-.037	-0.11	-0.02	0.14	1.05
T.JONES 545	Rank ->	118	130	109	81	89	132
T.JONES 8-21	10	-6.3	-.041	-0.11	-0.91	0.08	-0.89
T.JONES 8-21	Rank ->	123	132	110	129	82	7
TAES 5034	4	-0.8	-.011	-0.07	-0.42	-0.48	-0.39
TAES 5034	Rank ->	92	93	101	108	28	26
TAES 5501	8	4.4	-.017	0.19	0.77	-0.27	-0.35
TAES 5501	Rank ->	37	111	28	25	45	29
TAES 5678	4	-0.7	-.006	-0.14	-0.17	-0.13	0.59
TAES 5678	Rank ->	91	81	115	93	58	117
TAES 5795	11	4.2	0.021	-0.12	-0.24	-0.71	-0.62
TAES 5795	Rank ->	38	26	113	99	13	16
TAES 6014	7	4.2	0.039	-0.02	-0.32	-0.85	-0.03
TAES 6014	Rank ->	40	5	82	101	7	65
TAES 6090	11	7.7	0.002	0.17	0.50	-0.76	-0.43
TAES 6090	Rank ->	7	69	32	37	8	23
TAES 6099	12	5.9	0.017	0.19	0.72	-0.45	-0.02
TAES 6099	Rank ->	22	36	27	26	31	68
TAES 6439	6	3.0	0.017	-0.06	0.02	-0.39	-0.49
TAES 6439	Rank ->	51	35	96	77	35	21
TAES 6483	5	8.9	0.029	0.10	1.02	-0.26	-0.14
TAES 6483	Rank ->	5	8	46	11	46	53
TAES 6574	4	1.3	0.002	0.03	-0.10	-0.55	0.30
TAES 6574	Rank ->	66	68	68	90	22	103
TAES 6648	6	0.0	0.003	0.22	-0.00	-0.06	0.71
TAES 6648	Rank ->	83	65	22	79	65	121
TAES 6724	6	-0.7	0.020	-0.10	0.16	0.67	0.33
TAES 6724	Rank ->	90	29	108	61	125	105
TAES 6808	12	6.7	0.004	0.08	0.80	-0.74	0.11
TAES 6808	Rank ->	13	61	52	20	9	89
TAES 6880	6	3.2	0.025	-0.08	0.39	-0.32	0.95
TAES 6880	Rank ->	50	13	104	42	39	130
TAES 6987	27	1.0	0.002	-0.02	-0.35	-0.66	0.06
TAES 6987	Rank ->	70	72	83	105	17	80
TAES 7003	12	-2.3	-.004	-0.18	-0.60	-0.19	0.02
TAES 7003	Rank ->	101	79	124	114	54	74
TAES 7118	16	2.8	0.003	0.02	0.47	0.06	-0.15
TAES 7118	Rank ->	52	66	70	38	81	52
TAES 7171	13	0.4	-.045	-0.09	0.29	-0.28	-1.01
TAES 7171	Rank ->	76	134	106	51	43	5
TAES 7363	14	1.8	-.029	0.24	0.57	-0.25	0.20
TAES 7363	Rank ->	60	123	19	32	48	98
TAES 7570	38	5.3	0.002	0.15	0.87	-0.19	-0.09
TAES 7570	Rank ->	27	71	37	16	52	59
TAES 7610	9	6.1	0.020	0.21	0.58	-0.53	-0.07
TAES 7610	Rank ->	20	28	23	31	23	61
TAES 7693	4	3.4	-.003	0.19	0.71	-0.02	0.02
TAES 7693	Rank ->	47	78	29	27	74	73

Sires with * following the number of sons, have sons on test this year.
 Each trait shows the EBV, the rank among rams with 4 or more sons is shown below.

Texas A&M Sire Summary 1995-2016

Sire	Sons	ROM Index	ADG	Staple	Fleece Weight	Fiber Diameter	Fiber CV
TAES 7824	5	4.6	0.008	0.07	0.31	-0.60	-0.18
TAES 7824	Rank ->	33	54	55	48	19	50
TAES 8036	4	2.1	0.015	-0.02	-0.19	-0.59	0.22
TAES 8036	Rank ->	58	40	86	95	21	101
TAES 8117	4	1.5	-.005	0.05	-0.02	-0.92	-0.01
TAES 8117	Rank ->	62	80	63	82	4	69
TAES 8287	24	1.4	-.027	0.17	-0.04	-1.07	-0.10
TAES 8287	Rank ->	64	121	35	84	2	57
TAES 8468	5	6.6	0.017	0.15	0.71	-0.47	-0.05
TAES 8468	Rank ->	14	38	39	28	29	64
TAES 8582	5	4.4	0.024	0.13	0.28	-0.22	0.05
TAES 8582	Rank ->	36	17	42	52	49	77
TAES 8656	10*	6.3	0.023	0.14	0.26	-1.29	-0.22
TAES 8656	Rank ->	18	21	40	55	1	42
TAES 8762	17*	6.5	0.040	0.05	0.09	-0.91	-0.01
TAES 8762	Rank ->	16	3	61	71	5	70
TAES 8778	10*	5.4	0.000	0.08	0.52	-0.43	-0.31
TAES 8778	Rank ->	26	75	50	36	34	31
TAES 8803	11	1.2	-.032	0.13	0.08	-0.97	-0.40
TAES 8803	Rank ->	68	124	41	72	3	24
TAES 8896	5	1.2	-.008	0.07	0.80	0.69	0.05
TAES 8896	Rank ->	67	88	54	19	129	78
TAES B2202	10	5.0	0.004	-0.04	0.78	-0.09	-0.00
TAES B2202	Rank ->	30	59	90	22	63	71
TAES B2365	4	-0.5	0.002	0.09	-0.32	-0.17	0.15
TAES B2365	Rank ->	87	73	47	102	55	94
TAES B2452	7	0.9	-.019	0.19	-0.03	-0.46	-0.52
TAES B2452	Rank ->	72	112	26	83	30	19
TAES B2863	7	7.0	-.016	0.31	1.50	0.13	-0.75
TAES B2863	Rank ->	11	110	11	7	86	8
TAES B2888	25	5.7	-.022	0.29	0.78	-0.48	-1.11
TAES B2888	Rank ->	24	118	15	23	27	3
TAES B3167	16	7.5	0.006	0.23	0.79	-0.73	-0.26
TAES B3167	Rank ->	8	56	20	21	11	37
TAES B3252	22	6.0	0.021	0.26	0.30	-0.70	-0.19
TAES B3252	Rank ->	21	27	17	50	15	49
TAES B3403	12	4.0	-.002	0.30	0.11	-0.61	-0.73
TAES B3403	Rank ->	42	77	12	64	18	9
TLB	4	-5.0	-.034	0.06	-0.86	-0.45	-0.29
TLB	Rank ->	115	127	58	128	32	33
TRSG 1008	7	-0.6	-.007	0.05	-0.01	0.05	0.15
TRSG 1008	Rank ->	89	84	62	80	79	95
TRSG 1223	5	-1.0	-.014	0.01	0.02	0.09	-0.20
TRSG 1223	Rank ->	94	105	77	78	84	48
TRSG 1377	5	0.9	0.024	0.11	0.11	0.34	0.78
TRSG 1377	Rank ->	73	16	44	67	106	123
TRSG 1610	4	2.6	-.014	0.25	0.52	0.18	-1.03
TRSG 1610	Rank ->	55	103	18	33	93	4
TRSG 298	25	0.3	0.015	-0.14	-0.22	0.23	-0.55
TRSG 298	Rank ->	79	41	117	97	96	18

Sires with * following the number of sons, have sons on test this year.
 Each trait shows the EBV, the rank among rams with 4 or more sons is shown below.

Texas A&M Sire Summary 1995-2016

Sire	Sons	ROM Index	ADG	Staple	Fleece Weight	Fiber Diameter	Fiber CV
TRSG 310	7	4.6	0.026	0.04	0.64	0.28	-0.05
TRSG 310	Rank ->	32	12	66	30	102	62
TRSG 753	9	-0.5	-.032	0.07	0.23	-0.05	-0.26
TRSG 753	Rank ->	86	125	53	58	68	36
TRSG 773	20	5.0	0.004	0.00	1.00	0.14	-0.40
TRSG 773	Rank ->	29	60	78	13	87	25
TRSG 881	7	1.0	0.009	0.00	0.25	0.18	0.37
TRSG 881	Rank ->	71	52	79	56	92	110
TRSG 902	10	-0.3	-.014	0.28	0.33	-0.12	0.82
TRSG 902	Rank ->	84	102	16	46	59	124
TRSG 953	8	-3.0	-.020	-0.08	0.20	0.44	0.58
TRSG 953	Rank ->	103	114	102	60	114	116
W Fincher 142	5	3.5	0.011	0.06	0.45	-0.05	0.15
W Fincher 142	Rank ->	45	50	60	40	66	96
WB 2233	4	-8.6	-.013	-0.25	-1.13	0.32	0.00
WB 2233	Rank ->	132	99	131	131	105	72
WB 2365	4	-4.3	0.004	-0.14	-0.72	0.37	-0.05
WB 2365	Rank ->	112	63	116	125	110	63
WB 2402	5	-1.6	0.006	0.02	-0.49	-0.29	0.54
WB 2402	Rank ->	97	55	71	112	41	115
WB 2715	5	-7.2	-.009	-0.27	-0.63	0.60	0.33
WB 2715	Rank ->	126	91	134	119	122	107

Sires with * following the number of sons, have sons on test this year.
 Each trait shows the EBV, the rank among rams with 4 or more sons is shown below.