

2007 Sonora Angora Goat Central Performance Test Final report

July 26, 2007

| R e g No. | Flock No. | Birth date | Birth type | Start Wt. 3/7 | Final Wt. 6/27 | Total | | Fleece (180 day basis) | | | Lock Avg. in. | Length STD in. | Fiber Diam. | | Med % | Kemp % | Visual Scores | | | Scrot. Circ. (cm) | Index Ratio | | | |
|--|--------------|---------------|---------------|---------------------|----------------------|------------|------------|------------------------|---------------------|---------------------|---------------------|----------------------|-------------|-----------------|----------|-----------|----------------|------|------|-------------------------|----------------|------|------|-------|
| | | | | | | ADG lbs | ADG lbs | Grease wt. lbs | Clean wt. lbs | Clean wt. lbs | | | Yield % | Avg. microns | | | STD microns | Face | Neck | | | Char | | |
| Pen 1 NAUMANN, Bonnie & Dale, MEDINA, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire:Naumann 785 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 1 | 1010 | 2/8 | S | 110 | 174 | .57 | .50 | 12.8 | 10.0 | 9.5 | 78.6 | 7.12 | .06 | 34.8 | 8.9 | 0.90 | .20 | 3.0 | 3.5 | 4.2 | 30.5 | 47.4 | 105.3 |
| Sire:Holman 2407 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 2 | 1036 | 2/10 | S | 115 | 170 | .49 | .40 | 16.4 | 11.1 | 10.5 | 67.8 | 6.90 | .12 | 32.1 | 8.7 | 0.50 | .15 | 4.0 | 3.8 | 4.0 | 27.2 | 48.7 | 108.2 |
| Sire:Speck 3762 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 3 | 1069 | 2/27 | S | 110 | 150 | .36 | .29 | 11.5 | 7.9 | 7.4* | 68.4 | 5.36 | .47 | 29.9 | 9.4 | 1.20 | .00 | 3.7 | 3.0 | 3.0 | 27.0 | 27.1 | 60.2 |
| Sire:Naumann 785 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 4 | 1084 | 3/1 | S | 124 | 180 | .50 | .42 | 13.5 | 10.2 | 9.5 | 75.7 | 6.48 | .06 | 32.4 | 10.1 | 0.70 | .10 | 3.5 | 3.5 | 3.7 | 29.0 | 44.8 | 99.5 |
| Sire:Speck 2310 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 5 | 528 | 2/27 | TW | 90 | 144 | .48 | .41 | 12.6 | 9.8 | 9.6 | 78.0 | 7.27 | .40 | 34.9 | 7.4 | 0.60 | .10 | 3.5 | 4.0 | 3.8 | 28.0 | 40.7 | 90.5 |
| Pen 2 Hanson, Glenn, Cranfills Gap, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire:S. African | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 6 | 204 | 4/28 | S | 61 | 117 | .50 | .43 | 11.8 | 8.5 | 8.8 | 72.1 | 6.58 | .06 | 32.6 | 10.4 | 0.50 | .10 | 3.5 | 3.3 | 4.2 | 26.0 | 36.1 | 80.3 |
| N | 7 | 218 | 4/12 | S | 61 | 143 | .73 | .68 | 10.0 | 7.7 | 8.0* | 76.6 | 7.81 | .17 | 34.9 | 10.4 | 1.05 | .15 | 2.8 | 2.8 | 4.0 | 29.5 | 42.9 | 95.3 |
| N | 8 | 230 | 4/1 | S | 61 | 118 | .51 | .43 | 13.9 | 10.6 | 11.0 | 76.4 | 7.59 | .15 | 38.0 | 9.4 | 0.85 | .00 | 3.8 | 3.7 | 3.7 | 28.0 | 37.8 | 84.0 |
| Pen 3 JONAS, DAVENE, HARPER, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire:2122 Hipsher | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 9 | 657 | 2/9 | S | 136 | 186 | .45 | .36 | 14.9 | 10.3 | 9.4 | 69.3 | 6.69 | .20 | 39.6 | 9.8 | 1.25 | .10 | 0.8 | 2.0 | 3.0 | 34.0 | 37.2 | 82.6 |
| R | 11 | 671 | 2/16 | TW | 115 | 161 | .41 | .30 | 19.9 | 14.9 | 14.3 | 75.0 | 7.49 | .17 | 36.5 | 10.7 | 0.50 | .15 | 1.7 | 3.7 | 3.8 | 28.0 | 62.0 | 137.8 |
| R | 12 | 680 | 4/4 | TW | 118 | 167 | .44 | .37 | 12.2 | 9.1 | 8.5 | 75.1 | 6.74 | .25 | 35.7 | 10.4 | 0.95 | .15 | 1.0 | 2.2 | 3.3 | 31.0 | 38.6 | 85.7 |
| Pen 4 BELK, ALLEN, WINTERS, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire:Belk 7141 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 13 | 122 | 3/. | S | 62 | 148 | .77 | .70 | 12.8 | 9.1 | 9.4 | 70.6 | 6.85 | .20 | 37.3 | 11.0 | 1.05 | .15 | 1.0 | 2.8 | 3.3 | 28.3 | 46.8 | 103.9 |
| R | 14 | 130 | 3/. | TW | 50 | 128 | .70 | .63 | 12.3 | 8.4 | 8.8 | 68.0 | 7.12 | .06 | 36.1 | 11.8 | 0.60 | .10 | 1.5 | 3.0 | 4.0 | 27.3 | 43.7 | 97.1 |
| R | 15 | 136 | 3/. | S | 62 | 132 | .63 | .56 | 11.1 | 8.1 | 8.4 | 73.4 | 7.38 | .15 | 35.3 | 11.6 | 0.90 | .25 | 1.2 | 2.3 | 4.2 | 27.8 | 43.2 | 96.1 |
| R | 16 | 139 | 3/. | S | 58 | 134 | .68 | .62 | 11.0 | 7.8 | 8.2 | 71.3 | 7.59 | .21 | 35.9 | 12.5 | 0.85 | .00 | 0.5 | 1.5 | 3.5 | 25.5 | 41.2 | 91.7 |
| Sire:Belk 1310 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 17 | 147 | 3/. | S | 46 | 121 | .67 | .61 | 11.5 | 7.6 | 8.2 | 66.6 | 6.96 | .40 | 39.3 | 17.3 | 2.10 | .10 | 1.0 | 2.2 | 2.3 | 25.0 | 30.6 | 67.9 |
| Sire:Belk 1286 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 18 | 159 | 3/. | TW | 52 | 118 | .59 | .53 | 10.3 | 7.2 | 7.7* | 69.9 | 7.75 | .23 | 32.7 | 10.8 | 0.85 | .15 | 1.0 | 2.2 | 4.2 | 26.0 | 43.1 | 95.7 |
| R | 19 | 165 | 3/. | S | 50 | 119 | .62 | .55 | 11.7 | 8.8 | 9.3 | 75.4 | 7.96 | .10 | 37.6 | 13.2 | 1.20 | .30 | 1.2 | 1.3 | 3.3 | 26.0 | 39.6 | 87.9 |
| R | 20 | 173 | 3/. | S | 55 | 137 | .73 | .65 | 14.9 | 10.2 | 10.6 | 68.4 | 7.33 | .36 | 37.2 | 11.5 | 1.10 | .15 | 1.0 | 2.7 | 3.7 | 29.2 | 51.5 | 114.5 |
| Sire:Belk 1032 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 21 | 174 | 3/. | S | 44 | 108* | .57 | .51 | 10.8 | 7.5 | 8.1 | 69.2 | 8.07 | .12 | 31.2 | 9.4 | 0.50 | .00 | 1.7 | 3.0 | 3.7 | 25.0 | 44.3 | 98.4 |
| Pen 6 KUEBEL, FRITZ JR, BLANCO, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire:Speck 2175 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 22 | 400 | 1/14 | S | 131 | 185 | .48 | .43 | 9.3 | 6.7 | 5.8* | 71.8 | 5.95 | .50 | 31.5 | 7.2 | 0.70 | .10 | 1.0 | 1.8 | 3.7 | 29.0 | 35.7 | 79.3 |
| Sire:Dieke 578 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 23 | 417 | 1/16 | TW | 111 | 160 | .44 | .36 | 13.0 | 10.0 | 9.5 | 76.6 | 7.12 | .15 | 32.4 | 10.1 | 0.75 | .00 | 3.0 | 3.3 | 3.5 | 30.2 | 43.7 | 97.0 |
| Sire:Speck 2175 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 24 | 436 | 1/18 | S | 99 | 152 | .47 | .43 | 8.5 | 5.6 | 5.3* | 66.2 | 5.36 | .61 | 30.7 | 8.3 | 0.65 | .05 | 1.7 | 2.2 | 3.0 | 29.0 | 25.8 | 57.4 |

* after a value indicates reason this animal was not eligible for certification

2007 Sonora Angora Goat Central Performance Test Final report

July 26, 2007

| R e g No. | Test Flock No. | Birth date | Birth type | Start Wt. 3/7 | Final Wt. 6/27 | Total | | Fleece (180 day basis) | | | Lock Avg. in. | Length STD in. | Fiber Diam. | | Med % | Kemp % | Visual Scores | | | Scrot. Circ. (cm) | Index Ratio | | | |
|--|----------------------|---------------|---------------|---------------------|----------------------|------------|--------------------|------------------------|---------------------|---------------------|---------------------|----------------------|-------------|-----------------|----------|-----------|---------------|------|------|-------------------------|----------------|------|------|-------|
| | | | | | | ADG lbs | Body ADG lbs | Grease wt. lbs | Clean wt. lbs | Clean wt. lbs | | | Yield % | Avg. microns | | | STD | Face | Neck | | | Char | | |
| Pen 7 DEIKE, Larry & Jodie, FREDERICKSBURG, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire:872 LJD | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 25 | 1122 | 2/20 | TW | 99 | 149 | .45 | .36 | 15.1 | 11.1 | 10.8 | 73.9 | 7.38 | .42 | 37.9 | 11.3 | 1.10 | .05 | 2.7 | 3.7 | 3.2 | 28.2 | 41.0 | 91.2 |
| Sire:860 LJD | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 26 | 1154 | 3/10 | S | 91 | 126 | .31 | .24 | 12.3 | 9.2 | 9.0 | 74.5 | 6.00 | .25 | 34.5 | 8.4 | 0.85 | .00 | 2.2 | 3.5 | 3.7 | 24.0 | 31.5 | 70.0 |
| Sire:2229 BD | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 27 | 1170 | 3/18 | S | 83 | 138 | .49 | .42 | 13.5 | 9.3 | 9.2 | 68.8 | 6.74 | .25 | 33.6 | 8.9 | 0.95 | .15 | 2.7 | 3.5 | 3.8 | 27.2 | 40.5 | 89.9 |
| Pen 8 RENFROE, C.E., CHRISTOVAL | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire: | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 28 | 4002 | 2/12 | TW | 81 | 143 | .55 | .48 | 12.4 | 8.3 | 8.3 | 67.1 | 7.01 | .69 | 38.2 | 10.4 | 1.90 | .10 | 1.7 | 2.7 | 3.3 | 28.7 | 33.5 | 74.4 |
| R | 29 | 4006 | 2/13 | S | 62 | 129 | .60 | .52 | 13.3 | 9.6 | 9.9 | 72.6 | 7.01 | .26 | 35.6 | 9.0 | 0.50 | .10 | 3.3 | 3.0 | 3.8 | 27.0 | 40.0 | 89.0 |
| R | 30 | 4028 | 2/19 | S | 81 | 157 | .68 | .61 | 13.0 | 9.0 | 9.0 | 69.1 | 7.54 | .42 | 33.3 | 8.5 | 1.00 | .05 | 1.7 | 3.5 | 4.0 | 31.5 | 52.7 | 117.3 |
| R | 31 | 4030 | 2/20 | S | 96 | 174 | .70 | .63 | 11.6 | 8.3 | 8.0 | 71.1 | 7.01 | .26 | 34.3 | 8.1 | 0.40 | .15 | 1.5 | 3.0 | 3.7 | 30.2 | 47.5 | 105.6 |
| R | 32 | 4038 | 2/20 | S | 94 | 161 | .60 | .51 | 15.4 | 11.1 | 10.9 | 71.8 | 7.06 | .12 | 33.6 | 10.1 | 0.45 | .10 | 2.3 | 3.0 | 3.8 | 30.0 | 53.3 | 118.6 |
| Pen 9 HABY & HABY, Uvalde, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire:Haby 97 656394 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 33 | 810 | 3/19 | S | 77 | 149 | .64 | .58 | 11.5 | 9.0 | 9.1 | 78.9 | 7.01 | .35 | 35.8 | 11.0 | 0.70 | .10 | 1.2 | 3.0 | 3.5 | 31.0 | 45.7 | 101.6 |
| R | 34 | 816 | 3/18 | TW | 62 | 141 | .71 | .64 | 11.4 | 8.7 | 9.0 | 76.2 | 6.80 | .12 | 29.1 | 8.8 | 0.60 | .10 | 3.3 | 3.2 | 4.3 | 28.5 | 51.3 | 114.1 |
| Sire:Haby 215 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 35 | 857 | 4/1 | S | 62 | 130 | .61 | .55 | 11.1 | 8.3 | 8.6 | 74.6 | 6.69 | .00 | 30.8 | 10.7 | 0.40 | .05 | 3.3 | 3.5 | 3.8 | 30.5 | 42.2 | 93.9 |
| Pen 10 HLRS, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 36 | 6-783 | ./. | | 95 | 191 | .86 | .80 | 10.6 | 7.3 | 7.1* | 69.1 | 6.80 | .31 | 33.8 | 8.2 | 0.85 | .05 | 1.5 | 2.7 | 3.8 | 29.0 | 49.9 | 110.9 |
| N | 37 | 6-791 | ./. | | 106 | 168 | .55 | .49 | 11.3 | 8.4 | 8.0 | 74.6 | 6.69 | .00 | 37.0 | 10.5 | 0.75 | .00 | 1.0 | 1.2 | 3.2 | 29.0 | 35.6 | 79.2 |
| Pen 11 ROSS, JOE DAVID, SONORA, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire: | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 39 | 0632 | ./. | | 78 | 144 | .59 | .53 | 10.4 | 7.0 | 7.0* | 67.2 | 7.06 | .12 | 33.1 | 9.0 | 1.45 | .40 | 2.2 | 2.3 | 4.2 | 31.0 | 37.6 | 83.5 |
| N | 40 | 0643 | ./. | | 77 | 141 | .57 | .52 | 8.4 | 6.0 | 6.0* | 71.0 | 6.69 | .26 | 32.6 | 8.9 | 1.55 | .15 | 1.0 | 2.5 | 4.0 | 27.8 | 36.2 | 80.4 |
| N | 41 | 22 | ./. | | 64 | 141 | .69 | .60 | 16.4 | 12.3 | 12.5 | 74.8 | 8.07 | .06 | 36.3 | 8.8 | 0.65 | .10 | 2.7 | 2.7 | 4.2 | 29.0 | 58.0 | 129.0 |
| N | 42 | 65 | ./. | | 73 | 151 | .70 | .64 | 9.4 | 6.4 | 6.5* | 67.5 | 6.85 | .26 | 27.1 | 7.2 | 0.65 | .20 | 1.0 | 2.2 | 4.7 | 27.2 | 52.0 | 115.6 |
| N | 43 | 67 | ./. | | 65 | 132 | .60 | .53 | 11.4 | 7.8 | 8.1 | 68.8 | 6.80 | .06 | 33.8 | 9.2 | 0.65 | .50 | 1.2 | 2.3 | 3.5 | 28.0 | 40.0 | 88.9 |
| N | 44 | 133 | ./. | | 82 | 151 | .62 | .56 | 9.7 | 6.9 | 6.9* | 71.7 | 7.49 | .26 | 30.4 | 8.5 | 0.55 | .00 | 1.0 | 2.7 | 3.5 | 31.0 | 46.4 | 103.1 |
| N | 45 | 135 | ./. | | 80 | 150 | .63 | .55 | 13.5 | 9.4 | 9.4 | 69.9 | 7.01 | .17 | 36.4 | 9.6 | 0.55 | .00 | 1.2 | 3.0 | 3.8 | 32.0 | 46.5 | 103.3 |
| Pen 13 Tetens, Leroy, Brady, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire:Kuebel 268 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 46 | 1207 | 3/. | S | 66 | 124 | .52 | .46 | 9.6 | 7.1 | 7.4* | 74.5 | 6.48 | .23 | 29.6 | 7.2 | 0.45 | .05 | 2.5 | 2.7 | 4.0 | 27.5 | 37.5 | 83.3 |
| R | 47 | 1214 | 3/. | S | 68 | 139 | .63 | .56 | 13.7 | 10.6 | 10.8 | 77.2 | 7.38 | .12 | 32.3 | 10.4 | 0.45 | .25 | 2.2 | 3.0 | 3.7 | 31.2 | 54.6 | 121.4 |
| R | 48 | 1219 | 4/. | TW | 63 | 134 | .63 | .56 | 13.7 | 9.9 | 10.1 | 72.0 | 7.17 | .26 | 34.2 | 9.6 | 0.70 | .10 | 2.2 | 3.0 | 4.0 | 30.0 | 48.7 | 108.3 |
| R | 49 | 1220 | 4/. | TW | 62 | 131 | .62 | .52 | 17.2 | 11.4 | 11.7 | 66.4 | 7.33 | .20 | 32.6 | 12.1 | 0.65 | .10 | 4.0 | 3.7 | 4.0 | 27.5 | 52.2 | 116.0 |
| Sire: | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 50 | 0340 | ./. | | 73 | 137 | .57 | .51 | 11.1 | 8.3 | 8.4 | 74.9 | 7.49 | .20 | 33.2 | 8.5 | 0.60 | .05 | 2.0 | 2.7 | 4.0 | 31.0 | 43.6 | 96.9 |

* after a value indicates reason this animal was not eligible for certification

2007 Sonora Angora Goat Central Performance Test Final report

July 26, 2007

| | | Fleece (180 day basis) | | | | | | | | | | Visual Scores | | | | Scrot. | Index | | | | | | | |
|------------------------------------|----------------------|------------------------|---------------|---------------------|----------------------|------------|------------|----------------------|---------------------|---------------------|------------|---------------------|----------------------|-------------|------|----------|-----------|-------|------|------|---------------|-------|-------|-------|
| R e g No. | Test Flock No. | Birth date | Birth type | Start Wt. 3/7 | Final Wt. 6/27 | Total | | Grease wt. lbs | Clean wt. lbs | Clean wt. lbs | Yield % | Lock Avg. in. | Length STD in. | Fiber Diam. | | Med % | Kemp % | ----- | | | Circ. (cm) | INDEX | Ratio | |
| | | | | | | ADG lbs | ADG lbs | | | | | | | Avg. | STD | | | Face | Neck | Char | | | | |
| +++++ | | | | | | | | | | | | | | | | | | | | | | | | |
| Pen 14 CERULEAN FARM,, HARRAH , OK | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire:C1542 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 51 | 2004 | 2/20 | TW | 66 | 148 | .73 | .63 | 18.4 | 11.7 | 11.9 | 63.6 | 6.90 | .15 | 36.1 | 9.5 | 0.55 | .00 | 3.2 | 3.7 | 4.0 | 29.2 | 53.8 | 119.6 |
| R | 52 | 2005 | 2/20 | TW | 88 | 158 | .63 | .51 | 19.9 | 13.2 | 13.0 | 66.0 | 7.27 | .12 | 35.0 | 9.0 | 0.90 | .25 | 3.5 | 3.5 | 4.5 | 28.0 | 59.2 | 131.7 |
| Sire:FGF2 3273 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 53 | 2008 | 2/22 | TW | 94 | 176 | .73 | .66 | 12.7 | 8.3 | 8.1 | 65.3 | 6.27 | .32 | 33.2 | 9.2 | 0.40 | .15 | 1.3 | 2.7 | 3.7 | 30.0 | 48.0 | 106.7 |
| R | 54 | 2030 | 2/25 | S | 62 | 153 | .81 | .72 | 16.4 | 10.0 | 10.3 | 61.1 | 6.37 | .20 | 35.1 | 10.9 | 1.00 | .15 | 1.7 | 3.0 | 3.7 | 28.5 | 52.8 | 117.3 |
| Sire:JBR2 281 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 55 | 2006 | 2/21 | TW | 82 | 156 | .66 | .59 | 13.5 | 9.2 | 9.2 | 68.4 | 7.75 | .40 | 33.7 | 8.3 | 0.65 | .05 | 3.8 | 3.7 | 4.3 | 30.2 | 47.7 | 105.9 |
| R | 56 | 2019 | 2/23 | S | 61 | 140 | .71 | .60 | 19.2 | 12.5 | 12.8 | 65.3 | 6.64 | .32 | 35.1 | 10.4 | 1.05 | .15 | 2.5 | 3.8 | 3.5 | 29.0 | 57.3 | 127.4 |
| R | 57 | 2024 | 2/24 | S | 114 | 202 | .79 | .64 | 25.3 | 15.2 | 14.6 | 60.0 | 7.33 | .10 | 38.7 | 11.3 | 0.75 | .05 | 3.2 | 4.0 | 4.0 | 32.5 | 69.3 | 154.1 |
| R | 58 | 2042 | 2/28 | S | 71 | 153 | .73 | .63 | 17.6 | 11.5 | 11.6 | 65.5 | 7.17 | .70 | 35.8 | 9.7 | 0.85 | .05 | 2.5 | 3.3 | 3.5 | 26.5 | 54.9 | 122.0 |
| R | 59 | 2043 | 2/28 | S | 84 | 158 | .66 | .56 | 17.5 | 11.4 | 11.4 | 65.1 | 6.48 | .06 | 36.8 | 10.0 | 0.45 | .00 | 3.3 | 3.5 | 3.5 | 30.5 | 46.6 | 103.6 |
| Sire:NAU 822 | | | | | | | | | | | | | | | | | | | | | | | | |
| R | 60 | 2048 | 3/28 | S | 77 | 145 | .61 | .51 | 18.1 | 12.0 | 12.0 | 66.2 | 7.01 | .40 | 38.6 | 10.8 | 1.60 | .30 | 1.2 | 3.5 | 4.0 | 28.2 | 53.0 | 117.7 |
| R | 61 | 2060 | 3/28 | S | 64 | 140 | .68 | .61 | 12.5 | 9.0 | 9.2 | 71.9 | 7.06 | .32 | 33.9 | 10.2 | 0.85 | .00 | 1.3 | 2.5 | 4.0 | 28.0 | 49.0 | 109.0 |
| Pen 16 HOLMAN, Jimmy, SONORA, TX | | | | | | | | | | | | | | | | | | | | | | | | |
| Sire: | | | | | | | | | | | | | | | | | | | | | | | | |
| N | 62 | 6040 | ./. | | 85 | 158 | .65 | .59 | 10.6 | 7.6 | 7.5* | 71.8 | 6.53 | .17 | 30.6 | 8.8 | 0.60 | .10 | 3.2 | 3.2 | 3.8 | 29.0 | 42.4 | 94.3 |
| N | 63 | 6044 | ./. | | 88 | 150 | .55 | .50 | 9.4 | 6.9 | 6.8* | 73.7 | 6.48 | .38 | 27.1 | 7.4 | 1.50 | .10 | 3.7 | 3.0 | 4.2 | 28.0 | 40.3 | 89.5 |
| N | 64 | 6058 | ./. | | 71 | 146 | .67 | .61 | 10.8 | 7.9 | 8.1 | 73.3 | 6.32 | .45 | 32.1 | 10.4 | 0.40 | .15 | 2.7 | 3.2 | 3.3 | 29.2 | 40.8 | 90.8 |
| N | 65 | 6091 | ./. | | 89 | 160 | .63 | .55 | 14.3 | 10.2 | 10.1 | 71.4 | 7.01 | .36 | 30.3 | 7.2 | 0.95 | .05 | 3.5 | 3.5 | 4.3 | 29.8 | 54.6 | 121.3 |
| N | 66 | 6100 | ./. | | 84 | 156 | .64 | .59 | 9.3 | 6.5 | 6.5* | 70.0 | 6.00 | .15 | 27.9 | 8.2 | 0.65 | .30 | 1.3 | 2.7 | 4.2 | 31.5 | 46.0 | 102.2 |
| N | 67 | 6128 | ./. | | 84 | 156 | .64 | .60 | 6.9 | 5.3 | 5.2* | 76.7 | 6.32 | .15 | 27.9 | 8.0 | 0.75 | .15 | 1.5 | 2.3 | 4.2 | 29.2 | 41.2 | 91.6 |
| N | 68 | 6135 | ./. | | 71 | 139 | .61 | .55 | 10.5 | 7.4 | 7.6* | 70.6 | 6.96 | .32 | 30.0 | 8.4 | 0.70 | .20 | 3.2 | 3.0 | 4.2 | 29.0 | 42.0 | 93.5 |

* after a value indicates reason this animal was not eligible for certification

Diameter report

| TEST No. | Core | | | Diameter, microns | | | Standard deviation | | |
|----------|-------|-------|------|-------------------|------|--------|--------------------|------|--------|
| | Diam. | Stan. | Dev. | Neck | Side | Britch | Neck | Side | Britch |
| 1 | 34.76 | 8.86 | | 32.8 | 33.5 | 40.0 | 7.6 | 7.3 | 10.6 |
| 2 | 32.14 | 8.68 | | 29.3 | 32.6 | 40.7 | 6.7 | 7.6 | 14.3 |
| 3 | 29.89 | 9.39 | | 25.4 | 26.2 | 32.1 | 7.3 | 6.5 | 11.6 |
| 4 | 32.43 | 10.10 | | 32.3 | 32.3 | 33.3 | 11.0 | 9.3 | 12.1 |
| 5 | 34.85 | 7.42 | | 36.1 | 33.2 | 36.9 | 6.8 | 6.0 | 8.2 |
| 6 | 32.55 | 10.38 | | 38.2 | 35.3 | 38.7 | 9.3 | 8.3 | 12.5 |
| 7 | 34.86 | 10.35 | | 34.0 | 35.2 | 43.6 | 11.2 | 9.7 | 13.8 |
| 8 | 37.96 | 9.44 | | 37.9 | 38.7 | 44.7 | 9.8 | 8.8 | 12.7 |
| 9 | 39.57 | 9.76 | | 37.4 | 33.9 | 42.7 | 9.4 | 8.0 | 9.4 |
| 11 | 36.47 | 10.74 | | 39.2 | 40.3 | 46.4 | 10.4 | 11.1 | 12.1 |
| 12 | 35.71 | 10.35 | | 33.4 | 31.2 | 39.0 | 10.8 | 8.8 | 10.7 |
| 13 | 37.29 | 11.04 | | 38.0 | 35.8 | 41.7 | 11.6 | 11.4 | 15.4 |
| 14 | 36.06 | 11.76 | | 31.1 | 37.4 | 44.8 | 11.3 | 10.3 | 17.6 |
| 15 | 35.30 | 11.58 | | 29.5 | 32.0 | 40.3 | 9.2 | 10.3 | 16.7 |
| 16 | 35.87 | 12.45 | | 31.2 | 36.0 | 50.3 | 11.9 | 11.4 | 18.7 |
| 17 | 39.26 | 17.26 | | 35.8 | 37.8 | 42.0 | 15.0 | 15.6 | 21.1 |
| 18 | 32.65 | 10.81 | | 32.6 | 32.9 | 40.1 | 10.1 | 10.5 | 16.2 |
| 19 | 37.61 | 13.22 | | 32.8 | 35.2 | 49.4 | 13.0 | 11.7 | 15.9 |
| 20 | 37.18 | 11.48 | | 34.2 | 38.1 | 44.7 | 12.4 | 11.3 | 16.0 |
| 21 | 31.15 | 9.38 | | 28.5 | 29.9 | 37.5 | 7.6 | 7.9 | 11.8 |
| 22 | 31.54 | 7.22 | | 26.8 | 28.1 | 32.6 | 4.6 | 4.4 | 5.6 |
| 23 | 32.42 | 10.05 | | 29.8 | 29.6 | 28.7 | 9.3 | 8.5 | 8.8 |
| 24 | 30.71 | 8.33 | | 25.1 | 25.3 | 31.8 | 7.0 | 6.2 | 10.2 |
| 25 | 37.87 | 11.30 | | 40.0 | 37.5 | 42.5 | 9.1 | 8.8 | 12.5 |
| 26 | 34.47 | 8.41 | | 32.7 | 33.0 | 40.3 | 7.6 | 6.0 | 10.6 |
| 27 | 33.63 | 8.91 | | 32.2 | 33.8 | 41.7 | 6.7 | 7.8 | 12.9 |
| 28 | 38.17 | 10.43 | | 36.6 | 35.7 | 44.2 | 8.9 | 8.2 | 12.7 |
| 29 | 35.62 | 9.03 | | 35.4 | 35.1 | 42.1 | 8.9 | 7.9 | 12.3 |
| 30 | 33.31 | 8.49 | | 36.4 | 31.6 | 39.4 | 9.6 | 7.6 | 13.0 |
| 31 | 34.25 | 8.05 | | 35.1 | 33.6 | 40.5 | 8.4 | 7.8 | 10.3 |
| 32 | 33.63 | 10.10 | | 31.8 | 29.8 | 41.0 | 9.7 | 7.8 | 13.2 |
| 33 | 35.83 | 11.03 | | 35.5 | 33.7 | 47.7 | 10.5 | 9.3 | 18.3 |
| 34 | 29.07 | 8.83 | | 28.9 | 28.0 | 37.9 | 8.4 | 7.6 | 12.4 |
| 35 | 30.75 | 10.67 | | 31.6 | 30.3 | 33.7 | 11.9 | 9.9 | 12.8 |
| 36 | 33.77 | 8.15 | | 32.2 | 33.3 | 44.6 | 7.7 | 7.9 | 13.9 |
| 37 | 37.03 | 10.48 | | 35.0 | 40.0 | 44.4 | 12.6 | 10.3 | 12.5 |
| 39 | 33.10 | 9.01 | | 32.6 | 35.2 | 41.0 | 7.8 | 8.3 | 13.6 |
| 40 | 32.57 | 8.87 | | 31.3 | 30.1 | 39.6 | 8.6 | 6.9 | 11.6 |
| 41 | 36.34 | 8.77 | | 36.9 | 40.2 | 42.0 | 7.7 | 8.4 | 11.4 |
| 42 | 27.05 | 7.17 | | 28.7 | 28.1 | 33.8 | 10.1 | 8.8 | 13.2 |
| 43 | 33.79 | 9.20 | | 32.5 | 33.6 | 41.1 | 8.9 | 8.6 | 12.3 |
| 44 | 30.40 | 8.48 | | 30.8 | 30.0 | 37.5 | 7.9 | 7.0 | 11.7 |
| 45 | 36.38 | 9.63 | | 36.7 | 39.0 | 46.5 | 9.4 | 9.1 | 13.9 |
| 46 | 29.64 | 7.18 | | 27.5 | 29.3 | 35.0 | 5.7 | 6.1 | 9.1 |
| 47 | 32.33 | 10.36 | | 32.9 | 32.6 | 35.4 | 10.5 | 9.7 | 13.7 |
| 48 | 34.22 | 9.59 | | 34.2 | 36.6 | 42.7 | 10.3 | 9.6 | 11.8 |
| 49 | 32.64 | 12.08 | | 31.4 | 34.1 | 35.7 | 11.5 | 12.6 | 16.0 |
| 50 | 33.21 | 8.51 | | 34.1 | 31.2 | 37.6 | 8.9 | 6.6 | 9.1 |
| 51 | 36.11 | 9.45 | | 37.0 | 38.9 | 42.9 | 8.4 | 9.8 | 12.6 |
| 52 | 34.97 | 9.04 | | 35.7 | 35.6 | 42.1 | 7.8 | 8.6 | 13.8 |
| 53 | 33.23 | 9.18 | | 36.0 | 35.0 | 39.9 | 12.0 | 9.1 | 14.2 |
| 54 | 35.13 | 10.93 | | 35.3 | 36.0 | 45.8 | 10.1 | 10.4 | 17.9 |
| 55 | 33.74 | 8.29 | | 34.8 | 31.7 | 41.1 | 6.7 | 5.8 | 10.4 |
| 56 | 35.12 | 10.39 | | 34.7 | 34.9 | 40.2 | 8.7 | 8.7 | 14.5 |
| 57 | 38.66 | 11.27 | | 42.6 | 44.5 | 44.4 | 12.4 | 12.1 | 12.1 |
| 58 | 35.78 | 9.70 | | 38.7 | 36.5 | 47.1 | 11.5 | 8.5 | 13.4 |

Diameter report

| TEST No. | Core | | Diameter, microns | | | Standard deviation | | |
|----------|-------|------------|-------------------|------|--------|--------------------|------|--------|
| | Diam. | Stan. Dev. | Neck | Side | Britch | Neck | Side | Britch |
| 59 | 36.84 | 10.04 | 37.0 | 40.7 | 43.0 | 11.7 | 11.1 | 11.7 |
| 60 | 38.60 | 10.77 | 38.6 | 38.3 | 46.1 | 7.9 | 7.9 | 11.0 |
| 61 | 33.94 | 10.16 | 32.8 | 33.6 | 39.1 | 8.4 | 8.4 | 12.3 |
| 62 | 30.60 | 8.81 | 30.0 | 30.2 | 36.4 | 10.0 | 10.0 | 11.7 |
| 63 | 27.10 | 7.40 | 28.1 | 26.6 | 34.8 | 9.0 | 7.6 | 11.2 |
| 64 | 32.11 | 10.40 | 34.5 | 30.3 | 39.7 | 13.3 | 9.8 | 13.8 |
| 65 | 30.29 | 7.16 | 29.6 | 31.5 | 39.9 | 7.1 | 6.4 | 11.0 |
| 66 | 27.85 | 8.16 | 27.8 | 28.7 | 32.4 | 9.9 | 11.2 | 14.8 |
| 67 | 27.90 | 7.95 | 27.0 | 26.2 | 31.5 | 8.8 | 6.2 | 9.9 |
| 68 | 29.97 | 8.42 | 31.1 | 29.3 | 30.6 | 8.5 | 8.3 | 11.6 |
| Average: | 33.87 | 9.70 | 33.3 | 33.5 | 40.1 | 9.4 | 8.8 | 12.8 |

2007 Sonora Angora Goat Central Performance Test, July report

Medullation Report

| Test No. | Core | | Neck | | Side | | Britch | |
|----------|--------|---------|--------|---------|--------|---------|--------|---------|
| | Med, % | Kemp, % | Med, % | Kemp, % | Med, % | Kemp, % | Med, % | Kemp, % |
| 1 | 0.90 | 0.20 | 0.22 | 0.17 | 1.41 | 0.40 | 1.08 | 0.15 |
| 2 | 0.50 | 0.15 | 0.53 | 0.18 | 1.03 | 0.16 | 3.25 | 0.03 |
| 3 | 1.20 | 0.00 | 0.43 | 0.08 | 0.51 | 0.07 | 2.69 | 0.60 |
| 4 | 0.70 | 0.10 | 0.58 | 0.14 | 0.91 | 0.24 | 0.57 | 0.02 |
| 5 | 0.60 | 0.10 | 1.91 | 0.24 | 1.47 | 0.15 | 1.71 | 0.11 |
| 6 | 0.50 | 0.10 | 0.38 | 0.00 | 1.40 | 0.21 | 0.77 | 0.00 |
| 7 | 1.05 | 0.15 | 1.07 | 0.10 | 0.90 | 0.03 | 2.83 | 0.07 |
| 8 | 0.85 | 0.00 | 0.85 | 0.02 | 1.74 | 0.19 | 2.02 | 0.06 |
| 9 | 1.25 | 0.10 | 0.42 | 0.00 | 1.31 | 0.12 | 1.11 | 0.02 |
| 11 | 0.50 | 0.15 | 0.32 | 0.00 | 0.77 | 0.00 | 1.49 | 0.03 |
| 12 | 0.95 | 0.15 | 0.88 | 0.12 | 1.16 | 0.42 | 1.57 | 0.19 |
| 13 | 1.05 | 0.15 | 1.01 | 0.10 | 2.40 | 0.33 | 2.50 | 0.59 |
| 14 | 0.60 | 0.10 | 1.39 | 0.10 | 2.01 | 0.26 | 3.17 | 0.54 |
| 15 | 0.90 | 0.25 | 0.71 | 0.16 | 1.36 | 0.23 | 2.97 | 0.20 |
| 16 | 0.85 | 0.00 | 0.85 | 0.15 | 1.12 | 0.14 | 3.15 | 0.00 |
| 17 | 2.10 | 0.10 | 1.61 | 0.10 | 2.08 | 0.21 | 3.73 | 0.00 |
| 18 | 0.85 | 0.15 | 2.04 | 0.44 | 1.88 | 0.43 | 2.54 | 0.17 |
| 19 | 1.20 | 0.30 | 1.01 | 0.61 | 2.76 | 0.65 | 3.05 | 1.76 |
| 20 | 1.10 | 0.15 | 1.49 | 0.29 | 1.61 | 0.32 | 4.39 | 0.45 |
| 21 | 0.50 | 0.00 | 0.60 | 0.05 | 0.71 | 0.18 | 1.00 | 0.15 |
| 22 | 0.70 | 0.10 | 0.19 | 0.06 | 0.50 | 0.11 | 0.23 | 0.12 |
| 23 | 0.75 | 0.00 | 0.44 | 0.14 | 0.39 | 0.04 | 0.48 | 0.06 |
| 24 | 0.65 | 0.05 | 0.54 | 0.03 | 0.53 | 0.00 | 0.55 | 0.04 |
| 25 | 1.10 | 0.05 | 0.62 | 0.03 | 0.75 | 0.11 | 1.19 | 0.03 |
| 26 | 0.85 | 0.00 | 0.33 | 0.05 | 0.27 | 0.11 | 2.40 | 0.14 |
| 27 | 0.95 | 0.15 | 0.51 | 0.05 | 0.97 | 0.38 | 3.70 | 0.97 |
| 28 | 1.90 | 0.10 | 0.50 | 0.02 | 1.04 | 0.09 | 3.23 | 0.28 |
| 29 | 0.50 | 0.10 | 0.46 | 0.08 | 0.42 | 0.09 | 1.08 | 0.02 |
| 30 | 1.00 | 0.05 | 0.77 | 0.08 | 0.49 | 0.13 | 1.90 | 0.09 |
| 31 | 0.40 | 0.15 | 0.86 | 0.07 | 1.32 | 0.20 | 1.52 | 0.02 |
| 32 | 0.45 | 0.10 | 0.76 | 0.19 | 1.28 | 0.17 | 2.21 | 0.32 |
| 33 | 0.70 | 0.10 | 0.65 | 0.05 | 1.37 | 0.27 | 3.39 | 0.34 |
| 34 | 0.60 | 0.10 | 0.48 | 0.00 | 0.73 | 0.09 | 0.70 | 0.03 |
| 35 | 0.40 | 0.05 | 1.87 | 0.36 | 1.97 | 0.66 | 1.32 | 0.48 |
| 36 | 0.85 | 0.05 | 0.78 | 0.10 | 1.97 | 0.06 | 1.70 | 0.00 |
| 37 | 0.75 | 0.00 | 1.08 | 0.05 | 1.28 | 0.11 | 1.36 | 0.03 |
| 39 | 1.45 | 0.40 | 0.92 | 0.32 | 2.83 | 1.97 | 4.96 | 0.66 |
| 40 | 1.55 | 0.15 | 2.09 | 1.65 | 1.92 | 0.79 | 3.34 | 0.63 |
| 41 | 0.65 | 0.10 | 0.45 | 0.10 | 1.57 | 0.44 | 2.20 | 0.11 |
| 42 | 0.65 | 0.20 | 1.13 | 0.34 | 1.39 | 0.24 | 2.72 | 0.52 |
| 43 | 0.65 | 0.50 | 1.41 | 0.35 | 2.16 | 0.42 | 1.98 | 0.24 |
| 44 | 0.55 | 0.00 | 0.49 | 0.13 | 0.81 | 0.10 | 0.87 | 0.02 |
| 45 | 0.55 | 0.00 | 0.62 | 0.10 | 0.80 | 0.07 | 1.58 | 0.00 |
| 46 | 0.45 | 0.05 | 0.28 | 0.13 | 0.57 | 0.15 | 0.61 | 0.04 |
| 47 | 0.45 | 0.25 | 0.63 | 0.24 | 0.85 | 0.22 | 1.20 | 0.12 |
| 48 | 0.70 | 0.10 | 0.74 | 0.04 | 2.25 | 0.40 | 2.00 | 0.17 |
| 49 | 0.65 | 0.10 | 0.81 | 0.13 | 1.34 | 0.15 | 2.29 | 0.12 |
| 50 | 0.60 | 0.05 | 0.88 | 0.06 | 1.05 | 0.11 | 0.56 | 0.06 |
| 51 | 0.55 | 0.00 | 0.53 | 0.11 | 0.67 | 0.21 | 2.97 | 0.12 |
| 52 | 0.90 | 0.25 | 0.91 | 0.42 | 1.71 | 1.05 | 4.05 | 0.62 |
| 53 | 0.40 | 0.15 | 1.23 | 0.10 | 0.93 | 0.11 | 2.24 | 0.05 |
| 54 | 1.00 | 0.15 | 1.10 | 0.05 | 1.78 | 0.16 | 7.41 | 1.02 |
| 55 | 0.65 | 0.05 | 0.88 | 0.05 | 1.68 | 0.23 | 2.61 | 0.66 |

2007 Sonora Angora Goat Central Performance Test, July report

Medullation Report

| Test No. | Core | | Neck | | Side | | Britch | |
|-------------|--------|---------|--------|---------|--------|---------|--------|---------|
| | Med, % | Kemp, % | Med, % | Kemp, % | Med, % | Kemp, % | Med, % | Kemp, % |
| 56 | 1.05 | 0.15 | 0.64 | 0.07 | 0.92 | 0.24 | 2.64 | 0.03 |
| 57 | 0.75 | 0.05 | 0.74 | 0.03 | 3.29 | 0.21 | 2.72 | 0.11 |
| 58 | 0.85 | 0.05 | 1.55 | 0.22 | 1.43 | 0.20 | 4.95 | 0.54 |
| 59 | 0.45 | 0.00 | 0.65 | 0.08 | 1.88 | 0.00 | 0.79 | 0.02 |
| 60 | 1.60 | 0.30 | 0.63 | 0.10 | 1.78 | 0.93 | 7.83 | 1.92 |
| 61 | 0.85 | 0.00 | 0.63 | 0.05 | 1.01 | 0.31 | 1.23 | 0.27 |
| 62 | 0.60 | 0.10 | 1.17 | 0.14 | 2.19 | 0.11 | 2.21 | 0.06 |
| 63 | 1.50 | 0.10 | 1.81 | 0.17 | 1.89 | 0.38 | 2.60 | 0.20 |
| 64 | 0.40 | 0.15 | 1.01 | 0.36 | 1.35 | 0.50 | 3.26 | 0.40 |
| 65 | 0.95 | 0.05 | 0.61 | 0.07 | 1.36 | 0.13 | 2.91 | 0.02 |
| 66 | 0.65 | 0.30 | 0.91 | 0.28 | 1.86 | 0.70 | 3.06 | 0.14 |
| 67 | 0.75 | 0.15 | 0.73 | 0.30 | 0.81 | 0.15 | 0.72 | 0.07 |
| 68 | 0.70 | 0.20 | 0.89 | 0.17 | 1.28 | 0.07 | 1.91 | 0.07 |
| Average: | .82 | 0.12 | 0.85 | 0.16 | 1.35 | 0.27 | 2.32 | 0.26 |