

R	Age	Start	Final	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot.	Fat	Ribeye									
e Test Flock	Birth	Birth	Wt.	Wt.	Total	Body	Gr.	Yield	Clean	Stap.	Core	Comfort			Face	Belly	Body	circ.	Depth	Area	ROM	Index					
g No.	No.	date	type	Dam	10/1	2/18	lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio		

Pen 1 Prescott, Kenny, GOLDTHWAITE																											
Sire:978554 RDE0328																											
Reg	1	203		3/11/3	S	2	153	301	1.06	.97	29.3	51.4	15.0	4.7	22.4	18.2	23.6	27.1	98.2	2.2	1.5	1.7	41.3	.45	4.38	143.69	116.9
Pen 2 Henson, Don, GOLDTHWAITE																											
Sire:S MENZIES 866																											
Reg	2	326		11/ 2/2	S	4	124*	234	.79	.73	19.6	42.1	8.2*	4.8	23.2	19.0	24.4	27.4	95.8	1.0	1.6	1.2	35.9	.36	3.80	98.85	90.0
Reg	3	375		12/ 1/2	S	5	103*	266	1.16	1.09	25.0	44.7	11.2	5.3	22.2	22.4	23.5	26.4	97.0	1.6	1.3	1.4	32.0	.36	3.54	133.26	121.3
Pen 3 Schunke Ranch, GOLDTHWAITE																											
Sire:BF 388																											
Reg	4	1988		11/17/2	S	5	143	242	.71	.65	19.1	49.7	9.5	4.5	24.0*	19.7	25.9*	26.9	94.7	1.4	2.1	1.3	37.1	.35	4.20	94.87	86.3
Reg	5	1989		11/22/2	S	5	175	280	.75	.68	24.8	56.3	13.9	5.8	24.0*	21.1	25.1*	26.8	93.5	1.0	1.7	1.2	39.0	.28	4.03	116.44	106.0
Reg	6	1991		11/18/2	S	2	173	296	.88	.81	23.9	48.8	11.7	5.4	21.5	19.2	22.4	23.7	98.8	0.9	1.1	1.1	38.1	.41	3.77	124.51	113.3
Sire:CSM 2454																											
Reg	7	1992		1/ 2/3	S	4	148	263	.82	.75	25.9	47.1	12.2	5.8	24.2*	23.7	24.9	27.1	91.5	1.3	1.4	1.4	39.8	.28	3.89	109.70	89.2
Sire:SCHUNKE 286																											
Reg	8	1990		12/ 7/2	S	2	144	277	.95	.89	20.0	52.2	10.4	5.3	23.1	17.3	24.2	25.6	96.0	1.2	1.6	1.2	34.9	.23	4.20	120.91	110.0
Pen 4 River Creek Farms, MANHATTAN, KS																											
Sire:BOYER 1716																											
Reg	9	971		4/ 2/3	S	3	149	294	1.04	.97	24.1	51.6	12.4	5.0	21.5	18.1	23.8	25.2	98.5	1.0	1.2	1.4	36.8	.34	3.30	136.81	111.3
Sire:Mertz 347																											
RegP	11	979		3/10/3	TW	9	147	286	.99	.94	17.3	43.1	7.5*	4.1	21.2	20.1	23.6	24.2	98.3	1.4	1.3	1.1	33.3	.38	3.49	110.34	89.8
Pen 5 Gainer Ranch, MENARD																											
Sire:																											
ComP	12	749		3/ ./3	.		129	261	.94	.89	20.0	46.4	9.3	5.1	22.3	19.3	22.0	24.2	97.5	1.6	2.3	1.2	35.0	.30	3.94	116.21	94.5
Com	13	750		3/ ./3	.		115	222	.76	.71	18.6	50.8	9.5	5.1	20.1	18.4	19.6	22.6	99.5	2.4	1.8	1.2	33.2	.32	3.49	113.70	92.5
Com	14	751		3/ ./3	.		110	224	.81	.76	19.7	56.6	11.2	5.1	23.5	22.3	23.9	25.4	93.7	1.6	1.3	1.6	33.0	.33	3.60	108.34	88.1
Com	15	752		3/ ./3	.		123	244	.86	.82	17.3	47.9	8.3*	5.4	21.2	17.9	21.6	23.6	98.6	0.9	2.6	1.2	34.9	.30	3.86	113.73	92.5
Com	16	753		3/ ./3	.		115	227	.80	.75	18.8	54.7	10.3	4.7	23.3	17.9	23.0	24.7	94.9	1.1	2.2	1.5	34.0	.32	3.51	108.69	88.4
Com	17	754		3/ ./3	.		106	240	.96	.90	20.2	46.9	9.5	5.0	21.1	21.5	20.2	23.4	98.3	1.0	1.9	1.3	36.3	.24	3.89	117.88	95.9
Com	18	755		3/ ./3	.		117	227	.79	.74	17.8	50.5	9.0	5.0	21.7	23.0	21.1	23.4	98.3	1.1	2.3	1.3	37.4	.26	3.66	102.47	83.4
Com	19	756		3/ ./3	.		108	202	.67	.62	19.4	56.0	10.9	5.2	22.3	20.7	22.8	23.9	96.9	1.1	2.4	1.2	32.6	.20	3.86	104.88	85.3
Com	20	757		3/ ./3	.		116	236	.86	.81	17.0	45.7	7.8*	5.1	20.5	19.8	20.9	24.1	99.0	1.0	2.9	1.1	36.2	.36	3.57	109.87	89.4
Sire:985105																											
Reg	21	3105		12/ 8/2	TR	3	144	258	.81	.76	19.2	40.8	7.8*	4.5	24.0*	19.0	26.8*	27.7	93.1	1.5	1.4	1.3	37.2	.53	4.43	95.73	87.1
Reg	22	3111		12/18/2	TW	4	146	251	.75	.69	20.4	50.2	10.2	4.9	24.3*	19.9	26.1*	28.2*	92.8	1.2	1.2	1.2	32.0	.54	4.25	100.45	91.4
RegP	23	3127		2/19/3	TW	2	120	252	.94	.88	21.8	38.7	8.4*	4.5	20.0	18.3	20.5	22.7	99.7	1.4	1.9	1.3	35.2	.31	3.55	117.66	95.7

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e Test Flock g No.	Birth date	Age type	Start Dam	Final Wt.	ADG Total lbs	Fleece		Fiber Diameter, microns				Scores			Scrot. cm.	Fat in.	Ribeye sq.in.	ROM Index	Fat Index					
						Yield Gr. (%)	Clean Wt. (%)	Stap. len.	Core AFD	Side CV	Britch (%)	Face Cover	Belly Wool	Body Folds										
Pen 36 Menzies, C & S, SAN ANGELO																								
Sire:CSM 2464																								
Reg 24	2887	11/ 2/2	TW 3	175	274	.71	.64	23.8	46.4	11.0	5.0	19.9	19.8	20.5	21.9	99.3	1.0	1.8	1.0	39.5	.35	4.24	114.06	103.8
Reg 25	2888	11/ 2/2	TW 3	178	263	.61	.55	20.8	55.0	11.4	4.9	23.1	19.6	23.1	24.6	96.9	1.2	1.9	1.3	35.1	.30	3.62	100.52	91.5
Reg 26	2895	11/ 2/2	S 3	184	315	.94	.85	31.4	46.3	14.6	5.4	20.8	19.9	21.5	24.0	97.8	1.1	1.6	1.4	41.0	.28	4.14	139.48	126.9
Sire:CSM 2532																								
Reg 28	2917	3/ ./3	TW 6	133	218	.61	.56	17.9	50.3	9.0	5.1	19.6	17.2	19.6	22.8	99.7	1.2	1.6	1.4	32.1	.24	3.20	103.67	84.3
Reg 29	2919	3/ ./3	TW 6	157	313	1.11	1.06	20.5	49.5	10.1	4.8	22.7	22.7	22.7	26.2	97.3	1.0	1.1	1.5	33.4	.43	3.64	122.71	99.8
Reg 30	2940	3/ ./3	S 7	177	314	.98	.91	23.7	45.4	10.7	4.8	25.3*	23.1	24.6	29.8*	89.8	0.7	1.1	1.7	36.3	.35	4.30	109.49	89.1
Reg 31	2941	3/ ./3	S 8	149	293	1.03	.95	27.6	47.1	13.0	4.9	24.5*	26.9	24.2	27.2	90.1	1.2	1.1	1.6	37.8	.51	3.73	118.64	96.5
Reg 32	2953	3/ ./3	S 6	145	262	.84	.78	20.3	58.0	11.8	4.8	21.4	21.9	20.7	23.6	97.4	1.1	1.5	1.3	35.7	.31	3.90	117.62	95.7
Sire:CSM 2626																								
Reg 34	2907	12/ 2/2	S 3	187	272	.61	.56	16.9	48.4	8.2*	4.5	21.0	17.5	21.8	22.5	99.3	0.9	1.7	1.3	36.0	.46	4.34	95.28	86.7
Reg 35	2910	12/ 2/2	TW 3	177	273	.69	.61	25.4	51.8	13.2	5.7	22.4	25.7	24.1	24.5	97.8	1.3	1.3	1.3	38.6	.37	4.11	108.35	98.6
Sire:CSM 2720																								
Reg 36	2966	3/ ./3	S 3	160	282	.87	.80	26.1	54.5	14.2	5.0	23.7	19.2	24.9	27.1	95.1	1.0	1.3	1.6	35.1	.32	3.76	125.81	102.4
Reg 37	2967	3/ ./3	TW 3	122	250	.91	.86	18.0	50.7	9.1	5.1	23.3	22.4	23.0	28.5*	94.8	1.2	2.3	1.1	39.9	.28	3.42	107.14	87.2
Reg 38	2976	3/ ./3	S 3	137	254	.84	.78	20.6	55.8	11.5	5.6	21.6	20.1	22.1	24.4	98.5	0.9	1.4	1.1	33.6	.47	3.08	120.87	98.3
Reg 39	2982	3/ ./3	S 3	130	275	1.04	.97	24.3	53.5	13.0	5.1	24.8*	20.9	26.0*	30.7*	89.7	1.2	1.4	1.4	40.5	.30	4.04	126.40	102.8
Pen 8 Sullivan, Michael, GENTRY, AR																								
Sire:FINCHER 1693																								
Reg 40	110	3/10/3	S 3	136	267	.94	.87	22.6	56.4	12.7	5.1	22.2	17.7	22.7	24.6	98.2	1.0	1.4	1.4	32.0	.36	3.26	130.84	106.4
Sire:HELLWIG 575																								
Reg 41	111	3/15/3	S 3	123	266	1.02	.96	21.6	56.4	12.2	5.8	21.1	17.3	22.2	24.3	99.2	1.0	1.3	1.5	35.3	.29	4.28	138.71	112.8
Sire:TVB 702-96																								
Reg 42	101	10/ 9/2	S 2	158	324	1.19	1.12	24.2	46.7	11.3	4.5	24.4*	18.9	25.7*	28.9*	91.3	3.1*	1.1	1.4	39.9	.47	3.94	129.37	117.7
Pen 9 Hellwig Rambouillets, PAINT LICK, KY																								
Sire:W Fincher 142																								
Reg 43	723	3/24/3	TW 3	146	268	.87	.79	28.6	56.4	16.1	6.1	21.2	18.8	22.3	26.4	98.2	1.1	1.1	1.6	35.7	.33	3.31	142.96	116.3
Reg 44	731	3/29/3	TW 4	134	258	.89	.83	20.8	52.3	10.9	5.5	22.3	18.6	23.9	25.6	97.8	1.0	1.5	1.4	34.5	.28	3.70	121.42	98.8
Reg 45	734	3/29/3	TW 5	151	278	.91	.84	23.0	53.8	12.3	5.8	21.8	20.2	23.4	25.4	98.2	1.6	1.4	1.2	36.0	.33	3.13	127.55	103.8
Reg 46	762	4/ 9/3	TW 3	136	284	1.06	.99	23.2	55.8	13.0	5.8	22.2	20.6	23.3	24.9	97.0	2.2	1.7	1.4	37.0	.38	3.89	137.17	111.6
Pen 10 H & C Livestock, SAN ANGELO																								
Sire:TAES 7171																								
Reg 47	290	3/25/3	S 4	141	263	.87	.80	25.9	51.2	13.3	5.5	21.8	17.6	23.2	25.6	97.8	1.3	1.4	1.6	36.3	.33	3.47	131.31	106.8
Reg 48	293	4/14/3	TW 3	108	218	.79	.71	26.1	43.8	11.4	5.0	21.5	17.7	23.4	23.4	99.2	1.1	1.4	2.0	35.8	.37	3.66	117.54	95.6
Reg 49	298	4/14/3	TW 4	113	235	.87	.80	24.2	45.6	11.0	5.3	21.5	18.9	22.5	24.5	98.4	1.6	1.7	1.4	38.0	.28	3.51	121.77	99.1

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e Test Flock g No.	Birth date	Birth type	Age of Dam	Start Wt.	Final Wt.	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. circ.	Fat Depth	Ribeye Area	ROM Index	Index Ratio			
						Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	Side CV	Britch (%)	Comfort Cover	Face Wool	Belly Folds						Body		

Pen 11 Texas Sheep Co., T.Jones, FREDERICKSBURG																									
Sire:T JONES 1-83																									
Reg 50	TX140	3/ 5/3	TW	2	117	243	.90	.85	17.6	52.4	9.2	4.7	21.5	17.3	22.3	22.8	98.8	1.0	1.2	1.5	35.0	.29	3.18	116.03	94.4
Reg 51	TX166	2/26/3	TW	4	114	262	1.06	.99	24.8	56.2	13.9	5.7	22.5	18.4	23.5	24.6	97.9	1.8	1.2	2.3	38.0	.37	3.25	142.64	116.0
Reg 52	TX168	2/28/3	TR	5	120	252	.94	.90	16.0	44.5	7.1*	4.9	21.0	17.4	22.2	24.3	99.2	1.0	2.0	1.3	33.0	.39	3.16	112.66	91.7
Reg 53	TX173	3/ 2/3	TW	5	110	232	.87	.82	18.2	51.0	9.3	5.8	20.6	25.1	21.5	23.8	99.8	1.1	1.3	1.3	35.1	.36	3.07	111.33	90.6
Reg 54	TX181	3/ 3/3	TW	2	98*	233	.96	.91	19.3	57.1	11.0	5.3	20.9	30.9	21.4	22.4	99.0	1.0	1.1	2.0	33.2	.38	3.07	120.88	98.3
Reg 55	TX184	3/ 3/3	S	3	116	238	.87	.82	20.0	53.3	10.6	5.8	21.9	20.4	22.5	22.9	98.3	1.3	1.4	1.4	35.5	.31	3.48	118.68	96.6
Reg 56	TX192	3/ 6/3	S	3	110	237	.91	.85	20.8	52.3	10.9	5.3	21.0	20.7	22.6	24.0	98.8	1.1	1.1	1.4	35.0	.44	3.22	123.15	100.2

Pen 34 Texas Ramb. Sup. Gen.(TRSG), SAN ANGELO																									
Sire:CSM 2626																									
Reg 58	804	3/ 3/3	S	3	124	264	1.00	.93	24.0	51.8	12.4	5.7	21.6	20.1	22.7	23.8	97.8	1.1	1.4	1.3	38.0	.32	4.29	133.84	108.9
Sire:HCR 622																									
Reg 59	645	12/31/2	TW	4	168	290	.87	.81	20.1	51.8	10.4	5.8	23.0	23.8	23.4	26.4	94.8	1.1	2.1	1.2	38.4	.46	4.11	109.98	100.1
Reg 60	712	1/13/3	TW	4	165	298	.95	.88	24.7	45.9	11.3	5.7	22.3	19.0	24.0	25.0	97.0	1.0	1.8	1.6	39.0	.35	4.13	125.68	102.2
Reg 61	757	2/17/3	TW	3	151	280	.92	.84	28.0	47.1	13.2	5.8	22.6	18.3	23.3	26.0	96.5	1.1	1.2	1.4	38.6	.35	3.15	130.84	106.4
Reg 62	773	2/20/3	S	2	135	289	1.10	1.02	28.1	48.2	13.6	5.3	21.3	17.7	23.1	24.4	99.0	0.9	1.2	1.4	37.1	.37	3.59	146.47	119.2
Reg 63	790	2/20/3	TW	2	142	278	.97	.91	23.1	47.3	10.9	5.2	21.2	17.5	22.3	23.8	99.6	1.2	1.5	1.4	37.3	.59	3.99	128.93	104.9
Sire:TAES 2888																									
Reg 64	719	2/ 7/3	TW	2	127	248	.86	.80	22.3	56.9	12.7	5.8	20.9	18.4	22.0	23.2	98.5	1.1	1.4	1.3	31.0	.37	3.86	131.32	106.8
Reg 65	723	2/ 7/3	S	5	156	269	.81	.74	24.9	48.7	12.1	6.2	20.5	16.1	21.6	24.3	99.7	1.0	1.4	1.3	34.1	.44	3.00	127.07	103.4
Reg 66	753	2/17/3	TW	2	155	277	.87	.80	26.8	50.6	13.6	5.7	21.5	17.9	22.5	24.7	98.6	1.0	1.4	1.3	36.0	.34	4.40	133.26	108.4
Reg 67	780	2/20/3	S	2	127	263	.97	.91	22.9	54.0	12.4	6.5	23.0	22.5	24.1	26.1	96.5	1.0	1.4	1.3	34.2	.43	3.67	125.11	101.8
Reg 68	794	3/ 3/3	TW	2	147	280	.95	.88	26.3	53.1	14.0	5.5	23.7	18.6	25.7*	26.1	96.0	1.1	1.6	1.3	36.7	.34	4.10	132.17	107.5
Reg 69	802	3/ 3/3	S	2	156	261	.75	.69	22.5	53.7	12.1	5.1	20.3	15.8	21.3	22.8	99.7	1.2	1.3	1.3	38.0	.34	3.94	122.90	100.0
Reg 70	827	3/10/3	S	3	134	249	.82	.76	21.5	51.3	11.0	5.1	20.8	18.1	22.2	23.7	99.2	1.0	1.5	1.3	36.1	.28	3.62	121.40	98.8
Sire:TAES 3403																									
Reg 71	740	2/12/3	TR	5	126	251	.89	.84	20.4	53.3	10.9	6.0	20.7	19.1	21.4	24.3	98.9	1.0	1.9	1.1	37.6	.29	3.68	125.76	102.3
Reg 72	754	2/17/3	TW	4	136	252	.83	.76	25.6	56.7	14.5	5.8	21.1	17.4	22.4	23.2	99.3	1.3	1.6	1.3	37.2	.25	4.26	135.84	110.5
Reg 74	815	3/ 3/3	S	2	122	248	.90	.84	21.6	51.8	11.2	6.5	20.2	17.3	21.0	22.6	99.5	1.0	1.7	1.3	38.0	.45	3.88	130.29	106.0
Reg 75	823	3/15/3	TW	4	114	251	.98	.91	25.6	50.8	13.0	5.8	21.7	22.5	22.2	25.6	97.7	1.0	1.4	1.4	35.0	.33	4.04	131.42	106.9
Reg 76	866	5/ 1/3	S	4	108	218	.79	.72	22.8	52.7	12.0	6.1	21.3	17.9	23.3	25.1	98.8	1.1	2.2	1.4	33.0	.35	3.12	123.13	100.2
Sire:TRSG 298																									
Reg 77	761	2/17/3	TW	4	129	247	.84	.78	21.7	49.0	10.7	5.7	21.4	19.0	22.1	24.6	98.2	1.0	1.7	1.5	39.2	.31	3.69	119.83	97.5
Reg 78	776	2/20/3	S	5	138	290	1.09	1.01	25.8	53.2	13.7	5.5	21.7	16.7	23.4	25.9	98.8	3.0*	1.8	1.3	34.5	.45	3.73	146.28	119.0

Pen 13 Yates, Janelle, MENARD																									
Sire:MERINO																									
Com 79	62	9/ ./2	S	4	157	280	.88	.83	17.4	45.7	8.0*	4.1	22.5	18.4	23.4	25.1	97.8	0.9	1.3	1.3	35.1	.44	4.57	103.79	94.5
Com 80	63	9/ ./2	S	4	150	248	.70	.66	15.4	46.1	7.1*	4.4	21.5	18.7	22.6	24.1	99.2	1.1	1.8	1.2	35.6	.48	4.30	93.48	85.1
Com 81	64	9/ ./2	S	4	131*	244	.81	.77	13.9	45.9	6.4*	4.2	21.2	17.0	22.7	25.4	99.0	1.0	1.8	1.1	35.5	.57	3.07	98.51	89.7

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e Test Flock g No.	Age No.	Start Birth date	Final Birth of Dam	Wt. 10/1	Wt. 2/18	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. Fat Ribeye							
						Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds	circ. cm.	Depth in.	Area sq.in.	Ribeye Index	Fat ROM	Eye Ratio	

Pen 14 Hill Country Rambouillet, SONORA																									
Sire:HCR 634																									
Reg 83	683	2/14/3	TW	5	124	268	1.03	.98	18.0	44.3	8.0*	5.2	21.1	19.5	23.2	27.7	98.2	0.7	1.9	1.1	36.3	.46	3.98	120.08	97.7
Reg 84	684	2/14/3	TW	5	116	250	.96	.90	19.5	45.3	8.8*	5.3	20.9	32.1	21.5	25.0	98.3	1.1	1.5	1.2	33.3	.44	3.90	111.93	91.1
Reg 85	688	2/14/3	S	4	140	241	.72	.68	13.4	46.8	6.3*	5.2	21.0	17.5	22.4	25.4	99.0	0.9	2.2	1.2	31.6	.36	3.01	97.75	79.5
Reg 86	691	2/15/3	TW	3	143	302	1.14	1.09	16.9	44.2	7.5*	4.8	20.7	26.1	21.8	25.2	98.3	0.5	2.5	1.1	36.0	.32	4.06	116.04	94.4
Reg 87	696	2/15/3	S	8	129	276	1.05	.99	21.5	46.7	10.0	5.5	21.6	21.0	23.5	26.2	98.3	0.9	1.3	1.3	37.2	.30	3.88	126.79	103.1
Reg 88	697	3/ 1/3	S	4	127	236	.78	.71	22.9	43.3	9.9	4.8	23.2	20.8	26.6*	27.4	93.8	1.0	1.2	1.3	35.9	.40	3.17	102.34	83.3
Sire:TRSG 310																									
Reg 89	699	3/ 1/3	TW	7	112	252	1.00	.94	20.9	52.3	10.9	5.3	22.4	19.9	24.1	26.7	96.2	1.1	1.5	1.5	38.2	.33	3.47	125.49	102.1
Reg 90	706	3/ 5/3	S	4	133	267	.96	.89	23.7	47.3	11.2	5.8	21.2	19.7	22.2	24.0	97.7	0.9	1.9	1.3	38.9	.28	3.20	128.14	104.2
Reg 91	717	3/14/3	TW	4	110	251	1.01	.94	24.7	50.5	12.5	5.8	22.1	20.6	22.4	24.3	97.3	1.4	1.5	1.3	35.0	.42	3.50	132.45	107.8

Pen 37 TAES, Sonora, SONORA																									
Sire:TAES 6987																									
Reg 92	7741	2/ ./3	S	3	144	281	.98	.91	25.2	51.3	12.9	5.7	21.5	18.1	22.2	23.9	98.3	1.0	1.3	1.4	36.0	.34	3.14	137.08	111.5
Reg 93	7747	2/ ./3	TW	4	136	287	1.08	1.00	26.2	44.9	11.7	5.8	23.6	25.3	23.9	27.0	94.8	1.0	1.3	1.2	39.1	.33	3.07	123.00	100.1
Reg 94	7752	2/ ./3	TW	4	129	273	1.03	.96	25.4	49.3	12.5	5.3	21.9	19.9	22.6	24.8	97.0	1.0	1.4	1.6	37.3	.32	3.66	134.37	109.3
Reg 95	7760	2/ ./3	TW	4	119	252	.95	.89	20.7	55.0	11.4	5.8	20.5	22.3	20.7	22.1	98.8	2.0	1.8	1.3	36.0	.41	2.98	128.08	104.2
Reg 96	7761	2/ ./3	TW	4	119	231	.80	.74	20.5	53.1	10.9	5.6	20.0	19.1	20.8	22.0	99.5	1.1	1.5	1.2	34.2	.33	3.72	122.34	99.5
Reg 97	7763	2/ ./3	TW	3	109	252	1.02	.96	21.5	50.5	10.9	5.6	20.6	19.2	20.2	22.9	98.7	1.0	1.2	1.4	36.3	.39	3.15	133.63	108.7
Reg 98	7782	2/ ./3	S	3	123	250	.91	.84	24.2	55.3	13.4	6.3	21.5	17.6	22.0	24.3	98.5	1.0	1.3	1.2	35.0	.35	3.59	135.02	109.8
Reg 99	7785	2/ ./3	TW	3	133	271	.99	.91	26.6	49.2	13.1	6.2	21.1	16.9	22.0	24.3	98.7	0.9	1.2	1.2	35.2	.32	3.24	139.48	113.5
Sire:TAES 7193																									
Reg 100	7734	2/ ./3	S	2	142	273	.94	.85	28.7	55.0	15.8	6.4	21.6	15.2	22.5	23.3	99.3	0.9	1.3	1.4	35.0	.36	3.51	145.26	118.2
Reg 101	7824	3/ ./3	S	3	145	281	.97	.89	28.3	47.3	13.4	6.5	19.2	16.5	19.6	21.0	99.9	1.1	1.4	1.3	38.0	.36	4.22	143.16	116.5
Sire:TAES 7363																									
Reg 102	7777	2/ ./3	TW	3	123	240	.84	.78	21.5	47.1	10.1	6.0	20.3	24.8	20.8	23.4	99.0	0.9	1.5	1.4	36.0	.30	3.24	113.37	92.2
Sire:TAES B3167																									
Reg 103	7682	2/ ./3	TW	6	120	248	.91	.84	25.9	51.3	13.3	5.5	21.0	20.2	22.0	24.1	98.9	1.0	1.4	2.0	37.0	.33	3.39	133.70	108.8
Reg 104	7683	2/ ./3	S	6	134	241	.76	.69	25.0	52.2	13.1	5.7	20.1	18.2	19.9	22.8	99.3	1.2	1.6	2.9	36.2	.29	3.46	129.00	104.9
Reg 105	7693	2/ ./3	TW	5	117	262	1.04	.95	30.2	45.4	13.7	5.8	20.7	20.4	21.1	23.2	98.6	1.0	1.5	1.8	37.0	.28	3.54	142.35	115.8
Reg 107	7716	2/ ./3	TW	6	134	293	1.14	1.06	26.1	46.0	12.0	5.3	21.2	19.1	22.4	26.0	98.8	0.9	1.4	1.5	41.9	.32	4.00	141.62	115.2
Reg 108	7722	2/ ./3	S	6	146	278	.94	.87	26.1	44.7	11.7	5.8	21.5	22.0	23.0	25.0	99.0	1.1	1.1	1.5	36.4	.35	3.37	125.20	101.9
Reg 109	7796	3/ ./3	S	2	136	264	.91	.84	26.4	46.8	12.3	5.4	21.2	18.0	21.9	24.9	98.7	0.9	1.1	1.4	35.2	.36	3.21	131.63	107.1
Reg 110	7804	3/ ./3	S	2	122	267	1.04	.96	28.5	43.9	12.5	6.1	20.8	23.1	21.8	24.0	98.8	0.8	1.2	1.6	38.0	.30	3.19	134.32	109.3
Sire:TAES B3252																									
Reg 111	7754	2/ ./3	TW	4	146	254	.77	.70	26.7	41.8	11.2	6.1	19.6	23.6	20.5	22.3	99.0	1.1	1.3	1.5	36.0	.39	3.54	115.43	93.9
Reg 112	7755	2/ ./3	TW	4	143	280	.98	.91	25.0	49.1	12.3	5.8	22.0	16.9	22.0	24.2	98.5	1.0	1.1	1.3	38.0	.36	3.60	133.20	108.4
Reg 113	7770	2/ ./3	S	5	127	250	.88	.82	21.2	54.9	11.6	6.0	20.4	21.6	21.0	22.7	99.3	1.0	1.7	1.3	35.2	.29	3.99	125.88	102.4
Reg 114	7776	2/ ./3	TW	4	117	265	1.06	.98	26.8	43.4	11.6	6.1	20.5	16.2	21.1	23.5	99.7	1.1	1.3	1.6	35.3	.36	4.25	139.65	113.6
Reg 115	7832	3/ ./3	TW	4	103	245	1.01	.94	25.6	48.9	12.5	6.3	21.2	18.3	23.3	23.7	99.0	1.1	1.6	1.4	38.0	.33	3.14	138.17	112.4
Reg 116	7834	3/ ./3	TW	4	121	241	.86	.79	24.6	41.9	10.3	5.6	20.7	25.6	20.6	22.9	98.7	1.1	1.4	1.4	35.0	.34	3.67	112.44	91.5

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R	e Test Flock	g No.	No.	Birth date	Birth of type	Age Start	Final Wt.	ADG	Total lbs	Body Gr.	Yield (%)	Fleece Clean	Stap. len.	Fiber Diameter, microns	Core	AFD	CV	Side	Britch (%)	Scores	Face	Belly	Body	Scrot. circ.	Fat Depth	Ribeye Area	ROM	Index									
				Pen 16		Landers Ranch, MENARD		Sire:TAES 7003																													
Reg	118	791	2/	.3	S	6	133	275	1.01	.95	23.5	42.9	10.1	5.1	20.6	20.4	22.8	25.7	98.7	1.0	1.7	1.2	38.0	.38	3.98	126.31	102.8										
Reg	119	815	2/	.3	S	7	126	293	1.19	1.12	25.3	49.1	12.4	5.1	23.4	20.8	24.4	25.9	95.4	2.3	1.3	1.3	37.0	.28	3.40	137.58	111.9										
Reg	120	821	2/	.3	S	6	120	268	1.06	.99	24.0	45.8	11.0	4.8	21.4	19.1	23.6	24.5	98.2	1.2	1.5	1.2	36.2	.30	3.51	130.82	106.4										
Reg	121	831	2/	.3	TW	6	125	242	.84	.77	23.9	47.7	11.4	5.8	21.9	17.6	24.0	25.3	98.0	2.8*	2.0	1.1	36.6	.35	3.07	121.78	99.1										
				Pen 17		Angelo State Univ., SAN ANGELO		Sire:ASU 5196																													
Reg	122	1000	3/	1/3	TW	3	140	256	.83	.76	24.2	47.3	11.5	4.5	21.6	24.6	21.9	26.2	97.3	1.2	1.2	1.1	35.2	.40	3.62	110.28	89.7										
						Sire:WB 2715																															
Reg	124	5516	2/	1/3	TW	3	151	270	.85	.79	20.8	42.7	8.9*	4.4	23.1	20.0	24.7	27.3	95.2	2.8*	1.5	1.3	39.0	.35	3.70	102.41	83.3										
				Pen 18		Karnes, Bill, SONORA		Sire:																													
Com	126	66	.	/	.3	.	107	247	1.00	.94	20.5	46.1	9.5	5.0	20.9	25.1	21.7	24.8	97.8	1.1	1.3	1.3	40.4	.30	3.11	116.62	94.9										

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e Test Flock g No.	Age Birth date	Start Birth type	Final of Dam	Wt. 10/1	Wt. 2/18	ADG		Fleece			Fiber Diameter, microns				Scores				Scrot. circ.	Fat Depth	Ribeye Area	ROM Index	Index Ratio		
						Total	Body	Gr.	Yield	Clean	Stap.	Core	Comfort	Face	Belly	Body	Wool	Folds							

Pen 35 Our Father's Place, Moore, FT. STOCKTON																									
Sire:0103																									
Com 127	3117	3/	. /3	.	138	267	.92	.85	26.5	50.5	13.4	4.9	24.8*	20.0	26.0*	28.2*	89.9	0.7	1.2	2.1	38.3	.30	3.60	120.66	98.2
Com 128	3120	3/	. /3	.	106	212	.76	.68	25.7	50.5	12.9	5.3	22.3	20.2	23.0	23.6	97.5	1.3	1.1	2.0	34.0	.35	3.07	118.18	96.1
Com 129	3121	3/	. /3	.	122	258	.97	.88	30.8	50.7	15.6	5.9	21.9	16.6	22.0	24.6	98.3	0.9	1.2	1.7	37.9	.35	3.14	145.45	118.3
Sire:517																									
Com 130	3115	3/	. /3	.	118	249	.94	.87	24.8	58.0	14.4	5.9	24.1*	22.7	26.6*	28.0*	93.5	1.1	1.8	1.3	34.2	.33	3.21	127.06	103.4
Sire:805																									
Com 131	3128	3/	. /3	.	109	269	1.14	1.06	28.4	50.8	14.4	5.8	21.3	30.7	23.2	24.0	97.0	1.6	1.3	3.4	38.2	.37	3.39	143.22	116.5
Com 132	3137	3/	. /3	.	91*	209	.84	.77	26.6	63.0	16.8	6.4	22.3	21.5	23.3	23.4	96.8	1.6	1.3	1.6	35.2	.25	3.09	137.60	111.9
Sire:OFF																									
Com 133	3004	3/	. /3	.	106	224	.84	.77	27.1	45.2	12.3	5.1	23.9*	22.3	24.7	26.2	94.1	1.2	1.2	1.6	36.4	.24	3.33	112.05	91.2
Com 134	3008	3/	. /3	.	107	222	.82	.75	26.6	47.1	12.5	5.8	21.4	19.7	22.4	23.3	99.3	1.6	1.3	1.3	35.0	.27	3.21	124.26	101.1
Com 135	3010	3/	. /3	.	100	202	.73	.66	24.8	58.7	14.5	5.8	23.2	19.2	23.3	25.9	94.8	1.1	1.4	2.4	36.0	.24	3.17	122.32	99.5
Com 136	3018	3/	. /3	.	109	231	.87	.81	21.0	50.7	10.7	5.4	22.5	19.6	23.3	25.6	97.8	1.1	1.8	1.6	36.8	.36	3.20	117.30	95.4
Com 137	3031	3/	. /3	.	105	236	.94	.88	21.5	53.0	11.4	5.6	23.7	18.8	24.1	27.7	94.0	0.9	1.1	1.2	36.0	.32	3.55	121.84	99.1
Com 138	3032	3/	. /3	.	125	271	1.04	.98	23.5	52.8	12.4	5.8	21.2	20.7	22.8	23.8	99.0	1.2	1.6	1.3	38.0	.37	3.43	136.90	111.4
Com 139	3043	3/	. /3	.	121	231	.79	.72	23.6	55.4	13.1	5.8	20.6	19.6	21.1	23.1	99.0	1.0	1.3	1.4	39.2	.26	3.27	127.46	103.7
Com 140	3046	3/	. /3	.	117	253	.97	.89	27.8	48.4	13.5	6.2	21.8	25.4	23.5	26.8	97.0	1.1	1.2	1.3	38.0	.32	3.29	128.39	104.4
Com 141	3048	3/	. /3	.	121	241	.86	.79	23.9	55.8	13.3	5.9	22.0	19.4	23.1	26.4	97.5	1.1	1.6	1.3	37.7	.27	3.31	128.62	104.6
Com 142	3053	3/	. /3	.	126	249	.88	.80	26.9	46.2	12.4	5.1	22.5	17.3	23.3	25.7	97.4	1.0	1.1	3.2	39.0	.30	3.28	124.55	101.3
Com 143	3057	3/	. /3	.	117	234	.84	.76	28.5	56.4	16.1	6.1	21.4	16.7	22.8	24.3	98.7	1.4	1.4	1.3	35.2	.25	2.50	141.21	114.9
Com 144	3067	3/	. /3	.	106	215	.78	.70	29.6	50.8	15.0	6.0	23.5	21.2	24.8	28.8*	94.3	1.4	1.1	1.3	34.8	.28	2.59	122.93	100.0
Com 145	3069	3/	. /3	.	112	221	.78	.70	29.3	51.1	15.0	6.5	19.4	21.6	20.8	22.4	99.2	1.0	1.1	1.3	36.4	.27	2.71	133.15	108.3
Com 146	3073	3/	. /3	.	122	237	.82	.75	27.1	56.8	15.4	5.5	21.0	26.5	21.1	22.2	97.5	1.4	1.6	1.5	36.1	.35	3.25	129.05	105.0
Com 147	3074	3/	. /3	.	118	247	.92	.85	26.1	50.1	13.1	5.4	24.0*	21.1	25.8*	25.7	90.7	1.8	1.5	1.4	35.4	.38	3.50	122.81	99.9
Com 148	3076	3/	. /3	.	120	262	1.01	.94	27.7	51.4	14.2	5.3	20.8	18.5	21.8	23.3	99.0	1.4	1.5	1.6	37.5	.32	3.76	145.12	118.1
Com 149	3078	3/	. /3	.	117	252	.96	.90	22.8	58.3	13.3	5.9	22.6	17.0	23.8	24.7	98.3	1.2	1.3	1.2	38.3	.32	3.65	135.18	110.0
Com 150	3088	3/	. /3	.	136	266	.93	.84	30.6	54.8	16.8	5.5	23.2	19.7	24.0	24.8	95.5	1.4	1.2	1.4	41.0	.31	3.63	141.69	115.3
Com 151	3089	3/	. /3	.	129	280	1.08	1.00	28.1	47.5	13.3	5.7	22.4	21.3	22.5	25.5	97.2	1.1	2.0	1.3	39.1	.34	4.12	137.74	112.1
Com 152	3093	3/	. /3	.	125	204	.56	.50	23.0	52.9	12.2	6.4	19.6	19.7	20.0	22.4	99.1	1.2	1.4	1.3	34.2	.27	3.03	112.56	91.6
Com 153	3096	3/	. /3	.	102	227	.89	.81	27.9	48.9	13.6	6.0	22.5	21.9	24.8	28.6*	93.3	1.1	1.3	1.4	36.9	.28	3.16	126.81	103.2
Com 154	3104	3/	. /3	.	107	237	.93	.85	27.7	50.7	14.1	5.5	21.8	19.1	22.8	26.1	97.6	0.9	1.4	1.3	34.0	.26	3.24	136.21	110.8
Com 155	3108	3/	. /3	.	127	236	.78	.70	27.8	59.4	16.5	6.4	21.3	17.0	21.2	23.6	99.0	1.5	1.4	1.9	35.6	.28	3.09	139.84	113.8
Com 156	3109	3/	. /3	.	120	205	.61	.55	19.7	46.9	9.2	5.6	21.1	20.3	21.6	23.7	98.4	1.1	1.4	1.2	36.3	.44	2.70	99.36	80.8

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e Test Flock g No.	Age No.	Start Birth date	Final Birth of type	Wt. Wt. 10/1	Wt. Wt. 2/18	ADG		Fleece		Fiber Diameter, microns				Scores			Scrot. Fat Ribeye									
						Total lbs	Body lbs	Gr. Yield (%)	Clean Stap. Wt. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face	Belly	Body	circ. cm.	Depth in.	Area sq.in.	ROM Index					
Pen 32 Powell, James L., FT. MCKAVETT																										
Sire:																										
Com 157	401	2/	. /3	TW	.	115	231	.83	.76	23.6	56.4	13.3	6.3	23.2	17.6	24.5	25.9	97.3	1.1	1.1	1.2	37.9	.27	3.17	125.02	101.7
Com 158	402	2/	. /3	TW	.	132	236	.74	.68	21.0	56.6	11.9	6.3	23.4	15.5	24.0	26.0	97.5	1.1	1.2	1.2	35.2	.34	2.91	113.95	92.7
Com 159	403	2/	. /3	TW	.	116	202	.61	.56	18.8	54.8	10.3	5.6	23.4	19.8	23.9	24.6	96.1	1.2	1.2	1.1	36.2	.27	3.37	98.13	79.8
Com 160	404	2/	. /3	TW	.	111	222	.79	.73	21.2	57.9	12.3	5.8	22.8	17.9	24.0	27.0	98.4	1.1	1.2	1.2	35.0	.26	3.62	120.34	97.9
Com 162	406	2/	. /3	TW	.	127	250	.88	.82	21.4	54.1	11.6	5.2	22.3	21.4	23.1	25.2	96.0	1.1	1.4	1.2	35.0	.44	3.03	118.95	96.8
Com 163	407	2/	. /3	TW	.	131	255	.89	.83	19.5	57.3	11.1	5.2	22.1	16.4	23.3	25.5	98.9	1.0	1.1	1.1	36.2	.32	3.24	122.83	99.9
Com 164	408	2/	. /3	TW	.	136	268	.94	.86	29.5	46.4	13.7	5.5	24.5*	22.2	25.5*	27.5	92.0	1.1	1.3	1.3	36.8	.36	3.25	123.23	100.3
Com 165	409	2/	. /3	TW	.	118	244	.90	.84	19.6	52.2	10.2	5.1	21.4	19.5	21.8	23.7	98.7	1.1	1.5	1.2	38.2	.33	2.96	119.45	97.2
Com 166	410	2/	. /3	TW	.	117	239	.87	.82	19.2	51.7	9.9	5.5	21.6	20.6	23.0	25.4	98.7	1.1	1.3	1.2	38.9	.37	3.35	116.33	94.6
Com 168	412	2/	. /3	S	.	118	249	.94	.88	19.2	48.3	9.3	5.5	21.0	18.1	21.2	25.4	98.8	1.1	1.4	1.2	35.0	.36	3.54	122.57	99.7
Com 169	413	2/	. /3	S	.	143	261	.84	.78	21.7	50.5	11.0	4.9	22.7	16.9	23.0	27.0	97.3	1.0	1.8	1.2	36.2	.33	3.78	116.03	94.4
Com 170	415	2/	. /3	S	.	141	246	.75	.70	18.1	49.2	8.9*	5.1	21.5	17.1	23.2	26.4	99.1	1.0	1.4	1.1	35.0	.35	3.94	107.23	87.2
Com 171	416	2/	. /3	S	.	127	233	.76	.71	17.0	53.6	9.1	5.1	22.8	19.4	25.4*	27.4	95.7	1.2	1.1	1.2	38.2	.31	3.70	102.64	83.5
Com 173	418	2/	. /3	S	.	122	246	.89	.81	27.1	47.6	12.9	5.7	25.2*	20.9	25.6*	27.6	86.7	1.1	1.4	1.3	38.2	.29	3.41	117.52	95.6
Com 174	419	2/	. /3	S	.	143	259	.83	.77	22.1	54.2	12.0	5.0	23.8*	18.5	25.3*	28.6*	94.7	1.1	1.0	1.6	40.6	.39	3.59	115.42	93.9
Com 175	420	2/	. /3	S	.	138	249	.79	.75	14.2	53.5	7.6*	4.6	21.5	20.4	21.3	24.6	97.8	0.8	2.0	1.2	36.2	.27	3.25	100.45	81.7
Com 176	422	2/	. /3	S	.	141	226	.61	.55	21.2	55.8	11.8	5.6	23.1	19.7	23.1	26.0	96.0	1.1	1.3	1.2	39.8	.36	3.66	104.62	85.1
Com 177	423	2/	. /3	S	.	139	255	.83	.77	21.0	55.1	11.6	5.6	24.5*	16.2	24.9	28.3*	95.3	1.0	1.4	1.2	35.8	.40	3.57	114.58	93.2
Com 178	425	2/	. /3	S	.	121	223	.73	.67	20.0	53.6	10.7	5.2	21.8	17.3	23.1	25.2	98.5	1.1	1.3	1.2	35.0	.39	3.15	112.51	91.5
Com 179	426	2/	. /3	S	.	129	231	.73	.68	15.9	54.2	8.6*	5.0	23.6	19.0	24.8	29.0*	93.5	1.0	1.0	1.2	38.2	.39	3.35	96.89	78.8
Com 180	427	2/	. /3	S	.	135	232	.69	.65	14.8	59.3	8.8*	4.8	23.3	18.6	25.4*	30.7*	95.1	1.0	1.1	1.1	35.2	.33	3.70	96.42	78.4
Com 181	428	2/	. /3	S	.	127	261	.96	.90	21.0	51.3	10.8	5.5	24.0*	17.6	26.6*	28.0*	94.3	1.0	1.3	1.2	38.0	.37	3.17	120.56	98.1
Com 182	429	2/	. /3	S	.	131	247	.83	.77	21.7	49.4	10.7	5.3	23.1	25.6	24.3	24.7	95.7	1.0	1.4	1.2	36.0	.32	3.53	105.01	85.4
Com 183	430	2/	. /3	S	.	133	227	.67	.61	22.0	56.2	12.4	5.4	23.3	19.7	23.4	27.2	96.3	0.8	1.4	1.2	35.0	.39	2.53	109.46	89.0
Com 184	431	2/	. /3	S	.	121	239	.84	.79	20.2	45.6	9.2	4.9	22.1	17.9	22.9	25.6	97.8	1.0	1.3	1.2	36.2	.37	3.93	111.06	90.4
Com 185	432	2/	. /3	S	.	136	278	1.01	.96	20.3	51.0	10.3	5.7	23.0	17.2	24.5	26.6	97.0	1.0	1.2	1.1	37.2	.40	3.70	125.37	102.0
Com 186	433	2/	. /3	S	.	128	241	.81	.73	26.1	53.7	14.0	5.8	25.1*	18.1	26.3*	28.0*	88.7	1.2	1.1	1.3	36.2	.33	3.28	121.00	98.4
Com 187	434	2/	. /3	S	.	137	272	.96	.90	21.1	44.4	9.4	4.8	25.8*	19.6	27.2*	30.9*	83.9	1.1	1.1	1.1	41.0	.39	3.22	107.95	87.8
Com 188	435	2/	. /3	S	.	135	260	.89	.82	25.9	58.0	15.0	6.2	23.0	17.4	23.3	27.0	96.0	1.1	1.1	1.2	37.2	.47	3.90	136.00	110.6
Com 189	436	2/	. /3	S	.	136	257	.86	.79	27.2	48.5	13.2	5.3	23.2	23.0	24.5	28.0*	91.9	1.0	1.1	1.6	40.3	.31	3.28	119.05	96.9
Com 190	437	2/	. /3	S	.	121	215	.67	.62	18.0	49.7	9.0*	5.0	20.3	18.5	20.8	23.1	99.3	1.7	1.7	1.2	32.9	.32	3.53	105.14	85.5
Com 191	438	2/	. /3	S	.	150	272	.87	.82	18.7	44.3	8.3*	5.4	21.9	18.3	23.2	24.7	97.6	0.7	1.4	1.2	38.2	.48	3.52	111.51	90.7
Com 192	439	2/	. /3	S	.	148	258	.79	.71	25.3	55.2	14.0	5.4	22.8	19.3	24.2	26.2	96.4	1.0	1.2	1.6	38.0	.31	3.53	124.22	101.1
Com 193	440	2/	. /3	S	.	129	238	.78	.71	23.7	44.6	10.6	5.2	23.8*	21.1	24.7	27.4	93.9	1.0	1.2	1.2	38.1	.36	3.49	104.29	84.8
Com 194	441	2/	. /3	S	.	136	254	.84	.78	24.0	43.1	10.3	5.1	22.4	20.6	23.9	25.5	95.9	1.1	1.1	1.2	36.2	.37	3.29	111.31	90.6
Com 195	442	2/	. /3	S	.	133	241	.77	.71	22.1	52.4	11.6	5.5	21.8	20.8	23.3	27.5	98.0	1.0	1.3	1.2	34.2	.48	3.87	115.67	94.1
Com 196	443	2/	. /3	S	.	141	254	.81	.74	24.2	43.8	10.6	5.0	22.4	17.2	22.0	24.8	97.4	1.0	1.5	1.2	39.3	.38	3.84	113.28	92.2

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification