

R e g No.	Codon No. 171	Birth date	Birth type	Age of Dam	Start Wt. 9/30	Final Wt. 2/17	ADG		Fleece			Fiber Diameter, microns				Scores				Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio				
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool						Body Folds			
Pen 2 Sawyer Ranch, Sonora																												
Sire:																												
Com	1	902	RR	2/	.9	.	167	275	.77	.71	22.9	48.8	11.2	5.9	21.0	19.1	21.9	25.0	98.4	1.9	1.1	1.1	38.0	.31	3.35	118.35	102.7	
Com	2	903	RR	2/	.9	.	140	258	.84	.77	26.2	50.0	13.1	5.9	23.4	22.4	24.3	27.7	93.1	0.8	1.0	1.1	40.0	.26	3.38	118.42	102.7	
Com	3	904	QR	2/	.9	.	123	217	.67	.61	22.5	50.8	11.4	6.2	22.7	19.0	23.7	28.7*	96.6	1.0	1.0	1.1	37.5	.21	2.99	108.53	94.1	
Com	4	905	QR	2/	.9	.	154	278	.89	.83	20.3	45.4	9.2	6.2	21.2	22.6	21.2	23.7	98.2	1.0	1.5	1.0	40.2	.37	3.25	112.78	97.8	
Com	5	906	QQ	2/	.9	.	157	272	.82	.75	24.3	52.1	12.7	5.7	21.6	20.5	22.8	24.1	97.7	1.0	1.0	1.0	41.0	.32	3.23	123.76	107.4	
Com	6	907	QR	2/	.9	.	139	257	.84	.77	25.2	53.5	13.5	6.0	22.7	22.0	24.1	27.1	94.7	1.0	1.4	1.0	41.2	.31	3.09	122.89	106.6	
Com	7	908	QQ	2/	.9	.	161	255	.67	.61	23.5	53.7	12.6	6.2	20.9	20.6	20.9	23.2	98.3	2.0	1.4	1.0	38.5	.32	3.26	116.76	101.3	
Com	8	910	QR	2/	.9	.	133	238	.75	.70	17.8	58.2	10.4	5.9	21.0	19.3	21.2	24.5	98.7	1.0	1.1	1.0	35.2	.42	3.20	114.58	99.4	
Com	9	911	QR	2/	.9	.	149	248	.71	.64	25.9	51.1	13.2	6.0	23.5	21.6	24.2	28.6*	93.0	0.8	1.0	1.4	41.2	.29	3.24	111.60	96.8	
Com	10	912	QR	2/	.9	.	133	245	.80	.74	23.2	55.2	12.8	6.1	22.4	20.3	23.6	23.7	96.9	1.0	1.1	1.1	36.0	.32	3.18	121.13	105.1	
Com	11	914	QR	2/	.9	.	141	251	.79	.72	22.2	48.4	10.7	5.5	21.9	25.8	22.1	26.7	95.4	0.9	1.2	1.0	36.5	.33	3.31	106.65	92.5	
Com	12	916	QR	2/	.9	.	155	246	.65	.58	24.0	52.7	12.6	5.5	22.8	19.6	23.3	25.5	96.4	1.0	1.1	1.0	37.0	.32	3.50	110.70	96.0	
Com	13	920	RR	2/	.9	.	142	280	.99	.91	26.8	44.6	12.0	6.9	20.6	22.9	21.6	25.1	97.7	1.2	1.3	1.0	41.5	.43	3.72	130.48	113.2	
Com	14	922	QR	2/	.9	.	142	252	.79	.72	23.5	48.8	11.5	6.5	22.8	18.5	24.3	27.3	96.9	1.4	1.3	1.0	39.0	.34	3.41	115.79	100.4	
Com	15	923	RR	2/	.9	.	143	244	.72	.65	25.9	51.0	13.2	6.2	23.2	19.7	25.5*	30.6*	95.0	1.0	1.0	1.0	38.9	.33	3.17	115.89	100.5	
Com	17	925	QQ	2/	.9	.	142	258	.83	.76	24.7	50.5	12.5	5.4	22.5	23.0	24.4	26.5	95.1	1.1	1.0	1.5	36.2	.31	3.32	116.85	101.4	
Pen 6 Pflugler, Robert, San Angelo																												
Sire:																												
Com	19	161		3/	.9	S	.	122	233	.79	.72	27.4	46.8	12.8	5.1	22.6	27.2	24.2	25.9	91.6	1.2	1.0	2.4	40.2	.24	2.88	110.53	95.9
Com	20	162		3/	.9	S	.	120	266	1.04	.98	23.0	50.8	11.7	6.4	20.9	20.2	21.6	26.0	98.8	1.0	1.5	1.0	39.0	.35	3.36	135.72	117.7
Com	21	165		3/	.9	S	.	127	254	.91	.84	25.0	55.8	14.0	6.8	21.8	26.2	23.8	26.9	95.3	1.0	1.0	1.1	34.0	.22	3.06	126.56	109.8
Com	22	166		3/	.9	S	.	95*	241	1.04	.98	22.5	56.6	12.7	7.5	21.4	23.6	22.6	26.0	96.9	1.0	1.2	1.1	33.9	.27	2.90	134.36	116.6
Pen 7 TAES, Sonora, Sonora																												
Sire:TAES 8117																												
Reg	23	8656	QR	3/	.9	S	3	128	268	1.00	.94	23.2	46.6	10.8	6.0	18.3	19.7	19.7	20.2	99.6	1.0	1.0	1.2	34.2	.30	3.35	133.25	115.6
Sire:TAES 8287																												
Reg	24	8585	RR	3/	.9	S	3	131	243	.80	.74	20.6	52.1	10.8	5.6	20.2	20.9	20.5	22.5	98.7	1.0	1.4	1.0	39.0	.30	3.02	119.01	103.2
Reg	25	8589	RR	3/	.9	S	6	115	243	.91	.85	22.1	52.9	11.7	6.1	20.6	19.8	20.9	22.8	99.0	1.0	1.3	1.2	37.2	.35	3.44	129.63	112.5
Reg	26	8590	QQ	3/	.9	S	3	133	248	.82	.75	24.7	57.5	14.2	5.8	20.3	20.4	19.8	23.6	98.7	1.5	1.4	1.0	39.0	.31	3.15	133.84	116.1
Reg	27	8591	QR	3/	.9	S	3	137	241	.74	.69	20.1	50.8	10.2	5.2	20.8	23.3	20.9	22.9	98.1	1.0	1.0	1.0	36.0	.34	3.14	107.37	93.1
Reg	28	8596	QR	3/	.9	S	5	109	229	.86	.80	19.6	58.0	11.4	6.7	20.8	19.8	21.0	23.8	99.0	1.4	1.3	1.0	36.5	.36	3.11	124.79	108.3
Reg	29	8597	QR	3/	.9	TW	4	127	257	.93	.87	22.3	51.4	11.5	5.8	20.7	21.1	20.4	21.4	98.4	1.2	1.0	1.9	41.0	.28	3.47	127.49	110.6
Reg	30	8598	RR	3/	.9	TW	5	107	220	.81	.76	17.9	56.0	10.0	6.2	21.8	25.9	20.9	23.3	96.6	0.8	2.5	1.1	32.2	.29	2.87	105.77	91.8
Reg	31	8606	QR	3/	.9	S	3	122	268	1.04	.98	22.1	53.6	11.8	6.2	20.4	24.0	20.3	23.1	99.0	1.0	1.4	1.1	37.0	.33	3.34	133.07	115.4
Reg	32	8617	QR	3/	.9	S	3	142	257	.82	.77	17.8	51.6	9.2	5.5	21.5	22.7	21.1	24.0	97.4	1.0	2.0	1.0	37.2	.29	3.22	108.35	94.0
Reg	33	8620	RR	3/	.9	S	5	130	273	1.02	.96	23.9	55.3	13.2	6.4	21.7	18.8	21.8	25.5	97.9	1.0	2.2	1.3	38.5	.24	3.88	139.65	121.1
Reg	34	8621	QQ	3/	.9	S	6	133	246	.81	.74	23.8	51.6	12.3	5.7	19.4	19.5	19.7	22.3	99.4	1.0	2.5	1.0	37.2	.32	3.15	127.60	110.7
Sire:TAES 8468																												
Reg	35	8576	QR	3/	.9	S	5	131	268	.98	.90	26.9	50.9	13.7	6.4	21.7	23.5	23.1	26.1	97.2	1.0	1.0	1.3	34.0	.30	3.61	132.69	115.1
Reg	36	8579	QR	3/	.9	TW	3	118	254	.97	.90	25.9	50.3	13.0	6.4	21.6	20.6	23.1	25.4	97.1	1.0	1.0	1.2	34.2	.29	2.94	133.78	116.1
Reg	37	8582	QR	3/	.9	S	4	130	256	.90	.83	25.5	52.6	13.4	6.0	20.8	21.2	20.8	23.4	97.5	1.0	1.0	1.1	36.0	.26	3.10	132.74	115.2

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification

R e g No.	Codon No. 171	Flock date	Birth type	Age of Dam	Start Wt. 9/30	Final Wt. 2/17	ADG		Fleece			Fiber Diameter, microns				Scores				Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio			
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	Side CV	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds								
Pen 11 Texas Sheep Co., T.Jones, Fredericksburg																											
Sire:T JONES 448																											
Reg	38	88	QR	3/ 1/9	S	2	125	262	.98	.91	25.8	54.1	14.0	6.8	20.6	17.2	21.6	25.3	99.4	0.9	1.0	1.4	38.0	.39	3.25	144.10	125.0
Reg	39	89	QR	3/10/9	S	5	145	246	.72	.65	25.5	48.1	12.3	5.6	22.1	19.1	23.6	27.4	97.6	1.0	1.0	2.1	34.0	.29	3.41	116.27	100.9
Reg	40	116	RR	3/ 8/9	S	2	143	266	.88	.83	19.0	49.1	9.3	5.3	21.0	21.1	23.8	26.1	98.7	0.8	1.0	1.2	38.2	.38	3.78	114.81	99.6
Reg	41	117	RR	3/ 9/9	TW	7	140	271	.94	.87	22.4	51.8	11.6	5.9	22.3	18.2	23.9	27.2	97.7	0.8	1.1	1.1	38.0	.39	3.11	127.32	110.5
Reg	42	118	RR	3/ 7/9	TW	7	122	235	.81	.74	22.7	49.6	11.2	5.6	21.5	19.1	22.4	23.9	98.3	1.0	1.0	1.2	39.9	.34	2.98	119.26	103.5
Reg	43	119	RR	4/14/9	S	6	139	269	.93	.87	20.8	58.2	12.1	5.9	20.7	20.6	21.2	21.2	98.2	1.1	1.3	1.2	33.2	.38	3.43	130.88	113.5
Reg	44	301	RR	3/ 7/9	TW	7	127	247	.86	.79	25.9	53.2	13.8	6.0	20.1	21.5	21.3	22.4	98.8	1.0	1.0	1.4	36.0	.35	3.40	133.21	115.6
Reg	45	303	QR	4/ 5/9	S	5	139	281	1.01	.96	19.3	54.5	10.5	5.1	22.5	17.5	23.2	25.7	97.9	0.8	2.0	1.1	39.0	.36	3.22	126.27	109.5
Pen 13 Texas Ramb. Sup. Gen.(TRSG), Mertzon																											
Sire:TAES 8404																											
Reg	46	1930	QR	2/24/9	TW	7	128	256	.91	.86	19.5	46.4	9.1	5.7	20.8	23.2	21.3	23.4	97.7	1.2	1.3	1.1	38.9	.35	3.11	114.55	99.4
Reg	47	1939	QQ	2/26/9	TW	7	120	255	.96	.91	18.8	51.7	9.7	6.0	21.9	22.4	22.8	24.2	98.1	1.0	1.2	1.2	38.0	.36	3.32	118.22	102.6
Sire:TRSG 1374																											
Reg	48	1903	QQ	2/16/9	S	4	145	258	.81	.74	23.5	56.0	13.2	6.3	22.5	21.1	22.9	26.0	94.6	0.7	1.2	1.2	37.2	.30	3.22	121.53	105.4
Sire:TRSG 1377																											
Reg	50	1914	QR	2/19/9	S	2	130	253	.88	.81	23.5	53.4	12.6	6.1	23.3	21.0	22.8	24.9	95.1	1.4	1.0	1.0	38.0	.25	3.16	121.14	105.1
Sire:TRSG 1589																											
Reg	51	1948	QQ	2/24/9	S	3	144	284	1.00	.93	23.6	51.0	12.0	5.9	21.1	20.1	21.5	23.8	98.3	0.8	1.6	1.1	42.5	.25	3.31	134.11	116.3
Pen 14 Gainer Ranch, Menard																											
Sire:CSM 3113																											
ComP	52	651	QQ	2/ 1/9	.	137	241	.74	.70	16.7	54.3	9.1	5.9	19.8	19.8	20.9	23.3	99.6	1.0	1.6	1.0	43.0	.39	3.05	111.80	97.0	
Com	53	652	QR	2/ 1/9	.	134	269	.96	.91	19.6	51.7	10.1	5.5	20.9	22.4	22.4	25.1	97.7	2.5	1.3	1.1	39.0	.35	3.61	122.63	106.4	
ComP	54	653	QQ	2/ 1/9	.	127	273	1.04	.98	20.9	43.7	9.1	4.6	23.8*	24.1	24.6	29.7*	90.2	1.0	1.1	1.1	39.9	.30	3.07	108.38	94.0	
Reg	55	1105	QR	1/ 4/9	TW	3	138	268	.93	.88	16.5	52.3	8.6*	5.3	21.1	20.3	22.1	25.6	98.5	1.0	2.2	1.0	43.0	.32	3.40	116.09	100.7
Reg	56	1119	QR	1/ 9/9	TW	5	148	246	.70	.65	19.7	43.4	8.5*	4.6	22.0	21.5	23.1	25.1	97.0	1.0	2.6	1.1	40.0	.39	3.47	94.56	82.0
Reg	57	1131	QR	1/15/9	TW	3	140	281	1.01	.95	22.2	51.6	11.5	5.6	22.9	19.0	24.4	25.9	95.9	1.0	1.2	1.1	41.0	.33	2.68	128.25	111.3
Reg	58	1139	QQ	1/18/9	TW	5	140	285	1.04	.97	23.3	48.3	11.3	5.7	21.6	22.4	23.4	26.8	96.9	3.0*	1.0	1.2	36.5	.41	3.43	128.65	111.6
Reg	59	1140	RR	1/18/9	TW	5	136	278	1.01	.95	24.4	46.0	11.2	6.1	21.5	23.0	22.6	24.4	97.3	3.5*	1.2	1.1	40.0	.50	3.31	126.56	109.8
Pen 16 Menzies, C & S, Menard																											
Sire:CSM 3138																											
Com	60	3273		3/ .9	S	.	131	268	.98	.92	22.7	49.0	11.1	5.4	23.7	21.6	24.1	26.2	94.0	1.0	1.1	1.0	37.0	.43	3.36	119.01	103.2
Sire:CSM 3279																											
Com	62	3282		3/ .9	S	.	134	251	.84	.78	18.8	52.8	9.9	5.4	21.9	19.1	22.8	25.5	98.0	1.0	1.4	1.1	38.2	.35	3.49	115.00	99.8
Pen 17 Jennings, J.W., Menard																											
Sire:JWR 726																											
Reg	63	748	RR	3/ 3/9	TW	4	122	238	.83	.78	18.1	41.9	7.6*	4.5	21.0	22.0	21.7	23.8	97.9	1.2	1.5	1.1	39.0	.25	2.79	100.74	87.4

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification

R e g No.	Codon No. 171	Flock date	Birth type	Age of Dam	Start Wt. 9/30	Final Wt. 2/17	ADG		Fleece			Fiber Diameter, microns				Scores				Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio	
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool						Body Folds
Pen 18 Kerr Brothers, Mertzon																									
Sire:TRSG 1223																									
Reg	65	47	1/26/9 TR	3	164	289	.89	.83	21.8	53.3	11.6	5.7	21.3	19.8	21.2	26.5	97.9	0.9	1.4	1.2	41.0	.27	3.45	125.94	109.3
Sire:JWR 687																									
Reg	66	53	1/15/9 S	7	140	269	.92	.87	20.2	50.3	10.2	5.4	22.2	23.8	23.4	25.8	96.7	0.9	1.0	1.3	39.0	.31	3.10	114.16	99.0
Sire:TAILWIND 6017																									
Reg	67	52	1/ 5/9 TW	2	155	273	.84	.79	17.4	50.6	8.8*	4.7	22.8	25.1	23.6	25.8	93.2	1.0	1.0	1.1	33.1	.25	3.29	97.90	84.9
Sire:TRSG 1223																									
Reg	68	51	1/ 4/9 TW	3	149	270	.86	.80	22.8	55.4	12.6	6.1	22.8	23.8	24.4	26.9	93.3	1.0	1.4	1.0	37.0	.29	3.16	118.60	102.9
Pen 19 Henson, Don, Goldthwaite																									
Sire:HENSON 902																									
Reg	69	181	11/24/8 S	2	179	301	.87	.82	19.2	49.6	9.5	5.9	22.7	24.1	23.1	26.2	95.4	1.0	1.2	1.0	41.9	.31	3.97	107.21	91.8
Pen 20 Schunke Ranch, Goldthwaite																									
Sire:SCHUNKE 1791																									
Reg	70	2370	1/11/9 S	5	163	297	.96	.90	19.8	54.7	10.9	6.3	20.9	20.6	22.2	25.3	98.2	0.7	1.0	1.0	40.0	.42	3.54	127.28	110.4
Sire:SCHUNKE 1878																									
Reg	71	2368	11/21/8 S	5	176	308	.94	.86	30.7	49.7	15.3	5.3	24.6*	18.8	26.6*	30.4*	90.0	1.2	1.0	1.2	42.0	.43	3.40	132.55	113.5
Reg	72	2372	11/20/8 S	5	155	278	.88	.81	24.4	43.4	10.6	5.2	24.4*	22.7	27.4*	30.6*	87.9	0.7	1.0	1.1	40.8	.30	3.25	106.39	91.1
Sire:SCHUNKE 1992																									
Reg	73	2371	1/ 4/9 TW	7	143	261	.84	.78	22.3	50.3	11.2	5.5	23.9*	22.6	25.7*	29.1*	92.5	1.0	1.6	1.1	40.0	.30	3.61	110.18	95.6
Sire:SCHUNKE 2100																									
Reg	74	2369	11/18/8 S	6	171	290	.85	.78	24.9	53.6	13.3	6.7	23.0	22.9	23.7	29.1*	94.8	1.1	1.5	1.2	36.2	.28	3.45	120.81	103.5

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification

R e g No.	Codon No.	Flock No.	171 date	Birth type	Age of Dam	Start Wt. 9/30	Final Wt. 2/17	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio			
								Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover						Belly Wool	Body Folds	
Pen 25 Powell, James L., Ft. McKavett Sire:																											
Com	75	901	2/	.9	S	.	133	229	.69	.64	16.9	47.3	8.0*	5.0	21.2	24.2	21.8	25.7	97.7	0.7	1.0	1.0	35.0	.39	3.09	92.71	80.4
Com	76	902	2/	.9	S	.	123	245	.87	.81	21.6	54.5	11.7	6.1	22.6	22.3	23.2	25.6	95.0	0.7	1.1	1.2	33.0	.28	3.39	118.03	102.4
Com	77	903	2/	.9	S	.	125	237	.80	.74	22.5	50.7	11.4	6.1	23.1	21.1	24.2	25.4	93.2	1.0	1.0	1.3	39.2	.27	2.85	112.48	97.6
Com	78	904	2/	.9	S	.	127	234	.76	.71	20.9	53.4	11.1	5.8	22.1	23.0	22.5	26.7	96.0	0.9	1.0	1.2	39.0	.30	3.32	110.16	95.6
Com	79	905	2/	.9	S	.	124	227	.74	.67	23.8	47.8	11.4	6.0	23.2	20.5	23.7	29.7*	94.6	0.9	1.1	1.1	38.8	.31	3.28	108.46	94.1
Com	80	906	2/	.9	S	.	144	213	.49*	.44	17.3	55.4	9.6	6.1	22.6	22.9	23.9	26.3	95.5	1.2	1.0	1.1	34.0	.25	2.96	86.82	75.3
Com	81	907	2/	.9	S	.	155	272	.84	.77	23.4	51.4	12.0	5.7	22.3	21.5	23.2	25.0	96.6	0.9	1.3	1.2	40.0	.27	3.55	118.87	103.1
Com	82	908	2/	.9	S	.	136	264	.91	.86	18.4	47.3	8.7*	5.5	22.3	26.7	23.2	26.4	94.8	1.0	2.7	1.0	38.0	.28	3.44	105.58	91.6
Com	83	909	2/	.9	S	.	133	238	.75	.69	21.5	52.2	11.2	6.1	22.9	27.9	24.6	28.2*	93.2	1.0	2.3	1.1	39.8	.24	3.06	103.30	89.6
Com	84	910	2/	.9	S	.	131	246	.82	.76	23.8	45.9	10.9	6.1	22.0	20.3	22.5	24.7	96.3	0.8	1.0	1.1	40.0	.31	3.25	115.74	100.4
Com	85	911	2/	.9	S	.	142	231	.64	.58	19.5	48.0	9.3	5.1	22.2	21.6	23.2	26.1	97.2	0.8	1.0	1.1	33.2	.20	2.85	95.25	82.6
Com	86	912	2/	.9	S	.	144	266	.87	.80	25.0	45.0	11.3	5.8	23.9*	22.7	24.6	28.5*	92.6	0.9	1.2	1.1	41.0	.28	3.41	111.35	96.6
Com	87	913	2/	.9	S	.	126	211	.61	.56	16.4	50.1	8.2*	5.5	21.5	23.5	22.3	25.3	98.0	0.6	1.2	1.0	36.0	.31	3.55	90.88	78.8
Com	88	914	2/	.9	S	.	129	234	.75	.69	19.9	51.1	10.2	5.4	24.6*	26.3	24.7	27.3	88.8	1.1	1.0	1.1	38.0	.28	3.23	94.09	81.6
Com	89	915	2/	.9	S	.	127	240	.81	.74	22.9	43.2	9.9	5.0	23.9*	20.6	24.4	27.3	90.3	1.1	1.0	1.1	35.0	.32	3.26	102.77	89.2
Com	90	916	2/	.9	S	.	129	219	.64	.59	17.3	46.3	8.0*	5.8	22.9	18.9	22.8	25.9	95.3	0.9	1.3	1.1	36.0	.29	3.23	93.49	81.1
Com	91	917	2/	.9	S	.	118	210	.66	.60	18.8	49.1	9.2	6.1	21.7	17.8	22.3	25.6	98.0	0.8	1.3	1.2	36.9	.40	2.97	103.89	90.1
Com	92	918	2/	.9	S	.	123	225	.73	.67	21.4	47.1	10.1	5.0	22.9	17.8	23.3	26.7	96.9	1.0	1.0	1.1	37.0	.27	3.03	105.67	91.7
Com	93	919	2/	.9	S	.	123	234	.79	.73	23.2	52.2	12.1	6.1	24.0*	21.8	25.1*	27.3	89.2	0.8	1.0	1.2	35.5	.36	3.32	111.14	96.4
Com	94	920	2/	.9	S	.	141	235	.67	.60	24.5	51.8	12.7	6.4	22.0	19.8	23.1	24.8	96.8	1.0	1.3	1.0	35.2	.39	3.67	114.39	99.2
Com	95	921	2/	.9	S	.	123	212	.64	.58	20.2	52.7	10.6	6.1	22.9	20.0	24.5	25.8	95.1	0.8	1.0	1.1	34.5	.28	3.48	101.98	88.5
Com	96	922	2/	.9	S	.	128	210	.59	.54	17.9	52.5	9.4	5.5	20.5	23.0	21.5	25.0	98.1	0.6	1.0	1.0	37.8	.37	3.46	97.79	84.8
Com	97	923	2/	.9	S	.	142	268	.90	.84	23.4	50.0	11.7	6.4	22.8	22.5	23.0	27.4	95.0	0.9	1.4	1.1	39.0	.39	3.75	118.60	102.9
Com	98	924	2/	.9	S	.	131	242	.79	.72	25.2	46.4	11.7	5.4	23.2	25.7	24.2	28.7*	91.5	1.4	1.0	1.1	36.2	.36	2.81	106.50	92.4
Com	99	925	2/	.9	S	.	157	265	.77	.72	18.5	46.9	8.7*	5.8	21.3	19.3	21.7	25.6	97.6	0.6	1.4	1.1	36.6	.28	3.16	108.10	93.8
Com	100	926	2/	.9	S	.	123	239	.83	.77	19.8	46.3	9.2	5.4	23.3	19.7	25.3*	27.1	94.8	0.6	1.4	1.1	39.0	.27	3.53	106.18	92.1
Com	101	927	2/	.9	S	.	124	230	.76	.69	24.4	44.6	10.9	4.9	22.5	22.6	23.6	26.2	94.1	0.8	1.0	1.2	36.5	.24	2.72	105.05	91.1
Com	102	928	2/	.9	S	.	146	237	.65	.59	21.2	38.8	8.2*	4.6	21.1	21.3	21.6	25.5	97.5	0.9	1.0	2.0	36.8	.48	3.18	93.06	80.7
Com	103	929	2/	.9	S	.	145	254	.78	.71	25.4	44.0	11.2	6.2	23.5	19.8	24.0	26.1	95.1	0.9	1.2	1.1	38.5	.31	3.54	109.97	95.4
Com	104	930	2/	.9	S	.	123	220	.69	.64	19.6	54.7	10.7	6.1	21.9	20.3	21.4	25.0	97.0	0.9	1.0	1.1	35.5	.32	3.42	108.48	94.1
Com	105	931	2/	.9	S	.	129	225	.69	.63	19.6	51.7	10.2	5.5	22.4	22.8	23.5	29.2*	96.0	0.7	1.0	1.1	33.5	.23	3.15	100.87	87.5
Com	106	932	2/	.9	S	.	147	263	.83	.76	23.4	50.4	11.8	5.5	22.6	22.8	22.6	25.2	94.5	1.3	1.0	1.1	37.0	.27	3.46	114.84	99.6
Com	107	933	2/	.9	S	.	126	250	.89	.83	21.7	45.5	9.9	4.6	23.7	23.1	24.0	26.3	92.0	1.0	1.0	1.2	38.0	.26	3.29	103.71	90.0
Com	108	934	2/	.9	S	.	120	222	.73	.68	17.5	45.2	7.9*	5.4	23.1	18.4	22.9	25.1	96.0	0.6	1.0	1.0	33.2	.32	3.50	98.22	85.2
Com	109	935	2/	.9	S	.	143	246	.74	.68	21.2	50.1	10.6	5.6	21.2	22.5	23.2	27.8	97.5	0.6	1.1	1.1	35.2	.32	3.38	109.65	95.1

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification