

Master References List

- Abilleira, E., M. Virto, A. I. Nájera, M. Albisu, F. J. Pérez-Elortondo, J. C. Ruiz de Gordo, M. de Renobales, and L. J. R. Barron. 2011. Effects of seasonal changes in feeding management under part-time grazing on terpene concentrations of ewes' milk. *J. Dairy Res.* 78:129–135.
- ACS. 1985. *Allelochemicals: Role in Agriculture and Forestry*. G. R. Waller, editor. Amer. Chem. Soc. Symposium Series 330. Washington, DC.
- Adams, R. P. 1991. Cedarwood oil - Analysis and properties. In: H. F. Linskens and J. F. Jackson, editors, *Modern methods of plant analysis, new series: oil and waxes*. Springer-Verlag, Berlin. p. 159–173.
- Adams, R. P. 2010. Chemosystematics of *Juniperus*: Effects of leaf drying on essential oil composition. *Phytologia*. 92:186–198.
- Adams, R. P. 2007. *Identification of essential oil components by gas chromatography/mass spectrometry*. 4th ed. Allured Publishing, Carol Stream, IL.
- Adams, R. P. 1987. Investigation of *Juniperus* species of the U.S. for new sources of cedarwood oil. *Econ. Botany*. 41:48–54.
- Adams, R. P. 2011. *Junipers of the world: The genus Juniperus*, 3rd ed. Trafford Publishing, Victoria, Canada.
- Adams, R. P. 1970. Seasonal variation of terpenoid constituents in natural populations of *Juniperus pinchotii* Sudw. *Phytochemistry* 9:397–402.
- Adams, R. P. 1975. Statistical character weighting and similarity stability. *Brittonia*. 27: 305–316.
- Adams, R. P. 1987. Yields and seasonal variation of phytochemicals from *Juniperus* species of the United States. *Biomass*. 12:29–139.
- Adams, R. P., and A. Hagerman. 1976. A comparison of the volatile oils of mature versus young leaves of *Juniperus scopulorum*: chemosystematic significance. *Biochem. Syst. Ecol.* 4:75–79.
- Adams, R. P., J. P. Muir, C. A., Taylor, Jr., and T. R. Whitney. 2013a. Differences in chemical composition between browsed and non-browsed *Juniperus ashei* Buch. trees. *Biochem. System. Ecol.* 46:73–78.
- Adams, R. P., C. A., Taylor, Jr., T. R. Whitney, W. C. Stewart, and J. P. Muir. 2013b. Goats and deer do not use terpenoids to select or avoid browsing on *Juniperus pinchotii* Sudw. trees. *Phytologia*. 95:238–245.
- AAFCO (Association of American Feed Control Officials). 2011. 2011 official publication. AAFCO,
- Alonso-Diaz, M.A., J. F. J. Torres-Acosta, C. A. Sandoval-Castro, A. J. Aguilar Caballero, and H. Hoste. 2008. *In vitro* larval migration and kinetics of exsheathment of *Haemonchus contortus* larvae exposed to four tropical tanniferous plant extracts. *Vet. Parasitol.* 153:313–319.
- AMSA. 1995. *Research guidelines for cookery, sensory evaluation, and instrumental tenderness measurements of meat*. Chicago, IL: American Meat Sci. Assoc.
- Anderson, D. C. 1978. Use of cereal straws in beef cattle production systems. *J. Anim. Sci.* 46:849–861.
- Anderson, J. R., C. B. Scott, C. A. Taylor, Jr., C. J. Owens, J. R. Jackson, D. K. Steele, and R. Brantley. 2013. Using experience and supplementation to increase juniper consumption by three different breeds of sheep. *Rangel. Ecol. Manage.* 66:204–208.
- Animut, G., A. L. Goetsch, R. E. Estell, R. C. Merkel, L. J. Dawson, T. Sahl, and R. Puchala. 2004. Effects of methods of exposure to Eastern red cedar foliage on cedar consumption by Boer crossbred wether goats. *Small Rumin. Res.* 54:197–212.
- Ansley, R. J., W. E. Pinchak, and D. N. Ueckert. 1995. Changes in redberry juniper distribution in northwest Texas. *Rangelands*. 17:49–53.
- Ansley, R. J., M. Mirik, B. W. Surber, and S. C. Park. 2012. Canopy area and aboveground mass of individual redberry juniper (*Juniperus pinchotii*) trees. *Range. Ecol. Manage.* 65:189–195.
- AOAC. 2006. *Official Methods of Analysis*. 18th ed. Assoc. Offic. Anal. Chem., Arlington, VA.
- Archibald, J. G. 1926. The composition, digestibility, and feeding value of hydrolyzed sawdust. *J. Dairy Sci.* 9:257–271.
- Archibeque, S. L., D. K. Lunt, C. D. Gilbert, R. K. Tume, and S. B. Smith. 2005. Fatty acid indices of stearyl-CoA desaturase do not reflect actual stearyl-CoA desaturase enzyme activities in adipose tissues of beef steers finished with corn-, flaxseed-, or sorghum-based diets. *J. Anim. Sci.* 83:1153–1166.
- Armstrong, S., D. R. Klein, T. R. Whitney, C. B. Scott, J. P. Muir, B. D. Lambert, and T. M. Craig. 2013. Effect of using redberry juniper (*Juniperus pinchotii*) to reduce *H. contortus in vitro* viability and increase ivermectin efficacy. *Vet. Parasitol.* 197:271–276.
- ASTM Int. 2008. Designation: D6500. Standard test method for diameter of wool and other animal fibers using an Optical Fiber Diameter Analyzer. Annual book of American society for testing and materials standards. Sec. 7 Vol. 07.02. West Conshohocken, PA: ASTM International. p. 702–713.

- ASTM Int. 2009a. Designation: D584. Standard test method for wool content of raw wool — Laboratory scale. Annual book of American society for testing and materials standards. Sec. 7 Vol. 07.01. West Conshohocken, PA: ASTM International. p. 159–164.
- ASTM Int. 2009b. Designation: D1234. Standard test method of sampling and testing staple length of grease wool. Annual book of American society for testing and materials standards. Sec. 7 Vol. 07.01. West Conshohocken, PA: ASTM International. p. 253–256.
- ASTM Int. 2009c. Designation: D1776. Standard practice for conditioning and testing textiles. Annual book of American society for testing and materials standards. Sec. 7 Vol. 07.01. p. 411–414.
- Athanasiadou, S., L. Kyriazakis, F. Jackson, and R. L. Coop. 2001. Direct anthelmintic effects of condensed tannins towards different gastrointestinal nematodes of sheep: *in vitro* and *in vivo* studies. *Vet. Parasitol.* 99:205–209.
- Awawdeh, M. S., E. C. Titgemeyer, K. C. McCuiston, and D. P. Gnad. 2005. Ruminant ammonia load affects leucine utilization by growing steers. *J. Anim. Sci.* 83:2448–2454.
- Baertsche, S. R., M. T. Yokoyama, and J. W. Hanover. 1986. Short rotation, hardwood tree biomass as potential ruminant feed-chemical composition, nylon bag ruminal degradation and ensiling of selected species. *J. Anim. Sci.* 63:2028–2043.
- Bagchi, D., M. Bagchi, S. J. Stohs, D. K. Das, S. D. Ray, C. A. Kuszynski, S. S. Joshi, and H. G. Pruess. 2000. Free radicals and grape seed proanthocyanidin extract: importance in human health and disease prevention. *Toxicology.* 148:187–197.
- Bhalla, Y., V. K. Gupta, and V. Jaitak. 2013. Anticancer activity of essential oils: A review. *J. Food Sci. Agric.* 933643–3653.
- Bailey, J. K., J. A. Schweitzer, B. J. Rehill, D. J. Irschick, T. G. Whitham, and R. L. Lindroth. 2007. Rapid shifts in the chemical composition of aspen forests: an introduced herbivore as an agent of natural selection. *Biol. Invasions.* 9:715–722.
- Bailey J. K., S. C. Wooley, R. L. Lindroth, and T. G. Whitham. 2006. Importance of species interactions to community heritability: a genetic basis to trophic-level interactions. *Ecol. Letters.* 9:78–85.
- Bailoni, L., M. Ramanzin, A. Simonetto, N. Oblakov, S. Schiavon, and G. Bittante. 1998. The effect of *in vitro* fermentation on specific gravity and sedimentation measurements of forage particles. *J. Anim. Sci.* 76:3095–3103.
- Baker, A. J. 1973. Effect of lignin on the *in vitro* digestibility of wood pulp. *J. Anim. Sci.* 36:768–771.
- Baker, A. J., M. A. Millett, and L. D. Satter. 1975. Wood and wood-based residues in animal feeds. *Aspen Bibliography.* Paper 5153:75–105. http://digitalcommons.usu.edu/aspen_bib/5153
- Baker, A. J., A. A. Mohaupt, and D. F. Spino. 1973. Evaluating wood pulp as feedstuff for ruminants and substrate for *aspergillus fumigatus*. *J. Anim. Sci.* 37:179–182.
- Bakshi, M. P. S., and M. Wadhwa. 2007. Tree leaves as complete feed for goat bucks. *Small Rumin. Res.* 69:74–78.
- Baptista, R. 1996. Nutritional quality of mesquite (*Prosopis glandulosa*) and potential toxicosis in sheep. MS Thesis. Texas Tech Univ. Lubbock.
- Baptista, R., and K. L. Launchbaugh. 2001. Nutritive value and aversion of honey mesquite leaves to sheep. *J. Range Manage.* 54:82–88.
- Barahona, R., C. E. Lascano, R. Cochran, J. Morrill, and E. C. Titgemeyer. 1997. Intake, digestion, and nitrogen utilization by sheep fed tropical legumes with contrasting tannin concentration and astringency. *J. Anim. Sci.* 75:1633–1640.
- Barry, T.N., Manley, T.R., 1986. Interrelationships between the concentrations of total condensed tannin free condensed tannin and lignin in Lotus sp. and other possible consequences in ruminant nutrition. *J. Sci. Food Agric.* 37:248–254.
- Bas, F. J., F. R. Ehle, and R. D. Goodrich. 1985. Evaluation of pelleted aspen foliage as a ruminant feedstuff. *J. Anim. Sci.* 61:1030–1036.
- Bauman, D. E., L. H. Baumgard, B. A. Corl, and J. M. Griinari. 1999. Biosynthesis of conjugated linoleic acid in ruminants. *Proc. Amer. Soc. Anim. Sci.* 77(E-Suppl.):1-15.
- Baxter, B. P., M. A. Brims, and T. B. Taylor. 1992. Description and performance of the Optical Fiber Diameter Analyzer (OFDA). *J. Text. Inst.* 83:507–526.
- Beart, J. E., T. H. Lilley, and E. Haslam. 1985. Plant polyphenols – secondary metabolism and chemical defense: some observations. *Phytochemistry.* 24:33–38.
- Belasco I. J. 1956. The role of carbohydrates in urea utilization, cellulose digestion, and fatty acid formation. *J. Anim. Sci.* 15:496–508.

- Belew, M. A. 2006. Conversion of masonia tree sawdust and cotton plant by product into feed by white rot fungus (*Pleurotus sajor caju*). *Afr. J. Biotechnol.* 5:503–504.
- Benchaar, C., A. V. Chaves, G. R. Fraser, Y. Wang, K. A. Beauchemin, and T. A. McAllister. 2007. Effects of essential oils and their components on *in vitro* rumen microbial fermentation. *Can. J. Anim. Sci.* 87:413–419.
- Benchaar, C., S. Calsamiglia, A. V. Chaves, G. R. Fraser, D. Colombatto, T. A. McAllister, and K. A. Beauchemin. 2008. A review of plant-derived essential oils in ruminant nutrition and production. *Anim. Feed Sci. Technol.* 145:209–228.
- Bender, F., D. P. Heaney, and A. Bowden. 1970. Potential of steamed wood as a feed for ruminants. *Forest Prod. J.* 20:36–41.
- Bernard, G., M. Worku, and M. Ahmedna. 2009. The effects of diatomaceous earth on parasite infected goats. *Bull. Georg. Natl. Acad. Sci.* 3:129–135.
- Bernhard, R. A., and A. G. Marr. X. 1960. The oxidation of terpenes. I. Mechanisms and reaction products of D-Limonene autoxidation. *J. Food Sci.* 25:517–530.
- Berrie, R. A., D. M. Hallford, and M. L. Galyean. 1995. Effects of zinc source and level on performance and metabolic hormone concentrations of growing and finishing lambs. *Prof. Anim. Sci.* 11:149–156.
- Bhalla, Y., V. K. Gupta, and V. Jaitak. 2013. Anticancer activity of essential oils: A review. *J. Sci. Food Agricul.* 93:3643–3653.
- Bhatta R., Y. Uyeno, K. Tajima, A. Takenaka, Y. Yabumoto, I. Nonaka, O. Enishi, and M. Kurihara. 2009. Difference in the nature of tannins on *in vitro* ruminal methane and volatile fatty acid production and on methanogenic archaea and protozoal populations. *J. Dairy Sci.* 92:5512–5522.
- Bhatta, R., U. Krishnamoorthy, and F. Mohammed. 2001. Effect of tamarind (*Tamarindus indica*) seed husk tannins on *in vitro* rumen fermentation. *Anim. Feed Sci. Technol.* 90:143–152.
- Bidlack, W. R. 1982. Toxicant metabolism and the role of nutrients. *Food Technol.* 36:106–113.
- Bidlack, W. R., R. C. Brown, and C. Mohan. 1986. Nutritional parameter that alter hepatic drug metabolism, conjunction, and toxicity. *Federation Proceed.* 45:142–148.
- Bishop, M. D., R. C. M. Simmen, F. A. Simmen, and M. E. Davis. 1989. The relationship of insulin-like growth factor-I with postweaning performance in Angus beef cattle. *J. Anim. Sci.* 67:2872–2880.
- Bisson, M. G., C. B. Scott, and C. A. Taylor, Jr. 2001. Activated charcoal and experience affect intake of juniper by goats. *J. Range Manage.* 54:274–278.
- Blache, D., S. K. Maloney, and D. K. Revell. 2008. Use and limitations of alternative feed resources to sustain and improve reproductive performance in sheep and goats. *Anim. Feed Sci. Technol.* 147:140–157.
- Body, D. R. 1977. Characterization of bovine rumen liquor isoprenoid hydrocarbons with reference to dietary phytol. *Lipids.* 12:204–207.
- Boyle, R., and M. D. Dearing. 2003. Ingestion of juniper foliage reduces metabolic rates in woodrat (*Neotoma*) herbivores. *Zoology.* 106:151–158.
- Bravo, L. 1998. Polyphenols: Chemistry, dietary sources, metabolism, and nutritional significance. *Nutr. Rev.* 56:317–333.
- Breier, B. H. 1999. Regulation of protein and energy metabolism by the somatotrophic axis. *Domest. Anim. Endocrinol.* 17:209–219.
- Broudiscou, L-P., A. Cornu, and A. Rouzeau. 2007. *In vitro* degradation of 10 mono- and sesquiterpenes of plant origin by caprine rumen microorganisms. *J. Sci. Food Agric.* 87:1653–1658.
- Brown, W. H., F. M. Whiting, B. S. Daboll, R. J. Turner, and J. D. Schuh. 1977. Pelleted and nonpelleted cottonseed hulls for lactating dairy cows. *J. Dairy Sci.* 60:919–923. *in NRC 1983, p. 235*
- Browne-Silva, J., M. Giacomini, M. K. Petersen, and S. L. Lodge-Ivey. 2006. Changes in bacterial diversity in the rumen of sheep consuming *Juniperus monosperma*. *New Mexico cattle grower's short course proceedings.* p. 58.
- Brunet, S., J. Aufrere, F. El Babili, I. Fouraste, and H. Hoste. 2007. The kinetics of exsheathment of infective nematode larvae is disturbed in the presence of a tannin-rich plant extract (sainfoin) both *in vitro* and *in vivo*. *Parasitol.* 134:1253–1262.
- Bryant, M. P. 1959. Bacterial species of the rumen. *Microbiol. Molec. Biol. Rev.* 23:125–153.
- Buckley, W. T., and R. M. Tait. 1981. Chronic copper toxicity in lambs: A survey of blood constituent responses. *Can. J. Anim. Sci.* 61:613–624.
- Buckner, C. D., T. L. Mader, G. E. Erickson, S. L. Colgan, K. K. Karges, and M. L. Gibson. 2007. Optimum levels of dry distillers grains with solubles for finishing beef steers. *Nebraska Beef Report.* MP90:36–38.
- Buisson, A., F. Ordiz, Jr., M. Pellizzon, and K. L. C. Jen. 2000. Conjugated linoleic acid does not impair fat regain but alters IGF-1 levels in weight-reduced rats. *Nutr. Res.* 11:1591–1601.

- Bunderson, E. D., B. L. Welch, and D. J. Weber. 1986. *In vitro* digestibility of *Juniperus osteosperma* (Torr.) little from 17 Utah sites. *Forest Sci.* 32:834–840.
- Bunglavan, S. J., and N. Dutta. 2013. Use of tannins as organic protectants of proteins in digestion of ruminants. *J. Livestock Sci.* 4:67–77.
- Bunting, L. D., L. S. Sticker, and P. J. Wozniak. 1992. Effect of ruminal escape protein and fat on nitrogen utilization in lambs exposed to elevated ambient temperatures. *J. Anim. Sci.* 70:1518–1525.
- Burritt, E. A., R. E. Banner, and F. D. Provenza. 2000. Sagebrush ingestion by lambs: effects of experience and macronutrients. *J. Range Manage.* 53:91–96.
- Burroughs, W., N. C. Arias, P. de Paul, P. Gerlaugh, and R. M. Bethke. 1951. *In vitro* observations upon the nature of protein influences upon urea utilization by rumen microorganisms. *J. Anim. Sci.* 10:672–682.
- Burroughs, W., N. A. Frank, P. Gerlaugh, and R. M. Bethke. 1950. Preliminary observations upon factors influencing cellulose digestion by rumen organisms. *J. Nutrition.* 40:9–24.
- Burt, S. 2004. Essential oils: their antibacterial properties and potential application in foods—a review. *Int. J. Food Microbiol.* 94:223–253.
- Butterbaugh, J. W., and R. R. Johnson. 1974. Nutritive value of acid hydrolyzed wood residue in ruminant rations. *J. Anim. Sci.* 38:394–403.
- Chafton, L. A. 2006. The effect of a condensed tannin containing forage, sericea lespedeza, on existing and challenge infections of *Haemonchus contortus* in sheep. MS Thesis, Louisiana State University, Baton Rouge, LA.
- Cal, L., C. Borteiro, A. Benech, E. Rodas, M. N. Abreu, L. C. Cruz, J. R. Gonzalez-Montana. 2009. Histological changes of the liver and metabolic correlates in ewes with pregnancy toxemia. *Arq. Bras. Med. Vet. Zootec.* 61:306–312.
- Calhoun, M. C., B. C. Baldwin, Jr., S. W. Kuhlman, and H. L. Kim. 1989. Experimental prevention of bitterweed (*Hymenoxys odorata*) poisoning of sheep. *Amer. J. Vet. Res.* 50:1642–1646.
- Call, J. W., and L. F. James. 1978. Pine needle abortion in cattle. In: R. F. Keeler, K. R. Van Kampen, and L. F. James, editors, *Effects of poisonous plants on livestock*. Academic Press, Inc., New York, NY. p. 587–590.
- Callaway, T. R., S. E. Dowd, T. S. Edrington, R. C. Anderson, N. Krueger, N. Bauer, P. J. Kononoff and D. J. Nisbet. 2010. Evaluation of bacterial diversity in the rumen and feces of cattle fed different levels of dried distillers grains plus solubles using bacterial tag-encoded FLX amplicon pyrosequencing. *J. Anim. Sci.* 88:3977–3983.
- Calsamiglia, S., M. Busquet, P. W. Cardoza, L. Castillejos, and A. Ferret. 2007. Invited review: Essential oils as modifiers of rumen microbial fermentation. *J. Dairy Sci.* 90:2580–2595.
- Campbell, E. J., R. A. Frost, T. K. Mosley, J. C. Mosley, C. J. Lupton, C. A. Taylor, Jr., J. W. Walker, D. F. Waldron, and J. Musser. 2010. Pharmacokinetic differences in exposure to camphor after intraruminal dosing in selectively bred lines of goats. *J. Anim. Sci.* 88:2620–2626.
- Campbell, E. S., C. A. Taylor, Jr., J. W. Walker, C. J. Lupton, D. F. Waldron, and S. Y. Landau. 2007. Effects of protein supplementation on juniper intake by goats. *Rangeland Ecol. Manage.* 60:588–595.
- Campbell, E. S., and C. A. Taylor, Jr. 2007. Monoterpene production in redberry juniper foliage following fire. *Range. Ecol. Manage.* 60:104–109.
- Carpino, S., J. Horne, C. Melilli, G. Licita, D. M. Barbano, and P. J. VanSoest. 2004. Contribution of native pasture to sensory properties of Ragusano cheese. *J. Dairy Sci.* 87:308–315.
- Cardozo, P. W., S. Calsamiglia, A. Ferret, and C. Kamel. 2005. Screening for the effects of natural plant extracts at different pH on *in vitro* rumen microbial fermentation of a high-concentrate diet for beef cattle. *J. Anim. Sci.* 83:2572–2579.
- Carlson, G. P. 1996. Clinical chemistry tests. Smith, B. P., editor. In: *Large animal medicine*. Mosby-Year Book, Inc., St Louis MO, pp. 441–469.
- Carter, M. L., S. N. McCutcheon, and R. W. Purchas. 1989. Plasma metabolite and hormone concentrations as predictors of genetic merit for lean meat production in sheep: effect of metabolic challenges and fasting. *New Zeal. J. Agric. Res.* 32:343–353.
- Castillo-Lopez, E. 2014. Effect of feeding dried distillers grains with solubles on ruminal biohydrogenation, intestinal fatty acid profile, and gut microbial diversity evaluated through DNA pyro-sequencing. *J. Anim. Sci.* 92:733–743.
- Cerutti, F., R. Rizzi, M. Faustini, and C. Colombani. 2003. Factors affecting some blood parameters and rectal temperature in cows in the Tropics. In: N. Lacetera, U. Bernabucci, H. H. Khalifa, B. Ronchi, and A. Nardone, editors, *Interactions between climate and animal production (EAAP Technical Series, No. 7)*. Wageningen Acad. Pub., The Netherlands. 123 p.

- Chafton, L. A. 2006. The effect of a condensed tannin containing forage, sericea lespedeza, on existing and challenge infections of *Haemonchus contortus* in sheep. M.S. Thesis. Louisiana State Univ.
- Chao, S. C., D. G. Young, and C. J. Oberg. 2000. Screening for inhibitory activity of essential oils on selected bacteria, fungi and viruses. *J. Essent. Oil Res.* 12:639–649.
- Cheeke, P. 1998. *Natural Toxicants in Feeds, Forages and Poisonous Plants*. Interstate Publ., Danville, IL.
- Cheyrier, V., P. Sarni-Manchado, and S. Quideau. 2012. *Recent advances in polyphenol research*, Vol. 3. Wiley-Blackwell Publisher.
- Chilliard, Y., A. Ferlay, Y. Faulconnier, M. Bonnet, J. Rouel, and F. Bocquier. 2000. Adipose tissue metabolism and its role in adaptations to under-nutrition in ruminants. *Proc. Nutr. Soc.* 59:127–134.
- Chizzola, R., W. Hochsteiner, and S. Hajek. 2004. GC analysis of essential oils in the rumen fluid after incubation of *Thuja orientalis* twigs in the Rusitec system. *Res. Vet. Sci.* 76:77–82.
- Clarke, S. D., and I. A. Dyer. 1973. Chemically degraded wood in finishing beef cattle rations. *J. Anim. Sci.* 37:1022–1026.
- Cluff L. K., B. L. Welch, J. C. Pederson, and J. D. Brotherson. 1982. Concentration of monoterpenoids in the rumen ingesta of wild mule deer. *J. Range Manage.* 35:192–194.
- Coblentz, W. K., J. O. Fritz, R. C. Cochran, W. L. Rooney, and K. K. Bolsen. 1997. Protein degradation in response to spontaneous heating in alfalfa hay by *in situ* and ficin methods. *J. Dairy Sci.* 80:700–713.
- Cocimano, M. R., and R. A. Leng. 1967. Metabolism of urea in sheep. *Brit. J. Nutr.* 21:353–371.
- Cody, R. E., J. L. Morrill, and C. M. Hibbs. 1972. Effect of dietary screened sawdust on health, feed intake, and performance of the bovine. *J. Anim. Sci.* 35:460–465.
- Cole, N. A., L. W. Greene, F. T. McCollum, T. Montgomery, and K. McBride. 2003. Influence of oscillating dietary crude protein concentration on performance, acid-base balance, and nitrogen excretion of steers. *J. Anim. Sci.* 81:2660–2668.
- Cole, N. A., and D. P. Hutcheson. 1988. Influence of protein concentration in prefast and postfast diets on feed intake of steers and nitrogen and phosphorus metabolism of lambs. *J. Anim. Sci.* 66:1764–1777.
- Coles, G. C., C. Bauer, F. H. M. Borgsteede, S. Geerts, T. R. Klei, M. A. Taylor, and P. J. Waller. 1992. World Association for the Advancement of Veterinary Parasitology (W.A.A.V.P.) methods for the detection of anthelmintic resistance in nematodes of veterinary importance. *Vet. Parasitol.* 44:35–44.
- Cook, C. W., L. A. Stoddart, and L. E. Harris. 1952. Determining the digestibility and metabolizable energy of winter range plants by sheep. *J. Anim. Sci.* 11:578–590.
- Coop, R. L., and P. H. Holmes. 1996. Nutrition and parasite interaction. *Int. J. Parasitol.* 26:951–962.
- Cooper, S. D. B., I. Kyriazakis, and J. D. Oldham. 1996. The effects of physical form of feed, carbohydrate source, and inclusion of sodium bicarbonate on the diet selections of sheep. *J. Anim. Sci.* 74:1240–1251.
- Cornelius, C. E. 1989. Liver function. In: J. J. Kaneko, editor, *Clinical biochemistry of domestic animals*. Academic press, New York. p. 364–397.
- Coultrap, D. E., K. O. Fulgham, D. L. Lancaster, J. Gustafson, D. F. Lile, and M. R. George. 2008. Relationships between Western Juniper (*Juniperus occidentalis*) and understory vegetation. *Invasive Plant Sci. Manage.* 1:3–11.
- Cowan, M. M. 1999. Plant products as antimicrobial agents. *Clin. Microbiol. Rev.* 12:564–582.
- Cox, K. W. 1982. Selected methods utilizing ozone for hydrolysis of mesquite biomass. MS Thesis. Texas Tech Univ. Lubbock.
- Craig, T. M., and D. K. Miller. 1990. Resistance by *Haemonchus contortus* to ivermectin in angora goats. *Vet. Rec.* 126:580.
- Crouse, J. D., J. R. Busboom, R. A. Field, and C. L. Ferrell. 1981. The effect of breed, diet, sex, location and slaughter weight on lamb growth, carcass composition and meat flavour. *J. Anim. Sci.* 53:376–386.
- Crozier, A. T., Yokota, I. B., Jaganath, S. C., Marks, M., Saltmarsh, and M. N. Clifford. 2006. Chpt. 8: Secondary metabolites in fruits, vegetables, beverages and other plant-based dietary components. In: A. Crozier, M. N. Clifford, and H. Ashihara, editors, *Plant secondary metabolites: Occurrence, structure, and role in the human diet*. Blackwell Pub., Ames, Iowa.
- Dawson, J. M., P. J. Buttery, D. Jenkins, C. D. Wood, and M. Gill. 1999. Effects of dietary Quebracho tannin on nutrient utilization and tissue metabolism in sheep and rats. *J. Sci. Food Agric.* 79:1423–1430.
- Dean, R. C. 1978. Mechanisms of wood digestion in the shipworm *Bankia gouldi* bartsch: enzyme degradation of celluloses, hemicelluloses, and wood cell walls. *Biol. Bull.* 155:297–316.
- Decandia, M., M. Sitzia, A. Cabiddu, D. Kababya, and G. Molle. 2000. The use of polyethylene glycol to reduce the anti-nutritional effects of tannins in goats fed woody species. *Small Rumin. Res.* 38:157–164.

- De Castro, F. B. 1994. The use of steam treatment to upgrade lignocellulosic materials for animal feed. Ph.D. Thesis. Univ. Kings College, Aberdeen, United Kingdom.
- DeMartini, J. D., and C. E. Wyman. 2011. Changes in composition and sugar release across the annual rings of *Populus* wood and implications on recalcitrance. *Biores. Technol.* 102:1352–1358.
- Depenbusch, B. E., E. R. Loe, J. J. Sindt, A. Cole, J. J. Higgins, and J. S. Drouillard. 2009. Optimizing use of distillers grains in finishing diets containing steam-flaked corn. *J. Anim. Sci.* 87:2644–2652.
- DeRosa, A. A., S. R. Chirgwin, J. Fletcher, J. C. Williams, and T. R. Klei. 2005. Exsheathment of *Ostertagia ostertagi* infective larvae following exposure to bovine rumen contents derived from low and high roughage diets. *Vet. Parasitol.* 129:77–81.
- Dhiman, T. R., L. D. Satter, M. W. Pariza, M. P. Galli, K. Albright, and M. X. Tolosa. 2000. Conjugated linoleic acid (CLA) content of milk from cows offered diets rich in linoleic and linolenic acid. *J. Dairy Sci.* 83:1016–1027.
- Dickson, R., and P. R. Larson. 1976. Leaf chemical composition of twenty-one *Populus* hybrid clones grown under intensive culture. In: Proceedings of the 10th central states forest tree improvement conference. West Lafayette, IN. Purdue University: p. 20–29.
- Dietz, T. H., C. B. Scott, C. A. Taylor, Jr., C. J. Owens, E. S. Campbell, and R. Brantley. 2010. Feeding redberry juniper (*Juniperus pinchotii*) at weaning increases juniper consumption by goats on pasture. *Rangel. Ecol. Manage.* 63:366–372.
- Dillard, C. J., and J. B. German. 2000. Phytochemicals: Nutraceuticals and human health. *J. Sci. Food Agric.* 80:1744–1756.
- Dinaburg, A. G., 1942. The efficiency of the Baermann apparatus in the recovery of larvae of *Haemonchus contortus*. *J. Parasitol.* 28:433–440.
- Dinius and Baumgardt. 1968. Ration dilution and feed intake in the sheep. *J. Anim. Sci.* 27:1767.
- Dinius, D. A., and B. R. Baumgardt. 1970. Regulation of food intake in ruminants. 6. Influence of caloric density of pelleted rations. *J. Dairy Sci.* 53:311–316.
- Dinius, D. A., and J. Bond. 1975. Digestibility, ruminal parameters and growth by cattle fed a waste wood pulp. *J. Anim. Sci.* 41:629–634.
- Dinius, D. A., A. D. Peterson, T. A. Long, and B. R. Baumgardt. 1970. Intake and digestibility by sheep of rations containing various roughage substitutes. *J. Anim. Sci.* 30:309–312.
- Dinius, D. A., and E. E. Williams. 1975. Sawdust as a diluent for adapting cattle to concentrate diets. *J. Anim. Sci.* 41:1170–1179.
- Distel, R. A., and F. D. Provenza. 1991. Experience early in life affects voluntary intake of blackbrush by goats. *J. Chem. Ecol.* 17:431–449.
- Ditchkoff, S. S., and F. A. Servello. 1998. Litterfall: an overlooked food source for wintering white-tailed deer. *J. Wildlife Manage.* 62:250–255.
- D’Mello, J. P. F., and D. E. Taplin. 1978. *Leucaena leucocephala* in poultry diets for the tropics. *World Rev. Anim. Prod.* 14: 41–47.
- Douch, P. G. C., and P. E. Morum. 1994. The effects of anthelmintics on ovine larval nematode parasite migration *in vitro*. *Int. J. Parasitol.* 24:321–326.
- Douglas, G. B., Y. Wang, G. C. Waghorn, T. N. Barry, R. W. Purchas, A. G. Foote, and G. F. Wilson. 1995. Liveweight gain and wool production of sheep grazing *Lotus corniculatus* and lucerne (*Medicago sativa*). *New Zealand J. Agric. Res.* 38:95–104.
- Dowe, T. W. 1947. A study of the digestibility of sorghum silage and oat straw. M.S. Thesis. Dept. Anim. Hub. Kansas State Univ.
- Drevjany, L. A., G. S. Hooper, and W. V. Chandler. 1984. Processed poplar wood pellets as a source of energy for Holstein bull calves. *Can. J. Anim. Sci.* 64:1035–1044.
- Dschaak, C. M. 2012. Use of rumen modifiers to manipulate ruminal fermentation and improve nutrient utilization and lactational performance of dairy cows. PhD Dissertation. Utah State Univ., Logan Utah. Paper No. 1238. <http://digitalcommons.usu.edu/etd/1238>
- Dumont, J. P., and J. Adda. 1978. Occurrence of sesquiterpenes in mountain cheese volatiles. *J. Agric. Food Chem.* 26:364–367.
- Dunson, W. T., C. B. Scott, E. S. Campbell, C. A. Taylor, Jr., M. A. Carr, and T. R. Callaway. 2007. Chapter 64: Rumen function and the ability of goats to consume redberry juniper (*Juniperus pinchotii*). In: K. E. Panter, T. L. Wierenga, and J. A. Pfister, editors, poisonous plants: global research and solutions. Wallingford, Oxon, United Kingdom: CABI Publishing. p. 377–385.

- Dziba L. E., J. O. Hall, and F. D. Provenza. 2006. Feeding behavior of lambs in relation to kinetics of 1,8-cineole dosed intravenously or into the rumen. *J. Chem. Ecol.* 32: 391–408.
- Dziba, L. E., and F. D. Provenza. 2006. Sagebrush monoterpenes influence frequency and duration of feeding bouts and regulation of food intake by lambs. *Appl. Anim. Behav. Sci.* 109:49–57.
- Eaton, A. D., L. S. Clesceri, and A. E. Greenburg. 1995. Standard methods for examination of water and wastewater, 19th ed. American Public Health Assoc. Washington D. C., USA.
- Ellis, C. R., R. E. Jones, C. B. Scott, C. A. Taylor, Jr., J. W. Walker, and D. F. Waldron. 2005. Sire influence on juniper consumption by goats. *Range. Ecol. Manage.* 58:324–328.
- Ellis, L. C. 1969. Wintering cows on ground mesquite. M.S. Thesis. TX Tech. Univ., Lubbock.
- Elmore, J. S., M. M. Campo, M. Enser, and D. S. Mottram. 2002. Effect of lipid composition on meat-like model systems containing cysteine, ribose and polyunsaturated fatty acids. *J. Agric. Food Chem.* 50:1126–1132.
- El-Sabban, F. F., T. A. Long, and B. R. Baumgardt. 1971. Utilization of oak sawdust as a roughage substitute in beef cattle finishing rations. *J. Anim. Sci.* 32:749–755.
- Ennajar, M., J. Bouajila, A. Lebrihi, F. Mathieu, M. Abderraba, A. Raies, and M. Romdhane. 2009. Chemical composition and antimicrobial and antioxidant activities of essential oils and various extracts of *Juniperus Phoenicia* L. (*cupressaceae*). *J. Food Sci.* 74:M364–M371.
- Enzmann, J. W., R. D. Goodrich, and J. C. Meiske. 1969. Chemical composition and nutritive value of poplar bark. *J. Anim. Sci.* 29:653–660.
- Erasmus, L. J., P. M. Botha, and C. W. Cruywagen. 1994. Amino acid profile and intestinal digestibility in dairy cows of rumen-undegradable protein from various feedstuffs. *J. Dairy Sci.* 77:541–551.
- Erlinger, L. L., and T. Klopfenstein. 1975. Ammoniated acid hydrolyzed wood residue as a source of nitrogen for ruminants. *J. Anim. Sci.* 41:1189–1198.
- Erwin E. A., M. G. Turner, R. L. Lindroth, and W. H. Romme. 2001. Secondary plant compounds in seedling and mature aspen (*Populus Tremuloides*) in Yellowstone National Park, Wyoming. *Amer. Midland Naturalist.* 145:299–308.
- Estell R. E., E. L. Fredrickson, D. M. Anderson, and M. D. Remmenga. 2008. Effects of *cis*- β -ocimene, *cis*-sabinene hydrate, and monoterpene and sesquiterpene mixtures on alfalfa pellet intake by lambs. *Am. Soc. Anim. Sci.* 86:1478–1484.
- Estell, R. E., E. L. Frederickson, D. M. Anderson, K. M. Havstad, and M. D. Remmenga. 2002. Effects of four mono- and sesquiterpenes on consumption of alfalfa pellets by sheep. *J. Anim. Sci.* 80:3301–3306.
- Estell, R. E., E. L. Fredrickson, D. M. Anderson, K. M. Havstad, and M. D. Remmenga. 1998. Relationship of tarbush leaf surface terpene profile with livestock herbivory. *J. Chem. Ecol.* 24:1–12.
- Fahey, G. C., Jr., and L. L. Berger. 1988. Carbohydrate nutrition of ruminants. In: D. C. Church, editor, *The ruminant animal: digestive physiology and nutrition*. Prentice Hall, Englewood Cliffs, NJ. p. 269–297.
- FAPRI. 2009. Food and Agricultural Policy Research Institute. World agricultural outlook. Staff Report 09-FSR 1. Iowa State Univ. and Univ. of Missouri-Columbia, Ames, IA. <http://www.fapri.iastate.edu>
- Farmer, C. G., B. C. Woods, R. C. Cochran, J. S. Heldt, C. P. Mathis, K. C. Olson, E. C. Titgemeyer, and T. A. Wickersham. 2004. Effect of supplementation frequency and supplemental urea level on dormant tallgrass-prairie hay intake and digestion by beef steers and prepartum performance of beef cows grazing dormant tallgrass-prairie. *J. Anim. Sci.* 82:884–894.
- Favaro, G., F. Magno, A. Boaretto, L. Bailoni, and R. Mantovani. 2005. Traceability of asiago mountain cheese: A rapid, low-cost analytical procedure for its identification based on solid-phase microextraction. *J. Dairy Sci.* 88:3426–3434.
- Feeny, P. 1976. Plant apparency and chemical defense. *Recent Adv. Phytochem.* 10:1–40.
- Feist, W. C., A. J. Baker, and H. Tarkow. 1970. Alkali requirements for improving digestibility of hardwoods by rumen micro-organisms. *J. Anim. Sci.* 30:832–835.
- Feliciano, A. S., E. Caballero, B. Del Rey, and I. Sancho. 1991. Diterpene acids from *Juniperus communis* Subsp. *Hemisphaerica*. *Phytochemistry.* 30:3134–3136.
- Felix, T. L., H. N. Zerby, S. J. Moeller, and S. C. Loerch. 2012. Effects of increasing dried distillers grains with solubles on performance, carcass characteristics, and digestibility of feedlot lambs. *J. Anim. Sci.* 90:1356–1363.
- Felix, T. L., and S. C. Loerch. 2011. Effects of haylage and monensin supplementation on performance, carcass characteristics, and ruminal metabolism of feedlot cattle fed diets containing 60% dried distillers grains. *J. Anim. Sci.* 89:2614–2623.
- Fernandez, C., C. Astier, E. Rock, J.-B. Coulon, and J.-L. Berdagué. 2003. Characterization of milk by analysis of its terpene fractions. *Intern. J. Food Sci. Technol.* 38:445–451.

- Fernandez, J. M., T. Sahl, S. P. Hart, M. J. Potchoiba, H. M. El Shaer, N. Jacquemet, and H. Carneiro. 2001a. Experimentally-induced subclinical hyperammonemia in dairy goats. *Small Rumin. Res.* 42:5–20.
- Fernandez, M. P., P. A. Watson, and C. Breuil. 2001b. Gas chromatography – mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen. *J. Chromatogr. A.* 922:225–233.
- Field, R. A. 1983. The effect of diet on lamb flavor. *Food Technol.* 37:258–263.
- Fierer, N., J. P. Schimel, R. G. Cates, and J. Zou. 2001. Influence of balsam poplar tannin fractions on carbon and nitrogen dynamics in Alaskan taiga floodplain soils. *Soil Biol. Biochem.* 33:1827–1839.
- Firkins, J. L., L. Berger, and G. C. Fahey, Jr. 1985. Evaluation of wet and dry distillers grains and wet and dry corn gluten feeds for ruminants. *J. Anim. Sci.* 60:847–860.
- Firkins, J. L., L. L. Berger, G. C. Fahey, Jr, and N. R. Merchen. 1984. Ruminant nitrogen degradability and escape of wet and dry distillers grains and wet and dry corn gluten feeds. *J. Dairy Sci.* 67:1936–1944.
- Folch, J., M. Lees, and G. H. Sloane-Stanley. 1957. A simple method for the isolation and purification of total lipids from animal tissues. *J. Biol. Chem.* 226:497–507.
- Foley, W. J., and B. D. Moore. 2005. Plant secondary metabolites and vertebrate herbivores – from physiological regulation to ecosystem function. *Curr. Opin. Plant Biol.* 8:430–435.
- Foley, W. J., S. McLean, and S. J. Cork. 1995. Consequences of biotransformation of plant secondary metabolites on acid-base metabolism in mammals—a final common pathway? *J. Chem. Ecol.* 21:721–743.
- Fraenkel G S. 1959. The raison d'être of secondary plant substances. *Science* 129:1466–1470.
- Freeland, W. J., and D. J. Janzen. 1974. Strategies in herbivory by mammals: The role of plant secondary compounds. *Am. Nat.* 108:269–289.
- Fritschel, P. R., L. D. Satter, A. J. Baker, J. N. McGovern, R. J. Vatthauer, and M. A. Millett. 1976. Aspen bark and pulp residue for ruminant feedstuffs. *J. Anim. Sci.* 42:1513–1521.
- Fron, M., H. Madeira, C. Richards, and M. Morrison. 1996. The impact of feeding condensed distillers byproducts on rumen microbiology and metabolism. *Anim. Feed Sci. Technol.* 61:235–245.
- Frost, R. 2005. Age and body condition of goats influences consumption of redberry juniper (*Juniperus coahuilensis*) and disposition of four monoterpenes. Ph.D. Dissertation. Univ. Idaho, Moscow.
- Frost, R. A., K. L. Launchbaugh, and C. A. Taylor, Jr.. 2008. Age and body condition of goats influences consumption of juniper and monoterpene treated feed. *Rangeland Ecol. Manage.* 61:48–54.
- Frost, R. A., C. B. Scott, J. W. Walker, and F. S. Hartmann. 2003. Effects of origin, genetics, and experiences early in life on bitterweed consumption by sheep. *Appl. Anim. Behav. Sci.* 84:251–264.
- Frutos, P., G. Hervás, F. J. Giráldez, and A. R. Mantecón. 2004. Review. tannins and ruminant nutrition. *Span. J. Agric. Res.* 2:191–202.
- Frutos, P., G. Hervas, G. Ramos, F. J. Giraldez., and A. R. Manteco. 2002. Condensed tannin content of several shrub species from a mountain area in northern Spain, and its relationship to various indicators of nutritive value. *Anim. Feed Sci. Technol.* 95:215–226.
- Fuentes, M. C., S. Calsamiglia, V. Fievez, M. Blanch, and D. Mercadal. 2011 Effect of pH on ruminal fermentation and biohydrogenation of diets rich in omega-3 or omega-6 fatty acids in continuous culture of ruminal fluid. *Anim. Feed Sci. Technol.* 169:35–45.
- Fuhlendorf, S. D., F. E. Smeins, and C. A. Taylor, Jr.. 1997. Browsing and tree size influences on ashe juniper understory. *J. Range Manage.* 50:507–512.
- Fukazawa, K., J. F. Revol, L. Jurasek, and D. A. I. Goring. 1982. Relationship between ball milling and the susceptibility of wood to digestion by cellulase. *Wood Sci. Technol.* 16:279–285.
- Galyean, M. L. 1996. Protein levels in beef cattle finishing diet: Industry application, university research, and systems results. *J. Anim. Sci.* 74:2860–2870.
- Gamble, H.R., and L. S. Mansfield. 1996. Characterization of excretory–secretory products from larval stages of *Haemonchus contortus* cultured *in vitro*. *Vet. Parasitol.* 62:291–305.
- Garcia, R. A. 2011. Effects of protein supplementation on the consumption of salt cedar in goats. MS Thesis. Angelo State Univ., San Angelo, TX.
- Gardner, D. R., K. E. Panter, L. F. James, and B. L. Stegelmeir. 1998. Abortifacient effects of lodgepole pine (*Pinus contorta*) and common juniper (*Juniperus communis*) on cattle. *Vet. Human Toxicol.* 40:260–263.
- Garleb, K. A. G. C. Fahey, Jr., S. M. Lewis, M. S. Kerley, and L. Montgomery. 1988. Chemical composition and digestibility of fiber fractions of certain by-product feedstuffs fed to ruminants. *J. Anim. Sci.* 66:2650–2662.
- Gasper, D. J. 1983. Investigation into increasing ruminant digestibility of mesquite wood by reaction with ethanol. MS Thesis. Texas Tech Univ., Lubbock.

- Gatongi, P. M., J. M. Njoroge, M. E. Scott, S. Ranjan, J. M. Gathuma, W. K. Manyua, H. Cheruiyot, and R. K. Prichard. 2003. Susceptibility to IVM in a field strain of *Haemonchus contortus* subjected to four treatments in a closed sheep–goat flock in Kenya. *Vet. Parasitol.* 110:235–240.
- George, C. H., C. B. Scott, T. R. Whitney, C. J. Owens, B. J. May, and R. Brantely. 2010. Supplements containing escape protein improve redberry juniper intake by goats. *Range. Ecol. Manage.* 63:655–661.
- Gershenzon, J., and R. Croteau. 1991. Terpenoids. In: G. A. Rosenthal and M. R. Berenbaum, editors, *Herbivores: their interactions with secondary plant metabolites*. Vol. 1. Acad. Press, San Diego, CA. p. 165–219.
- Gershenzon, J., D. McCaskill, J. I. M. Rajaonarivony, C. Mihaliak, F. Karp, and R. Croteau. 1992. Isolation of secretory cells from plant glandular trichomes and their use in biosynthetic studies of monoterpenes and other gland products. *Anal. Biochem.* 200:130–138.
- Gharib, F. H., R. D. Goodrich, J. C. Meiske, and A. M. El Serafy. 1975. Effects of grinding and sodium hydroxide treatment on poplar bark. *J. Anim. Sci.* 40:727–733.
- Giacomini, M. E., S. Utsumi, S. Lodge-Ivey, A. Cibils, S. Soto-Navarro, R. L. Endecott, and M. K. Petersen. 2006. Assessing the nutritive value of one-seed juniper in sheep. *New Mexico cattle grower's short course proceedings*. p. 58.
- Gilbert, R. A., N. S. Hale, D. M. Kinsman, and W. A. Cowan. 1973. Sawdust vs. hay in complete lamb ration. *J. Anim. Sci.* 37:367.
- Gilboa, N., A. Perevolotsky, S. Landau, Z. Nitsan, and N. Silanikove. 2000. Increasing productivity in goats grazing Mediterranean woodland and scrubland by supplementation of polyethylene glycol. *Small Ruminant Res.* 38:183–190.
- Glasser, T. A., E. D. Ungar, S. Y. Landau, A. Perevolotsky, H. Muklada, and J. W. Walker. 2009. Breed and maternal effects on the intake of tannin-rich browse by juvenile domestic goats (*Capra hircus*). *Appl. Anim. Behav. Sci.* 119:71–77.
- Gleghorn, J. F., N. A. Elam, M. L. Galyean, G. C. Duff, and N. A. Cole. 2003. Effects of dietary crude protein level and degradability on performance and carcass characteristics of growing finishing beef steers. *J. Anim. Sci.* 81(Suppl. 1):109(Abst.).
- Gosselin, R. E., R. P. Smith, H. C. Hodge. 1984. *Clinical toxicology of Commercial products*. 5th ed. Williams and Wilkins. Baltimore, MD.
- Goto, M., T. Morio, E. Kojima, Y. Nagano, Y. Yamada, A. Horigane, and H. Yamada. 2000. Characteristics of digestion dynamics of rice and oat straw relating to microbial digestion in the rumen of sheep given high-concentrate diets. *J. Anim. Sci.* 13:1219–1227.
- Gould, D.H. 1998. Polioencephalomalacia. *J. Anim. Sci.* 76:309–314.
- Gower, J. C. 1966. Some distance properties of latent root and vector methods used in multivariate analysis. *Biometrika.* 53:326–338.
- Gower, J. C. 1971. A general coefficient of similarity and some of its properties. *Biometrics* 27:857–874.
- Green, A. K., S. L. Haley, D. B. Barnes, M. D. Dearing, and W. H. Karasov. 2006. Is alpha-pinene a substrate for permeability-glycoprotein in wood rats? *J. Chem. Ecol.* 32:1197–1211.
- Green, A. K., S. L. Haley, M. D. Dearing, D. B. Barnes, and W. H. Karasov. 2004. Intestinal capacity of P-glycoprotein is higher in the juniper specialist, *Neotoma stephensi*, than the sympatric generalist, *Neotoma albigula*. *Comp. Biochem. Physiol. Part A* 139:325–333.
- Greene, H. J., B. Schiefer, R. E. Moffatt, and H. H. Nicholson. 1974. Effects of polyethylene roughage substitute on the rumen of fattening steers. *Can. Vet. J.* 15:191–197.
- Gujja, S., T. H. Terrill, J. A. Mosjidis, J. E. Miller, A. Mechineni, D. S. Kommuru, S. A. Shaik, B. D. Lambert, N. M. Cherry, and J. M. Burke. 2013. Effect of supplemental sericea lespedeza leaf meal pellets on gastrointestinal nematode infection in grazing goats. *Vet. Parasitol.* 191:51–58.
- Gunn, P. J., A. D. Weaver, R. P. Lemenager, D. E. Gerrard, M. C. Claeys, and S. L. Lake. 2009. Effects of dietary fat and crude protein on feedlot performance, carcass characteristics, and meat quality in finishing steers fed differing levels of dried distillers grains with soluble. *J. Anim. Sci.* 87:2882–2890.
- Häikiö, E., M. Makkonen, R. Julkunen-Tiitto, J. Sitte, V. Freiwald, T. Silfver, V. Pandey, E. Beuker, T. Holopainen, and E. Oksanen. 2009. Performance and secondary chemistry of two hybrid aspen (*Populus tremula* L. x *Populus tremuloides* Michx.) clones in long-term elevated ozone exposure. *J. Chem. Ecol.* 35:664–678.
- Ham, G. A., R. A. Stock, T. J. Klopfenstein, E. M. Larson, D. H. Shain, and R. P. Huffman. 1994. Wet distillers byproducts compared with dried corn distillers grains with solubles as a source of protein and energy for ruminants. *J. Anim. Sci.* 72:3246–3257.
- Hale, W. H., C. C. Culbertson, and W. E. Hammond. 1954. Ground corn cobs, packing animal feeding fat and diethylstilbestrol in the rations of fattening lambs. A. H. Iowa State College, Ames.

- Hale, W. H., C. Lambeth, B. Theurer, and D. E. Ray. 1969. Digestibility and utilization of cottonseed hulls by cattle. *J. Anim. Sci.* 29:773–776.
- Happe, P. J., K. J. Jenkins, E. E. Starkey, and S. H. Sharrow. 1990. Nutritional quality and tannin astringency of browse in clear-cuts and old-growth forests. *J. Wildlife Manage.* 54:557–566.
- Harmeyer, J., and H. Martens. 1980. Aspects of urea metabolism in ruminants with reference to the goat. *J. Dairy Sci.* 63:1707–1728.
- Hart, K. J., D. R. Yanez-Ruiz, S. M. Duval, N. R. McEwan, and C. J. Newbold. 2008. Plant extracts to manipulate rumen fermentation. *Anim. Feed Sci. Technol.* 147:8–35.
- Hartley, R. D., E. C. Jones, N. J. King, and G. A. Smith. 1974. Modified wood waste and straw as potential components of animal feeds. *J. Sci. FD Agric.* 25:433–437.
- Hawkins. 1955. Consumption and digestion of lespedeza sericea hay and alfalfa hay plus galletannin. *J. Dairy Sci.* 38:237–243.
- He
- Heaney, D. P., F. Bender, and E. E. Lister. 1973. Use of steamed aspen poplar in a finishing ration for Holstein steers. *Can. J. Anim. Sci.* 53:739–740.
- Heaney, D. P., and F. Bender. 1970. The feeding value of steamed aspen for sheep. *Forest Prod. J.* 20:98–102.
- Hegarty, R. S. 1999. Reducing rumen methane emissions through elimination of rumen protozoa. *Austr. J. Agricul. Res.* 50:1321–1327.
- Heil, M., B. Baumann, C. Andary, K. E. Linsenmair, and D. McKey. 2002. Extraction and quantification of “condensed tannins” as a measure of plant anti-herbivore defense? revisiting an old problem. *Naturwissenschaften.* 89:519–524.
- Heinemann, W. W. 1976. Bluegrass straw, cottonseed hulls and wheat screenings in steer finishing rations. College of Agriculture, Washington State Univ. Bull. 832. Pullman: Wash. State Univ. *in NRC 1983, p. 235*
- Hemingway, R. W. and P. E. Laks. 1992. Plant phenolics: Synthesis, properties, and significance. Plenum Press, New York, NY. p. 1053.
- Hersom, M. J., R. P. Wettemann, C. R. Krehbiel, G. W. Horn, and D. H. Keisler. 2004. Effect of live weight gain of steers during winter grazing: III. Blood metabolites and hormones during feedlot finishing. *J. Anim. Sci.* 82:2059–2068.
- Holechek, J. L., A. V. Munshikpu, L. Saiwana, G. Nunez-Hernandez, R. Valdez, J. D. Wallace, and M. Cardenas. 1990. Influences of six shrub diets varying in phenol content on intake and nitrogen retention by goats. *Tropical Grassl.* 24:93–98.
- Hopkinson, S. M. 1969. The chemistry and biochemistry of phenolic glycosides. *Q. Rev. Chem. Soc.* 23:98–124.
- Horton, G. M., and G. M. Steacy. 1979. Effect of anhydrous ammonia treatment on the intake and digestibility of cereal straws by steers. *J. Anim. Sci.* 48:1239–1249.
- Hoste, H., F. Jackson, S. Athanasiadou, S. M. Thamsborg, and S. O. Hoskin. 2006. The effects of tannin-rich plants on parasitic nematodes in ruminants. *Trends Parasitol.* 22:253–261.
- Howell, J. M. 2009. Evaluation of three *in vitro* bioassays for measuring the anthelmintic activity of plant extracts containing condensed tannins. M.S. Thesis. Univ. of GA, Athens.
- Howell, J. M., J. M. Luginbuhl, M. J. Grice, K. L. Anderson, P. Arasu, and J. R. Flowers. 1999. Control of gastrointestinal parasite larvae of ruminant using nitrogen fertilizer limestone, and sodium hypochlorite solutions. *Small Rumin. Res.* 32:197–204.
- Hsu, J. T., D. B. Faulkner, K. A. Garleb, R. A. Barclay, G. C. Fahey, Jr., L. L. Berger. 1987. Evaluation of corn fiber, cottonseed hulls, oat hulls, and soybean hulls as roughage sources for ruminants. *J. Anim. Sci.* 65:244–255.
- Huls, T. J., A. J. Bartosh, J. A. Daniel, R. D. Zelinsky, J. Held, and A. E. Wertz-Lutz. 2006. Efficacy of dried distiller’s grains with solubles as a replacement for soybean meal and a portion of the corn in a finishing lamb diet. *Sheep and Goat Res. J.* 21:30-34.
- Humphrey, A. J., and M. H. Beale. 2006. Terpenes. In: A. Crozier, M. N. Clifford, and H. Ashihara, editors, *Plant secondary metabolites: Occurrence, structure, and role in the human diet.* Blackwell Pub., Ames, Iowa.
- Huntington, G. B. 1988. Acidosis. In: D. C. Church, editor. *The ruminant animal: digestive physiology and nutrition.* Prentice-Hall, Englewood Cliffs, NJ. p. 474–480.
- Huston, J. E., B. S. Rector, L. B. Merrill, and B. S. Engdahl. 1981. Nutritional value of range plants in the Edwards Plateau region of Texas. *Texas Agric. Exp. Sta. Bull.* B-1357.
- Huston, E., C. A. Taylor, Jr., and E. J. Straka. 1994. Effects of juniper on livestock production. In: *Proc. 1994 juniper symposium.* TX Agr. Res. Sta. Tech. Rep. 94-2. Sonora. p. 45–51.

- Hyltdgaard, M., T. Mygind, and R. L. Meyer. 2012. Essential oils in food preservation: mode of action, synergies, and interactions with food matrix components. *Front. Microbiol.* 3:1–24.
- Ibrahim, M. A., M. Maenpaa, V. Hassinen, S. Kontunen-Soppela, L. Malec, M. Rousi, L. Pietikäinen, A. Tervahauta, S. Kärenlampi, J. K. Holopainen, and E. J. Oksanen. 2010. Elevation of night-time temperature increases terpenoid emissions from *Betula pendula* and *Populus tremula*. *J. Exp. Bot.* 61:1583–1595.
- Illius, A. W., and N. S. Jessop. 1995. Modeling metabolic of allelochemical ingestion by foraging herbivores. *J. Chem. Ecol.* 21:693–719.
- Ioannidis, J. P. A. 2005. Why most published research findings are false. *PLOS Med.* 2:696–701. DOI:10.1371/journal.pmed.0020124.
- International Species Inventory System (ISIS). 1995. ISIS Physiological Data Reference Values. Apply Valley, MN.
- Jackson, F. S., and T. N. Barry. 1996. The extractable and bound condensed tannin content of leaves from tropical tree, shrub, and forage legumes. 71:103–110.
- Jacob, M. E., J. T. Fox, J. S. Drouillard, D. G. Renter, and T. G. Nagaraja. 2008a. Effects of dried distillers' grain on fecal prevalence and growth of *Escherichia coli* O157 in batch culture fermentations from cattle. *Appl. Environ. Microbiol.* 74:38–43.
- Jacob, M. E., J. T. Fox, S. K. Narayanan, J. S. Drouillard, D. G. Renter, and T. G. Nagaraja. 2008b. Effects of feeding wet corn distillers grains with solubles with or without monensin and tylosin on the prevalence and antimicrobial susceptibilities of fecal foodborne pathogenic and commensal bacteria in feedlot cattle. *J. Anim. Sci.* 86:1182–1190.
- Jayanegara, A., and E. and Palupi. 2010. Condensed tannin effects on nitrogen digestion in ruminants: A meta-analysis from *in vitro* and *in vivo* studies. December:176–181.
- Jelinkova, H., F. Tremblay, and A. Desrochers. 2012. Herbivore-simulated induction of defenses in clonal networks of trembling aspen (*Populus tremuloides*). *Tree Physiol.* 32:1348–1356.
- Jeong, E. J., et al. 2012. Anti-inflammatory phenolics isolated from *Juniperus rigida* leaves and twigs in lipopolysaccharide-stimulated RAW264.7 macrophage cells. *J. Enzyme Inhib. Med. Chem.* 27:875–879.
- Jimenez-Ramsey L. M., J. C. Rogler, T. L. Housley, L. G. Butler, and R. G. Elkin. 1994. Absorption and distribution of 14C-labeled condensed tannins and related sorghum phenolics in chickens. *J. Agri. Food Chem.* 42:963–967.
- Johnson, A. E., L. F. James, and J. Spillett. 1976. The abortifacient and toxic effects of big sagebrush (*Artemisia tridentata*) and juniper (*Juniperus osteosperma*) on domestic sheep. *J. Range Manage.* 29:278–280.
- Johnson, C. L., and S. A. Larsen. 1978. Clean wool determination of individual fleeces. *J. Anim. Sci.* 47:41–45.
- Johnson, J. W., and R. L. Preston. 1995. Minimizing N waste by measuring plasma urea-N levels in steers fed different dietary crude protein levels. *Texas Tech Univ. Tech. Rept. T-5-356:62–63.*
- Jones, G. A., T. A. Mcallister, A. D. Muir, and K. J. Cheng. 1994. Effects of sainfoin (*Onobrychis viciifolia* Scop.) condensed tannins on growth and proteolysis by four strains of ruminal bacteria. *Appl. Environ. Microbiol.* 60:1374–1375.
- Jordan, R. M., H. G. Croom, and H. Hanke. 1958. High-oil bearing seeds and tallow-soybean oil meal in lamb fattening rations. *J. Anim. Sci.* 17:819–824.
- Kafilzadeh, F., N. Heidary, and S. Bahraminejad. 2012. Variety effect on composition, kinetics of fermentation and *in vitro* digestibility of oat (*Avena sativa* L.) straw and its neutral detergent fibre. *S. African J. Anim. Sci.* 42:406–415.
- Kahn, M., A. U. Kahn, R. Najeeb-ur, and A. H. Gilani. Pharmacological explanation for the medicinal use of *Juniperus excels* in hyperactive gastrointestinal and respiratory disorders. *J. Nat. Med.* 66:292–301.
- Kamra, D. N., A. K. Patra, P. N. Chatterjee, R. Kumar, N. Agarwal, and L. C. Chaudhary. 2008. Effect of plant extract on methanogenesis and microbial profile of the rumen of buffalo: a brief overview. *Aust. J. Exp. Agric.* 48:175–178.
- Kaplan, R. M. 2004. Drug resistance in nematodes of veterinary importance: a status report. *Trends Parasitol.* 20:477–481.
- Kaplan, R. M., A. N. Vidyashankar, S. B. Howell, J. M. Neiss, L. H. Williamson, and T. H. Terrill. 2007. A novel approach for combining the use of *in vitro* and *in vivo* data to measure and detect emerging moxidectin resistance in gastrointestinal nematodes of goats. *Int. J. Parasitol.* 37:795–804.
- Keen, C. L., and T. W. Graham. 1989. Trace elements. In: J. J. Kaneko editor, *Clinical biochemistry of domestic animals*, 4th ed. Acad. Press, San Diego, CA. pp. 757–765.
- Kerth, C. R., L. K. Blair-Kerth, and W. R. Jones. 2003. Warner-Bratzler shear force repeatability in beef longissimus steaks cooked with a convection oven, broiler, or clamshell grill. *J. Food Sci.* 68:668–670.

- Kim, E. J., I. J. Kang, H. J. Cho, W. K. Kim, Y. L. Ha, and J. H. Y. Park. 2003. Conjugated linoleic acid down regulates insulin-like growth factor-1 receptor levels in HT-29 human colon cancer cells. *J. Nutr.* 133:2675–2681.
- Kimball, B. A., J. H. Russell, D. L. Griffin, and J. J. Johnston. 2005. Response factor considerations for the quantitative analysis of western redcedar (*Thuja plicata*) foliar monoterpenes. *J. Chromatogr. Sci.* 43:253–258.
- Kingsbury, J. M. 1964. Poisonous plants of the United States and Canada. Prentice-Hall, Inc., Englewood Cliffs, NJ.
- Kitts, W. D., C. K. Krishnamurti, J. A. Shelford, and J. G. Huffman. 1969. Use of wood and woody by-products as a source of energy in beef cattle rations. *Adv. Chem.* 95:279–297.
- Klevenhusen, F., A. Muro-Reyes, R. Khiaosa-ard, B. U. Metzler-Zebeli, and Q. Zebeli. 2012. A meta-analysis of effects of chemical composition of incubated diet and bioactive compounds on *in vitro* ruminal fermentation. *Anim. Feed Sci. Technol.* 176:61–69.
- Kohl, K. D., and M. D. Dearing. 2011. Induced and constitutive responses of digestive enzymes to plant toxins in an herbivorous mammal. *J. Exp. Biol.* 214:4133–4140.
- Kohn, R. A., M. M. Dinneen, and E. Russek-Cohen. 2005. Using blood urea nitrogen to predict nitrogen retention, excretion, and efficiency of nitrogen utilization in cattle, sheep, goats, horses, pigs, and rats. *J. Anim. Sci.* 83:879–889.
- Köppel C., J. Tenczer, U. Tonnesmann, T. Schirop, and K. Ibe. 1981. Acute poisoning with pine oil – metabolism of monoterpenes. *Arch Toxicol.* 49:73–78.
- Kosonen, M., S. Keski-Saari, T. Ruuhola, C. P. Constabel, and R. Julkunen-Tiitto. 2012. Effects of overproduction of condensed tannins and elevated temperature on chemical and ecological traits of genetically modified hybrid aspens (*Populus tremula* × *P. tremuloides*). *J. Chem. Ecol.* 38:1235–1246.
- Kotze, A. C., L. F. Le Jambre, and J. O’Grady. 2006. A modified larval migration inhibition assay for detection of resistance to macrocyclic lactones in *Haemonchus contortus* and drug screening with Trichostrongylidae parasites. *Vet. Parasitol.* 137:294–305.
- Kraft G. D., D. Gruffat, D. Dardevet, D. Remond, I. Ortigues-Marty, and I. Savary-Auzeloux. 2009. Nitrogen- and energy-imbalanced diets affect hepatic protein synthesis and gluconeogenesis differently in growing lambs. *J. Anim. Sci.* 87:1747–1758.
- Kramer, J. W. 1989. Clinical enzymology. In: J. J. Kaneko, editor, *Clinical biochemistry of domestic animals*. Academic Press, N.Y.
- Kronberg, S. L., G. Barceló-Coblijn, J. Shin, K. Lee, and E. J. Murphy. 2006. Bovine muscle n-3 fatty acid content is increased with flaxseed feeding. *Lipids* 41:1059–1068.
- Kubitzki, K., and O. R. Gottlieb. 1984. Phytochemical aspects of angiosperm origin and evolution. *Acta Botanica Neerlandica.* 33:457–468.
- Kumar, R., and S. Vaithyanathan. 1990. Occurrence, nutritional significance and effect on animal productivity of tannins in tree leaves. *Anim. Feed Sci. Technol.* 30:21–38.
- Kumar, R., and M. Singh. 1984. Tannins, their adverse role in ruminant nutrition. *J. Agric. Food Chem.* 32:447–453.
- Kung, L., P. Williams, R. J. Schmidt, and W. Hu. 2008. A blend of essential plant oils used as an additive to alter silage fermentation or used as a feed additive for lactating dairy cows. *J. Dairy Sci.* 91:4793–4800.
- Kutchan T, and R. A. Dixon. 2005. Physiology and metabolism. Secondary metabolism: nature's chemical reservoir under deconvolution. *Curr. Opin. Plant Biol.* 8:227–229.
- Lans, C., N. Turner, T. Khan, G. Brauer, and W. W. Boepple. 2007. Ethanoveterinary medicines used for ruminants in British Columbia, Canada. *J. Ethnobiol. Ethnomed.* 3:1–22.
- Larick, D. K., H. B. Hedrick, M. E. Bailey, J. E. Williams, D. L. Hancock, G. B. Garner, and R. E. Morrow. 1987. Flavor constituents of beef as influenced by forage- and grain-feeding. *J. Food Sci.* 52:245–251.
- Launchbaugh, K. 2001. Anti-quality factors in rangeland and pastureland Forages. Station Bulletin No. 73. Univ. Idaho, Moscow.
- Launchbaugh, K. L., F. D. Provenza, and E. A. Burritt. 1993. How herbivores track variable environments: response to variability of phytotoxins. *J. Chem. Ecol.* 19:1047–1056.
- Launchbaugh, K., C. A. Taylor, Jr., E. J. Straka, and R. Pritz. 1997. Juniper as forage: An unlikely candidate? Juniper Symposium TX Agr. Exp. Stat., San Angelo.
- Latham, M. J. 1980. Adhesion of rumen bacteria to plant cell walls. In: R. C. W. Berkeley, J. M. Lynch, J. Melliney, R. P. Rutter, and B. Vincent, editors, *Microbial adhesion to surfaces*. Ellis Horwood, Ltd. p. 339–350.
- Lee, A. C., J. R. Conner, J. M. Mjelde, J. W. Richardson, and J. W. Stuth, 2001. Regional cost share necessary for rancher participation in brush control. *J. Agric. Res. Econ.* 26:478–490.
- Lee, Y-J., and T. C. Jenkins. 2011. Biohydrogenation of linolenic acid to stearic acid by the rumen microbial population yields multiple intermediate conjugated diene isomers. *J. Nutr.* 141:1445–1450.

- Legay-Carmier, F., and D. Bauchart. 1989. Distribution of bacteria in the rumen contents of dairy cows given a diet supplemented with soya-bean oil. *Brit. J. Nutr.* 61:725–740.
- Lei, J., M. Leser, and E. Enan. 2010. Nematicidal activity of two monoterpenoids and SER-2 tyramine receptor of *Caenorhabditis elegans*. *Biochem. Pharmacol.* 79:1062–1072.
- Leupp, J. L., G. P. Lardy, K. K. Karges, M. L. Gibson, and J. S. Caton. 2009. Effects of increasing level of corn distillers dried grains with solubles on intake, digestion, and ruminal fermentation in steers fed seventy percent concentrate diets. *J. Anim. Sci.* 87:2906–2912.
- Li, M., G. B. Penner, E. Hernandez-Sanabria, M. Oba, and L. L. Guan. 2009. Effects of sampling location and time, and host animal on assessment of bacterial diversity and fermentation parameters in the bovine rumen. *J. Appl. Microbiol.* 107:1924–1934.
- Littell, R. C., G. A. Milliken, W. W. Stroup, R. D. Wolfinger, and O. Schabenberger. 2006. *SAS for Mixed Models*. 2nd ed. SAS Institute, Cary, NC.
- Liu, J. X., J. Yao, B. Yan, J. Q. Yu, and Z. Q. Shi. 2001. Effects of mulberry leaves to replace rapeseed meal on performance of sheep feeding on ammoniated rice straw diet. *Small Ruminant Res.* 39:131–136.
- Lobley, G. E. 1992. Control of the metabolic fate of amino acids in ruminants: A review. *J. Anim. Sci.* 70:3264–3275.
- Lodge-Ivey, S. L., Rappe, M. S., W. H. Johnston, R. E. Bohlken, and A. M. Craig. 2005. Molecular analysis of a consortium of ruminal microbes that detoxify pyrrolizidine alkaloids. *Can. J. Microbiol.* 51:455–465.
- Lohmeyer, H. 2013. Grinding towards success. *Delta County Independent Newspaper*. Delta, CO. Feb. 27.
- Lorenz, M. M., T. Eriksson, and P. Uden. 2010. Effect of wilting, silage additive, PEG treatment and tannin content on the distribution of N between different fractions after ensiling of three different sainfoin (*Onobrychis viciifolia*) varieties. *Grass Forage Sci.* 175–184.
- Lupton, C. J., D. F. Waldron, and F. A. Pfeiffer. 1997. Fiber diameter measurements of fine-wool rams on performance test. *Sheep and Goat Res. J.* 13:82–86.
- Lyon, C. K., M. R. Gumbmann, and R. Becker. 1988. Value of mesquite leaves as forage. *J. Sci. Food Agric.* 44:111–117.
- Madritch M. D., J. R. Donaldson, and R. L. Lindroth. 2006. Genetic identity of *Populus tremuloides* litter influences decomposition and nutrient release in a mixed forest stand. *Ecosystems* 9:528–37.
- Mateo, J. J., and M. Jiménez. 2000. Monoterpenes in grape juice and wines. *J. Chromat.* 881:557–567.
- Makkar, H. P. S. 2003. Quantification of tannins in tree and shrub foliage. Kluwer Academic Publ., Norwell, MA.
- Makkar, H. P. S., P. Sidhuraju, and K. Becker. 2010. *Plant secondary metabolites*. Humana Press, New York, NY.
- Makkar, H. P. S., and B. Singh. 1991. Effect of drying conditions on tannin, fibre, and lignin levels in mature oak (*Quercus incana*) leaves. *J. Sci. Food Agric.* 54:323–328.
- Malecky, M., and L. P. Broudiscou. 2009. Disappearance of nine monoterpenes exposed *in vitro* to the rumen microflora of dairy goats: Effects of inoculum source, redox potential, and vancomycin. *J. Anim. Sci.* 87:1366–1373.
- Malecky, M., L. P. Broudiscou, and P. Schmidely. 2009. Effects of two levels of monoterpene blend on rumen fermentation, terpene and nutrient flows in the duodenum and milk production in dairy goats. *Anim. Feed Sci. Technol.* 154:24–35.
- Malachek, J. C., and C. L. Leinweber. 1972. Forage selectivity by goats on lightly and heavily grazed ranges. *J. Range Manage.* 25:105–111.
- Manach, C., G. Williamson, C. Morand, A. Scalbert, and C. Remesy. 2005. Bioavailability and bioefficacy of polyphenols in humans. I. Review of 97 bioavailability studies. *Am. J. Clin. Nutr.* 81:230S–242S.
- Mansfield, J. L., P. S. Curtis, D. R. Zak, and K. S. Pregitzer. 1999. Genotypic variation for condensed tannin production in trembling aspen (*Populus tremuloides*, Salicaceae) under elevated CO₂ and in high- and low-fertility soil. *Am. J. Bot.* 86:1154–1159.
- Mariaca, R. G., T. F. H. Berger, R. Gauch, M. I. Imhof, B. Jeangros, and J. O. Bosset. 1997. Occurrence of volatile mono- and sesquiterpenoids in highland and lowland plant species as possible precursors for flavour compounds in milk and dairy products. *J. Agric. Food Chem.* 45:4423–4434.
- Marion, P. F., C. E. Fisher, and E. D. Robinson. 1957. Ground mesquite wood as a roughage in rations for yearling steers. *Tex. Ag. Exp. Sta. Progress Rep.* 1972. TX Agricultural Experiment Station, College Station.
- Marion, P. F., C. E. Fisher, and E. D. Robinson. 1959. Ground mesquite wood as a roughage for yearling steers. *J. Anim. Sci.* 18:1174.
- Marko, G, V. Gyuricza, J. Bernath, and V. Altbacker. 2008. Essential oil yield and composition reflect browsing damage of junipers. *J. Chem. Ecol.* 34:1545–1552.

- Martin, R. J., L. L. Wilson, R. L. Cowan, and J. D. Sink. 1973. Effects of fasting and diet on enzyme profiles in ovine liver. *J. Anim. Sci.* 36:101–106.
- Martin, S. A. 1998. Manipulation of ruminal fermentation with organic acids: A review. *J. Anim. Sci.* 76:3123–3132.
- Maruri, J. L., and D. K. Larick. 1992. Volatile concentration and flavor of beef as influenced by diet. *J. Food Sci.* 57:1275–1281.
- Mass, R. A., G. P. Lardy, R. J. Grant, and T. J. Klopfenstein. 1999. *In situ* neutral detergent insoluble nitrogen as a method for measuring forage protein degradability. *J. Anim. Sci.* 77:1565–1571.
- Mateo, J. J., and M. Jiménez. 2000. Monoterpenes in grape juice and wines. *J. Chromat.* 881:557–567.
- Mathison, G. W., L. P. Milligan, and R. D. Weisenburger. 1986. Ruminant feed evaluation unit: Evaluation of aspen as a feedstuff for cattle. *Univ. Alberta Agric. Forage Bull. (Suppl. 9):*53–55.
- Mautz, W. W., T. W. Walski, and W. E. Urban, Jr. 1976. Digestibility of fresh frozen versus pelleted browse by snowshoe hares. *J. Wildl. Manage.* 40:496–499.
- Maynard, L. A. 1920. War-time sources of feeding-stuffs in Germany. *J. Anim. Sci.* 1920:97–102.
- McBride, B. W., and J. M. Kelly. 1990. Energy cost of absorption and metabolism in the ruminant gastrointestinal tract and liver: A review. *J. Anim. Sci.* 68:2997–3010.
- McDougal, E. I. 1948. Studies on ruminant saliva. 1. The composition and output of sheep's saliva. *Biochem. J.* 43:99–109.
- McEachern, J., T. R. Whitney, C. B. Scott, C. J. Lupton, and M. W. Salisbury. 2009. Substituting distillers dried grains for cottonseed meal in lamb-finishing diets: growth performance, wool characteristics, and serum NEFA, urea N, and IGF-1 concentrations. *Sheep and Goat Res. J.* 24:32–40.
- McEwan, N. R., R. C. Graham, R. J. Wallace, R. Losa, P. Williams, and C. J. Newbold. 2002. Effects of essential oils on ammonia production by rumen microbes. *Reprod. Nutr. Dev.* 42 (Suppl. 1):S65–66.
- McGarvey, D. J., and R. Croteau. 1995. Terpenoids metabolism. *The Plant Cell.* 7:1015–1026.
- McIntosh, F. M., P. Williams, R. Losa, R. J. Wallace, D. A. Beever, and C. J. Newbold. 2003. Effects of essential oils on ruminal microorganisms and their protein metabolism. *Appl. Environ. Microbiol.* 69:5011–5014.
- McLeod, M. N. 1974. Plant tannins-their role in forage quality. *Nutr Abstr Rev* 44:803–815.
- McRae, J. M., and J. A. Kennedy. 2011. Wine and grape tannin interactions with salivary proteins and their impact on astringency: A review of current research. *Molecules.* 16:2348–2364.
- McWilliam, E. L. 2004. The effect of poplar (*Populus* spp.) and willow (*Salix* spp.) supplementation on reproductive performance of ewes grazing low quality drought pasture during mating. Thesis. Institute of Veterinary Animal Biomedical Sci. Massey, Univ.
- McWilliam, E. L., T. N. Barry, and N. L. Villalobos. 2005. Organic matter digestibility of poplar (*Populus*) and willow (*Salix*) forage trees and its *in vitro* prediction. *J. Sci. Food Agric.* 85:1098–1104.
- McWilliam, E. L., T. N. Barry, N. L. Villalobos, P. N. Cameron, and P. D. Kemp. 2004. The effect of different levels of poplar (*Populus*) supplementation on the reproductive performance of ewes grazing low quality drought pasture during mating. *Anim. Feed Sci. Technol.* 115:1–18.
- Mellenberger, R. W., L. D. Satter, M. A. Millett, and A. J. Baker. 1971. Digestion of aspen, alkali-heated aspen and aspen bark by goats. *J. Anim. Sci.* 32:756–763.
- Mellenberger, R. W., L. D. Satter, M. A. Millett, and A. J. Baker. 1970. An *in vitro* technique for estimating digestibility of treated and untreated wood. *J. Anim. Sci.* 30:1005–1011.
- Merchen, N. R., T. Hanson, and T. Klopfenstein. 1979. Ruminal bypass of brewers dried grains protein. *J. Anim. Sci.* 49:192.
- Merchen, N. R., and E. C. Titgemeyer. 1992. Manipulation of amino acid supply to the growing ruminant. *J. Anim. Sci.* 70:3238–3247.
- Merry, R. J., and A. B. McAllan. 1983. A comparison of the chemical composition of mixed bacteria harvested from the liquid and solid fractions of rumen digesta. *Brit. J. Nutr.* 50:701–709.
- Mertens, D. R., T. L. Strawn, and R. S. Cardoza. 1984. Modeling ruminal particle size reduction: its relationship to particle size description. In: P. M. Kennedy, editor, *Procedural techniques in particle size analysis of feed and digesta in ruminants.* Occas. Publ. Can. Soc. Anim. Sci., Edmonton, Canada. p. 134.
- Mertens, D. R. 1997. Creating a system for meeting the fiber requirements of dairy cows. *J. Dairy Sci.* 80:1463–1481.
- Miaga, H. A., D. J. Schingoethe, and J. E. Henson. 1996. Ruminal degradation, amino acid composition, and intestinal digestibility of the residual components of five protein supplements. *Journal of Dairy Science* 79:1647–1653.

- Micko, M. M. 1987. Alberta aspen vs. black poplar. Wood quality differences. Aspen Bibliography. Paper 3495. http://digitalcommons.usu.edu/aspen_bib/3495.
- Milton, C. T., R. T. Brandt, Jr., and E. C. Titgemeyer. 1997. Urea in dry-rolled corn diets: Finishing steer performance, nutrient digestion, and microbial protein production. *J. Anim. Sci.* 75:1415–1424.
- Millett, M. A., A. J. Baker, W. C. Feist, R. W. Mellenberger, and L. D. Satter. 1970. Modifying wood to increase its *in vitro* digestibility. *J. Anim. Sci.* 31:781–788.
- Min, B. R., and S. P. Hart. 2003. Tannins for suppression of internal parasites. *J. Anim. Sci.* 81:E102–E109.
- Min, B. R., W. C. McNabb, T. N. Barry, P. D. Kemp, G. C. Waghorn, and M. F. McDonald. 1999. The effect of condensed tannins in *Lotus corniculatus* upon reproductive efficiency and wool production in sheep during late summer and autumn. *J. Agric. Sci.* 132:323–334.
- Min, B. R., S. Solaiman, N. Gurung, J. Behrends, J.-S. Eun, E. Taha, and J. Rose. 2012. Effects of pine bark supplementation on performance, rumen fermentation, and carcass characteristics of Kiko crossbred male goats. *J. Anim. Sci.* 90:3556–3567.
- Minson, D. J., and R. Milford. 1968. The nutritional value of four tropical grasses when fed as chaff and pellets to sheep. *Aust. J. exp. Agric. Anim. Husb.* 8:269–276.
- Mittal, A., C. A. Elmets, and S. K. Katiyar. 2003. Dietary feeding of proanthocyanidins from grape seeds prevents phtocarcinogenesis in SKH-1 hairless mice: relationship to decreased fat and lipid peroxidation. *Carcinogenesis.* 24:1379–1388.
- Moen, A. N. 1973. Wildlife ecology: An analytical approach. In: W. H. Freeman and Co., San Francisco, Calif. 458 p.
- Moeschlin, S. 1980. Klinik und Therapie der Vergiftungen. Thieme, Stuttgart New York.
- Molan, A. L., R. Alexander, I. M. Brookes, and W. C. McNabb. 2004. Effects of sulla condensed tannins on the degradation of ribulose-1,5-bisphosphate carboxylase/oxygenase (Rubisco) and on the viability of three sheep gastrointestinal nematodes *in vitro*. *J. Anim. Vet. Adv.* 3:165–174.
- Molan, A. L., A. J. Duncan, T. N. Barry, and W. C. McNabb. 2003. Effects of condensed tannins and crude sesquiterpene lactones extracted from chicory on the motility of larvae of deer lungworm and gastrointestinal nematodes. *Parasitol. Int.* 52:209–218.
- Molan, A. L., G. C. Waghorn, B. R. Min, and W. C. McNabb. 2000. The effect of condensed tannins from seven herbage on *Trichostrongylus colubriformis* larvae migration *in vitro*. *Folia Parasitol.* 47:39–44.
- Monson, R. K., and R. Fall. 1989. Isoprene emission from aspen leaves – influence of environment and relation to photosynthesis and photorespiration. *Plant Physiol.* 90:267–274.
- Montossi, F., J. Hodgson, S. T. Morris, D. F. Risso, and I. L. Gordon. 2001. A comparative study of herbage intake, ingestive behavior and diet selection, and effects of condensed tannins upon body and wool growth in lambs grazing Yorkshire fog (*Holcus lanatus*) and annual ryegrass (*Lolium multiflorum*) dominant swards. *J. Agric. Sci.* 136:241–251.
- Moore, K. M., T. N. Barry, P. N. Cameron, N. Lopez-Villalobos, D. J. Cameron. 2003. Willow (*Salix* sp.) as a supplement for grazing cattle under drought conditions. *Anim. Feed Sci. Technol.* 104:1–11.
- Moore, W. E., M. J. Efland, and M. A. Millett. 1972. Hydrolysis of wood and cellulose with cellulytic enzymes. *J. Agric. Food Chem.* 20:1173–1175.
- Moore, D. A., T. H. Terrill, B. Kouakou, S. A. Shaik, J. A. Mosjidis, J. E. Miller, M. Vanguru, G. Kannan, and J. M. Burke. 2008. The effects of feeding sericea lespedeza hay on growth rate of goats naturally infected with gastrointestinal nematodes. *J. Anim. Sci.* 86:2328–2337.
- Morand-Fehr, P., V. Fedele, M. Decandia, Y. Le Frileux. 2007. Influence of farming and feeding systems on composition and quality of goat and sheep milk. *Small Rumin. Res.* 68:20–34.
- Morrison, F. B., G. C. Humphrey, and R. S. Hulce. 1922. Hydrolyzed sawdust for dairy cows. Unpublished report, filed with the U.S. Dept. Ag., Forest Service, Forest Products Lab, Madison, WI. File No. L-13:563. In: J. G. Archibald, The composition, digestibility, and feeding value of hydrolyzed sawdust. *J. Dairy Sci.* 9:257–271.
- Morrison, W. R., and L. M. Smith. 1964. Preparation of fatty acid methyl esters and dimethylacetals from lipids with boron fluoride-methanol. *J. Lipid Res.* 5:600–607.
- Mould, F. L., E. R. Ørskov, and S. O. Mann. 1983. Associative effects of mixed feeds. I. Effects of type and level of supplementation and the influence of the rumen fluid pH on cellulolysis *in vivo* and dry matter digestion of various roughages. *Anim. Feed Sci. Tech.* 10:15–30.
- Mueller-Harvey, I., and A. B. McAllan. 1992. Tannins: their biochemistry and nutritional properties. *Adv. Plant Cell Biochem. Biotechnol.* 1:151–217.
- Murdiati T.B., C. S. McSweeney, R. S. F. Campbell, and D. S. Stoltz. 1990. Prevention of hydrolysable tannin toxicity in goats fed *Clidemia hirta* by calcium hydroxide supplementation. *J. Appl. Toxicol.* 10:325–331.

- Murrieta, C. M., B. W. Hess, and D. C. Rule. 2003. Comparison of acidic and alkaline catalysts for preparation of fatty acid methyl esters from ovine muscle with emphasis on conjugated linoleic acid. *Meat Sci.* 65:523–529.
- Myung, K. H., and J. J. Kennelly. 1992. Effect of alkaline hydrogen peroxide and peracetic acid on in sacco ruminal digestibility of aspen sawdust. *Asian-Australasian J. Anim. Sci.* 5:635–641.
- North American Meat Association. 1997. *The Meat Buyers Guide*. North American Meat Processors Assoc. Reston, VA.
- Nagy J. G., and R. P. Tengerdy. 1968. Antibacterial action of essential oils of *Artemisia* as an ecological factor. *Appl. Microbiol.* 16:441–444.
- Nakyinsige, K. A. Q. Sazili, Z. A. Aghwan, I. Zulkifli, Y. M. Goh, and A. B. Fatimah. 2013. Changes in blood constituents of rabbits subjected to transportation under hot, humid tropical conditions. *Asian Austr. J. Anim. Sci.* 26:874–878.
- Narjisse, H., M. A. Elhonsali, and J. D. Olsen. 1995. Effects of oak (*Quercus ilex*) tannins on digestion and nitrogen balance in sheep and goats. *Small Ruminant Res.* 18:201–206.
- NASS. 2007. National Agricultural Statistics Service, Washington, DC. <http://www.nass.usda.gov/tx>
- Naumann, H. D., S. A. Armstrong, B. D. Lambert, J. P. Muir, L. O. Tedeschi, and M. M. Kothmann. 2014. Effect of molecular weight and concentration of legume condensed tannins on *in vitro* larval migration inhibition of *Haemonchus contortus*. *Vet. Parasitol.* 199:93–98.
- Ndlovu, L. R., and J. G. Buchanan-Smith. 1985. Utilization of poor quality roughages by sheep: Effects of alfalfa supplementation on ruminal parameters, fiber digestion and rate of passage from the rumen. *Can. J. Anim. Sci.* 65:693–703.
- Newbold et al., 1995. The importance of methanogens associated with ciliate protozoa in ruminal methane production *in vitro*. *Lett. Appl. Microbiol.* 21:230–234.
- Newbold, J. R., P. C. Garnsworthy, P. J. Buttery, D. J. A. Cole, and W. Haresign. 1987. Protein nutrition of growing cattle: Food intake and growth responses to rumen degradable protein and undegradable protein. *Anim. Prod.* 45:383–394.
- Nicholson, J. W. G. 1981. Nutrition and feeding aspects of the utilization of processed lignocellulosic waste materials by animals. *Agric. Environ.* 6:205–228.
- Niezen, J. H., T. S. Waghorn, W. A. G. Charleston, and G. C. Waghorn. 1995. Growth and gastrointestinal nematode parasitism in lambs grazing Lucerne (*Medicago sativa*) or sulla (*Hedysarum coronarium*) which contains condensed tannins. *J. Agric. Sci.* 125:281–289.
- Novobilsky, A., I. Mueller-Harvey, and S. M. Thamsborg. 2011. Condensed tannins act against cattle nematodes. *Vet. Parasitol.* 182:213–220.
- NRC. 1981. *Nutrient Requirements of goats*. Nat. Acad. Press, Washington, DC.
- NRC. 2000. *Nutrient Requirements of Beef Cattle*. 7th edition. Nat. Acad. Press, Washington, DC.
- NRC. 2003. *Nutrient Requirements of nonhuman primates*. 3rd edition. Nat. Acad. Press, Washington, DC.
- NRC. 2007. *Nutrient Requirements of Small Ruminants: Sheep, Goats, Cervids, and New World Camelids*. Nat. Acad. Press, Washington, DC.
- North American Meat Association. 1997. *The Meat Buyers Guide*. North American Meat Processors Assoc. Reston, VA.
- NRC. 1983. *Underutilized resources as animal feedstuffs*. Nat. Acad. Press, Washington, DC.
- Nunez-Hernandez, G., J. L. Holechek, J. D. Wallace, M. L. Galyean, A. Tembo, R. Valdez, and M. Cardenas. 1989. Influence of native shrubs on nutritional status of goats: nitrogen retention. *J. Range Manage.* 42:228–232.
- Nunez-Hernandez, G., J. D. Wallace, J. L. Holechek, M. L. Galyean, D. W. King, and R. M. Katnig. 1991. Mountain mahogany and cottonseed meal as supplements for grass hay. *J. Range. Manage.* 44:497–500.
- O'Donovan, L. O., and J. D. Brooker. Effect of hydrolysable and condensed tannins on growth, morphology and metabolism of *Streptococcus gallolyticus* (*S. caprinus*) and *Streptococcus bovis*. *Microbiology.* 147:1025–1033.
- Ogasawara, T., E. E. Ohnhaus, and H. P. Hoensch. 1989. Glutathione and its related enzymes in the small intestinal mucosa of rats: effects of starvation and diet. *Res. Exp. Med (Berl.)*. 189:195–204.
- Oh, Y. K., C. S. Jyung, S. C. Lee, K. H. Kim, C. W. Choi, S. W. Kang, and Y. H. Moon. 2006. Effects of pine silage feeding on nutrient digestibility, feed conversion and carcass traits of Korean native cattle. *J. Anim. Sci. Technol.* 48:219–226.
- Oh, H. K., T. Sakai, M. B. Jones, and W. M. Longhurst. 1967. Effect of various essential oils isolated from Douglas fir needles upon sheep and deer rumen microbial activity. *Appl. Micro.* 15:777–784.
- O'Mara, F. P., J. J. Murphy, and M. Rath. 1997. The amino acid composition of protein feedstuffs before and after ruminal incubation and after subsequent passage through the intestines of dairy cows. *J. Anim. Sci.* 75:1941–1949.

- Orskov, E. R. 1992. Protein nutrition in ruminants. 2nd ed. San Diego, CA, USA: Academic Press.
- Osuga, I. M., S. A. Abdulrazak, T. Ichinohe, and T. Fujihara. 2006. Rumen degradation and in vitro gas production parameters in some browse forages, grasses and maize stover from Kenya. *J. Food Agr. Environ.* 4:60–64.
- Otter, A. 2013. Diagnostic blood biochemistry and haematology in cattle. In *Practice*. 35:7–16.
- Owens, J. M. 2008. Influence of supplemental legumes that contain tannins and saponins on intake and diet digestibility in sheep fed grasses that contain alkaloids. Ph.D. Thesis Utah State Univ. Paper No. 174. <http://digitalcommons.usu.edu/etd/174>.
- Owens, M. K., C. D. Lin, C. A. Taylor, Jr., and S. G. Whisenant. 1998a. Seasonal patterns of plant flammability and monoterpenoid content in *Juniperus ashei*. *J. Chem. Ecol.* 24:2115–2129.
- Owens, M. K., and T. G. Schliesing. 1995. Invasive potential of ashe juniper after mechanical disturbance. *J. Range Manage.* 48:503–507.
- Owens, C. J., C. B. Scott, C. A. Taylor, Jr., E. S. Campbell, and R. Brantley. 2010. Redberry juniper consumption does not adversely affect reproduction in meat goats. *TX J. Agric. Nat. Res.* 23:71–82.
- Owens, M. K. E. J. Straka, C. J. Carroll and C. A. Taylor, Jr. 1998b. A comparison of techniques for extracting monoterpenoids from *Juniperus (Cupressaceae)* species. *J. Range Manage.* 51:540–544.
- Owens, F. N., and R. A. Zinn. 1988. Protein metabolism of ruminant animals. In: D.C. Church, editor, *The ruminant animal: digestive physiology and nutrition*. Prentice-Hall, Inc. Englewood Cliffs, NJ. p. 229–231.
- Padmaja, G. 1989. Evaluation of techniques to reduce assayable tannin and cyanide in cassava leaves. *J. Agric. Food Chem.* 37:712–716.
- Palmer, B., R. J. Jones, E. Winab, and B. Tangendjaja. 2000. The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*. *Anim. Feed Sci. Technol.* 87:29–40.
- Parr, A. J., and G. P. Bowell. 2000. Phenols in the plant and in man. The potential for possible nutritional enhancement of the diet by modifying the phenols content or profile. *J. Sci. Food Agricul.* 80:985–1012.
- Paolini, V., J. P. Bergeaud, C. Grisez, F. Prevot, P. H. Dorchies, and H. Hoste. 2003. Effects of condensed tannins on goats experimentally infected with *Haemonchus contortus*. *Vet. Parasitol.* 113:253–261.
- Parker, H. 1982. Mesquite utilization. Proceedings of the Symposium. Oct. 29-30. TX Tech Univ., Lubbock, TX.
- Patra, 2011. Effects of essential oils on rumen fermentation, microbial ecology and ruminant production. *Asian J. Anim. Vet. Adv.* 6:416–428.
- Patra, A. K. 2010. Meta-analyses of effects of phytochemicals on digestibility and rumen fermentation characteristics associated with methanogenesis. *J. Food Agric.* 90:2700–2708.
- Patra, A.K., D. N. Kamra, and N. Agarwal. 2010. Effects of extracts of spices on rumen methanogenesis, enzyme activities and fermentation of feeds in vitro. *J. Sci. Food Agric.* 90:511–520.
- Patra, A. K., and J. Saxena. 2010. A new perspective on the use of plant secondary metabolites to inhibit methanogenesis in the rumen. *Phytochem.* 71:1198–1222.
- Patra, A. K., and J. Saxena. 2009. Dietary phytochemicals as rumen modifiers: a review of the effects on microbial populations. *Antonie van Leeuwen* 96:363–375.
- Patra, A. K., and J. Saxena. 2009. A review of the effect and mode of action of saponins on microbial population and fermentation in the rumen and ruminant production. *Nutr. Res. Rev.* 22:204–219.
- Patra, A. K., and J. Saxena. 2011. Review: Exploitation of dietary tannins to improve rumen metabolism and ruminant nutrition. *J. Sci. Food Agric.* 91:24–37.
- Paumgarten, F. J., I. F. Delgado, E. N. Alves, A. C. Nogueira, R. C. de-Farias, and D. Neubert. 1990. Single dose toxicity study of beta-myrcene, a natural analgesic substance. *Braz. J. Med. Biol. Res.* 23:873–877.
- Payyavula, R. S. 2009. An investigation of phenolic glycoside and condensed tannin homeostasis in *Populus* by salicyl alcohol feeding to cell cultures and by transgenic manipulation of the sucrose transporter, PtSUT4, in planta. Dissertation. MI Tech Univ.
- Perez-Maldonado, R. A., and B. W. Norton. 1996. The effects of condensed tannins from *Desmodium intortum* and *Calliandra calothyrsus* on protein and carbohydrate digestion in sheep and goats. *Brit. J. Nutr.* 76:515–533.
- Personius, T. L., C. L. Wambolt, J. R. Stephens, and R. G. Kelsey. 1987. Crude terpenoid influence on mule deer preference for sagebrush. *J. Range Manage.* 40:84–88.
- Peterson, E. B., and N. M. Peterson. 1992. Ecology, management, and use of aspen and balsam poplar in the prairie provinces. NW Region. Special Report 1. Forestry Canada, Edmonton, Alberta.
- Piluzza, G., L. Sulas, and S. Bullitta. 2013. Tannins in forage plants and their role in animal husbandry and environmental sustainability: a review. *Grass and Forage Sci.* 1–17.

- Pittroff, W., D. H. Keisler, and H. D. Blackburn. 2006. Effects of a high-protein, low-energy diet in finishing lambs: 1. Feed intake, estimated nutrient uptake, and levels of plasma metabolites and metabolic hormones. *Livestock Sci.* 101:262–277.
- Polčín, J., and B. Bezúch. 1978. Enzymic isolation of lignin from wood and pulps. *Wood. Sci. Technol.* 12:149–158.
- Poulopoulou, I., E. Zoidis, T. Massouras, and I. Hadjigeorgiou. 2012. Terpenes transfer to milk and cheese after oral administration to sheep fed indoors. *J. Anim. Physiol. Anim. Nutr.* 96:172–181.
- Prache, S., A. Cornu, J. L. Berdagué, and A. Priolo. 2005. Traceability of animal feeding diet in the meat and milk of small ruminants. *Small Rumin. Res.* 59:157–168.
- Prichard, R. K. 2001. Genetic variability following selection of *Haemonchus contortus* with anthelmintics. *Trends Parasitol.* 17:445–453.
- Priolo, A., A. Cornu, S. Prache, M. Krogmann, N. Kondjoyan, D. Micol, and J. –L. Berdagué. 2004. Fat volatiles tracers of grass feeding in sheep. *Meat Sci.* 66:475–481.
- Priolo, A., V. Vasta, V. Fasone, C. M. Lanza, M. Scerra, L. Biondi, N. Bella, and F. M. Whittington. 2009. Meat odour and flavour and indoles concentration in ruminal fluid and adipose tissue of lambs fed green herbage or concentrates with or without tannins. *Animal.* 3:454–460.
- Pritchard, D. A., D. C. Stocks, B. M. O’Sullivan, P. R. Martin, I. S. Hurwood, and P. K. O’Rourke. 1988. The effect of polyethylene glycol (PEG) on wool growth and live weight of sheep consuming Mulga (*Acacia aneura*) diet. *Proc. Aust. Soc. Anim. Prod.* 17:290–293.
- Pritz, R. K., K. L. Launchbaugh, and C. A. Taylor, Jr. 1997. Effects of breed and dietary experience on juniper consumption by goats. *J. Range Manage.* 50:600–606.
- Provenza, F. D. 1995. Postingestive feedback as an elementary determinant of food preference and intake in ruminants. *J. Range Manage.* 48:2–17.
- Provenza, F. D., J. A. Pfister, and C. D. Cheney. 1992. Mechanisms of learning in diet selection with reference to phytotoxicosis in herbivores. *J. Range Manage.* 45:36–45.
- Purser, D. B., and R. J. Moir. 1966. Rumen volume as a factor involved in individual sheep differences. *J. Anim. Sci.* 25:509–515.
- Qi, K., and C. J. Lupton. 1994. A review of the effects of sulfur nutrition on wool production and quality. *Sheep and Goat Res. J.* 2:133–140.
- Rabel, B., R. McGregor, P. G. C. Douch, 1994. Improved bioassay for estimation of inhibitory effects of ovine gastrointestinal mucus and anthelmintics on nematode larval migration. *Int. J. Parasitol.* 24:671–676.
- Ramírez, R. G., and R. A. Ledezma-Torres. 1997. Forage utilization from native shrubs *Acacia rigidula* and *Acacia farnesiana* by goats and sheep. *Small Rumin. Res.* 25:43–50.
- Rasmussen, G. A., and H. A. Wright. 1989. Succession of secondary shrubs on ashe juniper communities after dozing and prescribed burning. *J. Range Manage.* 42:295–298.
- Rebolé, A. P., Alvira, and G. González. 1989. Variation of chemical composition data of agricultural and forest fibrous by-products as determined by the two detergent systems of analysis. *J. Sci. Food Agric.* 48:141–153.
- Reed, J. D. 1995. Nutritional toxicology of tannins and related polyphenols in forage legumes. *J. Anim. Sci.* 73:1516–1528.
- Rehill B. J., T. G. Whitham, G. D. Martinsen, J. A. Schweitzer, J. K. Bailey, and R. L. Lindroth. 2006. Developmental trajectories in cottonwood phytochemistry. *J. Chem. Ecol.* 32:2269–85.
- Reis, P. J., and T. Sahl. 1994. The Nutritional control of the growth and properties of mohair and wool fibers: A comparative review. *J. Anim. Sci.* 72:1899–1907.
- Resconi, V. C. Resconi, A. Escudero and M. M. Campo. The development of aromas in ruminant meat. *Molecules.* 18:6748–6781.
- Rexen, B. 1977. Enzyme solubility – A method for evaluating the digestibility of alkali treated straw. *Anim. Feed Sci. Technol.* 2:205–218.
- Reynolds, C. K. 2002. Economics of visceral energy metabolism in ruminants: toll keeping or internal revenue service? *J. Anim. Sci.* 80 (E. Supp. 2):E74–E84.
- Rice, P. J., and J. R. Coats. 1994. Structural requirements for monoterpenoid activity against insects. In: *Proc. Symp. Bioregulators for Crop Protection and Pest Control.* Amer. Chem. Soc. Series No. 557, Washington, DC. p. 92–108.
- Riddle, R. R. 1994. Seasonal effects of volatile oils in ashe and redberry juniper on preference and digestibility by goats. M.S. Thesis. TX A&M University, College Station, TX.
- Riddle, R. R., C. A. Taylor, Jr., J. E. Huston, and M. M. Kothmann, Jr. 1999. Intake of Ashe juniper and live oak by Angora goats. *J. Range Manage.* 52:161–165.

- Riddle, R. R., C. A. Taylor, Jr., M. M. Kothmann, and J. E. Huston. 1996. Volatile oil contents of ashe and redberry juniper and its relationship to preference by Angora and Spanish goats. *J. Range Manage.* 49:35–41.
- Rios L. Y., R. N. Bennett, S. A. Lazarus, C. Remesy, A. Scalbert, and G. Williamson. 2002. Cocoa procyanidins are stable during gastric transit in humans. *Am. J. Clin. Nutr.* 76:1106–10.
- Riquelme, E., I. A. Dyer, L. E. Baribo, and B. Y. Couch. 1975. Wood cellulose as an energy source in lamb fattening rations. *J. Anim. Sci.* 40:977–981.
- Robinson, P. H., M. Campbell, J. G. Fadel. 1999. Influence of storage time and temperature on *in vitro* digestion of neutral detergent fibre at 48 h and comparison to 48 h *in sacco* neutral detergent fibre digestion. *Anim. Feed Sci. Technol.* 80:257–266.
- Roe, M. B., C. J. Sniffen, and L. E. Chase. 1990. Techniques for measuring protein fractions in feedstuffs. in Proc. Cornell Nutr. Conf., Ithaca, NY. p. 81-88.
- Rogosic, J., R. E. Estell, D. Skobic, A. Martinovic, and S. Maric. 2006. Role of species diversity and secondary compound complementarity on diet selection of Mediterranean shrubs by goats. *J. Chem. Ecol.* 32:1279–1287.
- Rogosic, J., J. A. Pfister, and F. D. Provenza. 2003. Interaction of tannins and saponins in herbivore diet. In: Proc. VII Int. Rangel. Cong.: Rangelands in the new millennium. Durban, South Africa, July 26–August 1, (Document Transf. Technol.). p. 104–105.
- Roof, C. A., Cox, S. H., and S. L. Lodge-Ivey. 2010. Assessing digestibility of shredded *Juniperus monosperma* treated with 5% alkylation or 3% ammoniation. West. Sec. Assoc. of Anim. Sci. Abstract #T121. p. 344.
- Ross, D. B. 1966. The diagnosis, prevention and treatment of chronic copper poisoning in housed lambs. *Brit. Vet. J.* 122:279–284.
- Rowell, R. M. 2013. Handbook of Wood Chemistry and Wood Composites. 2nd ed. CRC Press, Boca Raton, FL.
- RTECS. 2005. NIOSH Registry of toxic effects of chemical substances.
- Rusoff, L. L., D. M. Seath, and G. D. Miller. 1946. Digestibility of Lespedeza hay. *J. Dairy Sci.* 29:613–615.
- Sackett, D. L. 1979. Bias in analytic research. *J. Chronic Dis.* 32:51–63.
- Salminen, J-P., and M. Karonen. 2011. Evolutionary ecology of plant defenses - Chemical ecology of tannins and other phenolics: we need a change in approach. *Funct. Ecol.* 25:325–338.
- Sanchez-Moreno, C., G. Cao, B. Ou, and R. L. Prior. 2003. Anthocyanin and proanthocyanidin content in selected white and red wines. Oxygen radical absorbance capacity comparison with nontraditional wines obtained from highbush blueberry. *J. Agric. Food Chem.* 51:4889–4896.
- Santos, M. B., P. H. Robinson, P. Williams, and R. Losa. 2010. Effects of addition of an essential oil complex to the diet of lactating dairy cows on whole tract digestion of nutrients and productive performance. *Anim. Feed Sci. Technol.* 157:64–71.
- Saratsis, A., et al. 2012. In vivo and in vitro efficacy of sainfoin (*Onobrychis viciifolia*) against *Eimeria* spp. in lambs. *Vet. Parasitol.* 188:1–9.
- Satter, L. D., A. J. Baker, and M. A. Millet. 1970. Aspen sawdust as a partial roughage substitute in a high-concentrate dairy ration. *J. Dairy Sci.* 53:1455–1460.
- Satter, L. D., R. L. Lang, A. J. Baker, and M. A. Millet. 1973. Value of aspen sawdust as a roughage replacement in high-concentrate dairy rations. *J. Dairy Sci.* 56:1291–1297.
- SAS. 2007. JMP user's guide. Version 7.0 Cary, NC, USA: SAS Institute Inc. p. 487.
- Suzuky, J., and M. E. Bailey. 1985. Direct sampling capillary GLC analysis of flavor volatiles from ovine fat. *J. Agric. Food Chem.* 33:343–347.
- Scalbert, A. 1991. Antimicrobial properties of tannins. *Phytochem.* 30:3875–3883.
- Scharenberg, A., F. Heckendorn, Y. Arrigo, H. Hertzberg, A. Gutzwiller, H. D. Hess, M. Kreuzer, and F. Dohme. 2008. Nitrogen and mineral balance of lambs artificially infected with *Haemonchus contortus* and fed tanniferous sainfoin (*Onobrychis viciifolia*). *J. Anim. Sci.* 86:1879–710.
- Schauer, C. S., L. P. Anderson, D. M. Stecher, D. Pearson, and D. Drolc. 2005. Influence of dried distillers grains on feedlot performance and carcass characteristics of finishing lambs. Western Dakota Sheep and Beef Day. 46:31–33.
- Schauer, C. S., P. B. Berg, M. Stamm, D. M. Stecher, D. Pearson, and D. Drolc. 2006. Influence of dried distillers grains on feedlot performance and carcass characteristics of finishing lambs. Western Dakota Sheep and Beef Day. 47:34–37.
- Schauer, C. S., M. M. Stamm, T. D. Maddock, and P. B. Berg. 2008. Feeding of DDGS in lamb rations: Feeding dried distillers grains with solubles as 60 percent of lamb finishing rations results in acceptable performance and carcass quality. *Sheep and Goat Res. J.* 23:15–19.
- Scheline, R. R. 1991. CRC handbook of mammalian metabolism of plant compounds. Boca Raton, FL, USA: CRC Press.

- Schimel, J. P., K. Van Cleve, R. G. Cates, T. P. Clausen, and P. B., Reichardt. 1996. Effects of balsam poplar (*Populus balsamifera*) tannins and low molecular weight phenolics on microbial activity in taiga floodplain soil: implications for changes in N cycling during succession. *Canadian J. Botany*. 74:84–90.
- Schingoethe, D. J., D. S. Kipp, and L. D. Kamstra. 1981. Aspen pellets as partial roughage replacement for lactating dairy cows. *J. Dairy Sci.* 64:698–702.
- Schwartz, C. C., J. G. Nagy, and W. L. Regelin. 1980a. Juniper oil yield, terpenoid concentration, and antimicrobial effects on deer. *J. Wildl. Manage.* 44:107–113.
- Schwartz, C. C., W. L. Regelin, and J. G. Nagy. 1980b. Deer preference for juniper forage and volatile oil treated foods. *J. Wildl. Manage.* 44:114–120.
- Schweitzer, J. A., M. D. Madritch, J. K. Bailey, C. J. LeRoy, D. G. Fischer, B. J. Rehill, R. L. Lindroth, A. E. Hagerman, S. C. Wooley, S. C. Hart, and T. G. Whitham. 2008. From genes to ecosystems: the genetic basis of condensed tannins and their role in nutrient regulation in a *Populus* model system. *Ecosystems*. 11:1005–1020.
- Serrano, E., A. Cornu, N. Kondjoyan, J. Agabriel, and D. Micol. 2011. Traceability of grass feeding in beef: terpenes, 2,3-octanedione and skatole accumulation in adipose tissue of young bulls. *Animal*. 5:641–649.
- Serrano, E., A. Cornu, N. Kondjoyan, G. Figueredo, J. Agabriel, and D. Micol. 2007. Terpene accumulation in muscle and fatty tissues of calves supplemented with essential oils. *J. Anim. Feed Sci.* 16:168–179.
- Serrano, J., R. Puupponen-Pimia, A. Dauer, A. M. Aura, and F. Saura-Calixto. 2009. Tannins: Current knowledge of food sources, intake bioavailability and biological effects. *Mol. Nutr. Food Res.* 53:S310–S329.
- Shaik, S.A., T. H. Terrill, J. E. Miller, B. Kouakou, G. Kannan, R. M. Kaplan, J. M. Burke, and J. Mosjidis. 2006. *Sericea lespedeza* hay as a natural deworming agent against gastrointestinal nematode infection in goats. *Vet. Parasitol.* 139:150–157.
- Shaw, M. D., C. Karunakaran, and L. G. Tabil. 2009. Physicochemical characteristics of densified untreated and steam exploded poplar wood and wheat straw grinds. *Biosys. Eng.* 103:198–207.
- Shay, C. M. 1997. Uses, yield and nutritive value of mulberry (*Morus alba*) trees for ruminants in the semi-arid areas of central Tanzania. *Trop. Grasslands*. 31:599–604.
- Shen J. S., Z. Chai, L. J. Song, J. X. Liu, and Y. M. Wu. 2012. Insertion depth of oral stomach tubes may affect the fermentation parameters of ruminal fluid collected in dairy cows. *J. Dairy Sci.* 95:5978–5984.
- Sherrard, E. C., and G. W. Blanco. 1921. The preparation and analysis of a cattle food consisting of hydrolyzed sawdust. *J. Indus. Eng. Chem.* xiii. 61–65; also *ibid.*, First progress report (unpublished). In: J. G. Archibald, The composition, digestibility, and feeding value of hydrolyzed sawdust. *J. Dairy Sci.* 9:257–271.
- Skiles, C. A., Jr. 1971. Roughage and roughage substitutes in cattle rations. MS Thesis. Texas Tech Univ., Lubbock.
- Singh, M. 1978. Utilization of whole aspen tree material as a ruminant feed component. Ph.D. Thesis. SD State Univ.
- Singleton, V. L. 1981. Naturally occurring food toxicants: Phenolic substances of plant origin common in foods. *Advan. Food Res.* 27:149–242.
- Singleton, V. L., and F. H. Kratzer. 1969. Toxicity and related physiological activity of phenolic substances of plant origin. *J. Agric. Food Chem.* 17:497–512.
- Singleton, V. L., and F. H. Kratzer. 1973. Plant phenolics. In: *Toxicants occurring naturally in foods*, 2nd ed. Natl. Acad. Sci. p. 309–345.
- Short, H. L., and J. C. Reagor. 1970. Cell wall digestibility affects forage value of woody twigs. *J. Wildl. Manage.* 34:964–967.
- Slyter, A. L., and L. D. Kamstra. 1974. Utilization of pine sawdust as a roughage substitute in beef finishing rations. *J. Anim. Sci.* 28:692–696.
- Sylvester, J. T., S. K. R. Karnati, Z. Yu, M. Morrison, and J. L. Firkins. 2004. Development of an assay to quantify rumen ciliate protozoal biomass in cows using real-time PCR. *J. Nutr.* 134:3378–3384.
- Smeins, F., S. Fuhlendorf, and C. A. Taylor, Jr. 1997. Environmental and land use changes: a long-term perspective. Juniper symposium. San Angelo, TX, USA: Tex. Agricul. Res. Ext. Center.
- Smith, E. A., S. B. Collette, T. A. Boynton, T. Lillrose, M. R. Stevens, M. F. Bekker, D. Eggett, and S. B. St. Clair. 2011. Developmental contributions to phenotypic variation in functional leaf traits within quaking aspen clones. *Tree Physiol.* 31:68–77.
- Smith, A. H., and R. I. Mackie. 2004. Effect of condensed tannins on bacterial diversity and metabolic activity in the rat gastrointestinal tract. *Appl. Environ. Microbiol.* 70:1104–1115.
- Snider, C. C., and J. M. Asplund. 1974. *In vitro* digestibility of deer foods from the Missouri Ozarks. *J. Wildl. Manage.* 38:20–31.

- Soltan M. A. E., R. S. Shewita, and S. I. Al-Sultan. 2009. Influence of essential oils supplementation on digestion, rumen fermentation, rumen microbial populations and productive performance of dairy cows. *Asian J. Anim. Sci.* 3:1–12.
- Spencer J. P., F. Chaudry, A. S. Pannala, S. K. Srari, E. Debnam, and C. Rice-Evans. 2000. Decomposition of cocoa procyanidins in the gastric milieu. *Biochem. Biophysiol. Res. Commun.* 272:236–41.
- Spiehs, M. J., M. H. Whitney, and G. C. Shurson. 2002. Nutrient database for distiller's dried grains with solubles produced from new ethanol plants in Minnesota and South Dakota. *J. Anim. Sci.* 80:2639–2645.
- Stamp, N. 2003. Theory of plant defensive level: example of process and pitfalls in development of ecological theory. *Oikos.* 102:672–678.
- Steele, R. G. D., and J. H. Torrie. 1960. Principles and procedures of Statistics. McGraw-Hill Book Co., NY.
- Stevens, M. T., and R. L. Lindroth. 2005. Induced resistance in the indeterminate growth of aspen (*Populus tremuloides*). *Oecologia.* 145:298–306.
- Stevens, M. T., D. M. Waller, and R. L. Lindroth. 2007. Resistance and tolerance in *Populus tremuloides*: genetic variation, costs, and environmental dependency. *Evol. Ecol.* 21:829–847.
- Stewart, W. C., T. R. Whitney, E. J. Scholljegerdes, R. P. Adams, H. D. Naumann, N. M. Cherry, K. D. Welch, and D. R. Gardner. a, Unpublished data. Effects of juniper species and stage of maturity on nutritional and digestive characteristics.
- Stewart, W. C., T. R. Whitney, et al. b, Unpublished data. Effects of using ground juniper in supplements fed to pregnant ewes.
- Stick, D. A., M. E. Davis, S. C. Loerch, and R. C. M. Simmen. 1998. Relationship between blood serum insulin-like growth factor-I concentration and postweaning feed efficiency of crossbred cattle at three levels of dietary Intake. *J. Anim. Sci.* 76:498–505.
- Storm, E., and E. R. Orskov. 1983. The nutritive value of rumen micro-organisms in ruminants. *Brit. J. Nutr.* 50:463–470.
- Straka, E. J. 2000. The physiological effects of monoterpenes on Spanish and Angora goats. Ph.D. Dissertation. Texas A&M Univ., College Station.
- Straka, E. J., 1993. Preferences for redberry and blueberry juniper exhibited by cattle, sheep, and goats. Thesis, Texas A&M University, College Station.
- Straka E, C. B. Scott, C. A. Taylor, Jr., and E. M. Bailey. 2004. Chapter 65: Biological control of the toxic shrub juniper. In: T. Acamovic, C. S. Stewart, and T. W. Pennycott, editors, Poisonous plants and related toxins. CABI Publishing, Wallingford, Oxon, UK. p. 436–442.
- Strickland, J. R., L. F. Gulino-Klein, T. T. Ross, S. Slate, M. K. Peterson, T. May, and J. B. Taylor. 1998. Effects of nutrient supplementation in beef cows of poor body condition fed snakeweed (*Gutierrezia* spp.). *Vet. Human Toxicol.* 40:278–284.
- Sundstol, F., and E. Owen. 1984. Straw and other fibrous by-products as feed: Developments in Animal and Veterinary Sciences, 14. Elsevier, Amsterdam, Netherlands.
- Swanson, E. W., and H. A. Herman. 1944. The digestibility of Korean Lespedeza hay and Ground Korean Lespedeza seed for dairy heifers. *J. Dairy Sci.* 27:263–268.
- Tager, L. R., and K. M. Krause. 2011. Effects of essential oils on rumen fermentation, milk production, and feeding behavior in lactating dairy cows. *J. Dairy Sci.* 94:2455–2464.
- Taneer, G. J., P. J. Moate, L. H. Davis, R. H. Laby, L. Yuguang, and P. J. Larkin. 1995. Proanthocyanidins (condensed tannins) destabilize plant protein foams in a dose-dependent manner. *Aust. J. Agric. Res.* 46:1101–1109.
- Tanzi, C. D., M. A. Vian, C. Ginies, M. Elmaataoui, and F. Chemat. 2012. Terpenes as green solvents for extraction of oil from microalgae. *Molecules.* 17:8196–8205.
- Tassoul, M. D., and R. D. Shaver. 2008. Efficacy of essential oils as dietary supplements for dairy cows. Proc. 6th Mid-Atlantic Nutrition Conference, Timonium, MD.
- Tassoul, M. D., and R. D. Shaver. 2009. Effect of a mixture of supplemental dietary plant essential oils on performance of periparturient and early lactation dairy cows. *J. Dairy Sci.* 92:1734–1740.
- Tavendale, M. H., L. P. Meagher, D. Pacheco, N. Walker, G. T. Attwood, and S. Sivakumaran. 2005. Methane production from *in vitro* rumen incubations with *Lotus pedunculatus* and *Medicago sativa*, and effects of extractable condensed tannin fractions on methanogenesis. *Anim. Feed Sci. Technol.* vol. 123–124. p. 403–419.
- Taylor, C. A., Jr. 2008. Ecological consequences of using prescribed fire and herbivory to manage *Juniperus* encroachment. In: O. W. Van Auken, editor, Western North Am. *Juniperus* communities. Springer, New York, NY. p. 239–252.

- Teferedegne, B., 2000. New perspectives on the use of tropical plants to improve ruminant nutrition. *Proc. Nutrition Soc.* 59:209–214.
- Tellez, M. R., R. E. Estell, E. L. Fredrickson, and K. M. Havstad. 1997. Essential oil of *Flourensia cernua* DC. *J. Essent. Oil Res.* 9:619–624.
- Terrill, T. H., J. A. Mosjidis, D. A. Moore, S. A. Shaik, J. E. Miller, J. M. Burke, J. P. Muir, and R. Wolfe. 2007. Effect of pelleting on efficacy of sericea lespedeza hay as a natural dewormer in goats. *Vet. Parasitol.* 146:117–122.
- Terrill, T. H., A. M. Rowan, G. B. Douglas, and T. N. Barry. 1992. Determination of extractable and bound condensed tannin concentrations in forage plants, protein concentrate meals, and cereal grains. *J. Sci. Food Agric.* 58:321–329.
- Terrill, T. H., G. C. Waghorn, D. J. Wooley, W. C. McNabb, and T. N. Barry. 1994. Assay and digestion of ¹⁴C-labelled condensed tannins in the gastrointestinal tract of sheep. *Br. J. Nutr.* 72:467–477.
- Terrill, T. H., W. R. Windham, C. S. Hoveland, and H. E. Amos. 1989. Forage preservation method influences on tannin concentration, intake, and digestibility of Sericea Lespedeza by sheep. *Agron. J.* 81:435–439.
- Thomas, H. S. 2013a. Old problem or opportunity? *The Cattleman*. March. p. 94–97.
- Thomas, H. S. 2013b. Wood to feed program gets most out of juniper trees. *Sheep Industry News*. December. p. 12–14.
- Thonney, M. L., D. J. Duhaime, P. W. Moe, and J. T. Reid. 1979. Acid insoluble ash and permanganate lignin as indicators to determine digestibility of cattle rations. *J. Anim. Sci.* 49:1112–1116.
- Throckmorton, J. C., D. F. Foulkes, R. A. Leng, and J. V. Evans. 1982. Response to bypass protein and starch in Merino sheep and Angora goats. *Proc. Aust. Soc. Anim. Prod.* 14:661.
- Tibe, O., I. A. Sutherland, L. Lesperance, and D. R. K. Harding. 2013. The effect of purified condensed tannins of forage plants from Botswana on the free-living stages of gastrointestinal nematode parasites of livestock. *Vet. Parasitol.* 197:160–167.
- Todd, J. R., and R. H. Thompson. 1963. Studies on chronic copper poisoning: II. Biochemical studies on the blood of sheep during the hemolytic crisis. *Brit. Vet. J.* 119:161–173.
- Tornambé, G., A. Cornu, P. Pradel, N. Kondjoyan, A. P. Carnat, M. Petit, and B. Martin. 2006. Changes in terpene content in milk from pasture-fed cows. *J. Dairy Sci.* 89:2309–2319.
- Torregrossa, A-M., A. V. Azzara, and M. D. Dearing. 2012. Testing the diet-breadth trade-off hypothesis: differential regulation of novel plant secondary compounds by a specialist and a generalist herbivore. *Oecologia.* 168:711–718.
- Torrent, J., D. E. Johnson, and M. A. Kujawa. 1994. Co-product fiber digestibility: Kinetic and *in vivo* assessment. *J. Anim. Sci.* 72:790–795.
- Tsai C. J., S. A. Harding, T. J. Tschaplinski, R. L. Lindroth, and Y. Yuan. 2006. Genome-wide analysis of the structural genes regulating defense phenylpropanoid metabolism in *Populus*. *New Phytol.* 172:47–52.
- Turner, K. E., and J. P. S. Neel. 2003. Quebracho tannin influence on nitrogen balance in small ruminants and *in vitro* parameters. *Sheep and Goat Res. J.* 18:34–43.
- Ullrey, D. E., W. G. Youatt, H. E. Johnson, A. B. Cowan, R. L. Covert, and W. T. Magee. 1972. Digestibility and estimated metabolizability of aspen browse for white-tailed deer. *J. Wildl. Manage.* 36:885–891.
- Ullrey, D. E., W. G. Youatt, H. E. Johnson, L. D. Fay, R. L. Covert, and W. T. Magee. 1975. Consumption of artificial browse supplements by penned white-tailed deer. *J. Wildl. Manage.* 39:699–704.
- Ullrey, D. E., W. G. Youatt, H. E. Johnson, L. D. Fay, and B. E. Brent. 1967. Digestibility of cedar and jack pine browse for the white-tailed deer. *J. Wildl. Manage.* 31:448–454.
- Ullrey, D. E., W. G. Youatt, H. E. Johnson, L. D. Fay, D. B. Purser, B. L. Schoepke, and W. T. Magee. 1971. Limitations of winter aspen browse for the white-tailed deer. *J. Wildl. Manage.* 35:732–743.
- Ullrey, D. E., W. G. Youatt, H. E. Johnson, L. D. Fay, B. L. Schoepke, and W. T. Magee. 1970. Digestible and metabolizable energy requirements for winter maintenance of Michigan white-tailed does. *J. Wildl. Manage.* 34:863–869.
- Ullrey, D. E., W. G. Youatt, H. E. Johnson, P. K. Ku, and L. D. Fay. 1964. Digestibility of cedar and aspen browse for the white-tailed deer. *J. Wildl. Manage.* 28:791–797.
- Unknown. 1975. Cattle fatten up on old aspen trees. Monday, Dec. 1. *The Billings Gazette*.
- USDA. 2004. USDA database for the proanthocyanidin content of selected foods. U.S. Dept. Agriculture, Beltsville, Maryland.
- USDA. 1997. Official United States Standards for grades of carcass beef. AMS, USDA, Washington, DC.
- Utley, P. R., and W. C. McCormick. 1972. Level of peanut hulls as a roughage source in beef cattle finishing diets. *J. Anim. Sci.* 34:146.

- Utsumi, S.A. 2008. Influence of nutrients, toxins, and grazing strategies on the utilization of one-seed juniper by small ruminants. Dissertation. NM State Univ., Las Cruces.
- Utsumi, S., A. Cibils, and R. E. Estell. 2007a. Sheep and goats as tool to suppress juniper encroachment: Influence of stocking density and mixed grazing during summer [Abstract]. Soc. Range Manage. Meeting, 60th Annual Meeting and Trade Show, February 9-16, Reno/Sparks, Nevada. Paper No. 447.
- Utsumi, S. A., A. F. Cibils, R. E. Estell, T. T. Baker, and J. W. Walker. 2010. One-seed juniper sapling use by goats in relation to stocking density and mixed grazing with sheep. *Rangel. Ecol. Manage.* 63:373–386.
- Utsumi, S., A. Cibils, R. E. Estell, and S. Soto-Navarro. 2007b. One seed juniper intake by sheep and goats supplemented with degradable or by-pass protein [Abstract]. Soc. Range Manage., 60th Annual Meeting and Trade Show, Feb. 9-16, Reno/Sparks, Nevada. Paper No. 448.
- Utsumi, S. A., A. F. Cibils, R. E. Estell, and S. Soto-Navarro. 2006a. Sheep and goat grazing as a tool to manage encroachment of one-seed juniper (*Juniperus monosperma*) [Abstract]. III Simposium Internacional de Pastizales. Conservacion y Sustentable de Pastizales. August 9-11. Chihuahua, MX. p. 13.
- Utsumi, S. A., A. F. Cibils, R. E. Estell, S. A. Soto-Navarro, L. Chen, and D. M. Hallford. 2013. Effects of adding protein, condensed tannins, and polyethylene glycol to diets of sheep and goats fed one-seed juniper and low quality roughage. *Small Rumin. Res.* 112:56–68.
- Utsumi, S. A., A. F. Cibils, R. E. Estell, S. A. Soto-Navarro, and D. Hallford. 2008. Effects of one-seed juniper on intake, rumen fermentation and plasma amino acids in sheep and goats fed supplemental protein and tannins. [Abstract]. Amer. Soc. Anim. Sci., Joint annual meeting, July 7-11, Indianapolis, IN.
- Utsumi, S. A., A. F. Cibils, R. E. Estell, S. A. Soto-Navarro, and D. Van Leeuwen. 2009. Seasonal changes in one seed juniper intake by sheep and goats in relation to dietary protein and plant secondary metabolites. *Small Rumin. Res.* 81:152–162.
- Utsumi, S. A., A. F. Cibils, R. E. Estell, and Y. F. Wang. 2006b. Influence of plant material handling protocols on terpenoid profiles of one-seed juniper saplings. *Rangel. Ecol. Manage.* 59:668–673.
- Van Nevel, C. J., and D. I. Demeyer. 1996. Influence of pH on lipolysis and biohydrogenation of soybean oil by rumen contents in vitro. *Reprod. Nutr. Devel.* 36:53–63.
- Van Soest, P. J. 1982. *Nutritional Ecology of the Ruminant*. Chpt. 11. O&B Books, Inc., Corvallis, OR. p. 178–194.
- Van Soest, P. J. 1994. *Nutritional Ecology of the Ruminant*. Cornell Univ. Press, Ithaca, NY.
- Van Soest, P. J., J. B. Robertson, and B. A. Lewis. 1991. Methods for dietary fiber, neutral detergent fiber, and nonstarch polysaccharides in relation to animal nutrition. *J. Dairy Sci.* 74:3583–3597.
- Vasta, V., and G. Luciano. 2011. The effects of dietary consumption of plants secondary compounds on small ruminants' products quality. *Small Rumin. Res.* 101:150–159.
- Vasta, V., G. Luciano, C. Dimauro, F. Röhrle, A. Priolo, F. J. Monahan, A. P. Moloney. 2011. The volatile profile of longissimus dorsi muscle of heifers fed pasture, pasture silage or cereal concentrate: Implication for dietary discrimination. *Meat Sci.* 87:282–289.
- Vasta, V., M. Mele, A. Serra, M. Scerra, G. Luciano, M. Lanze, and A. Priolo. 2009. Metabolic fate of fatty acids involved in ruminal biohydrogenation in sheep fed concentrate or herbage with or without tannins. *J. Anim. Sci.* 87:2674–2684.
- Vasta, V., A. Nudda, A. Cannas, M. Lanza, and A. Priolo. 2008. Alternative feed resources and their effects on the quality of meat and milk from small ruminants. *Anim. Feed Sci. Technol.* 147:223–246.
- Vasta, V., and A. Priolo. 2006. Ruminant fat volatiles as affected by diet. A review. *Meat Sci.* 73:218–228.
- Vasta, V., A. G. D'Alessandro, A. Priolo, K. Petrotos, and G. Martemucci. 2012. Volatile compound profile of ewe's milk and meat of their suckling lambs in relation to pasture vs. indoor feeding system. *Small Rumin. Res.* 105:16–21.
- Veldman, D. J. 1967. *Fortran programming for the behavioral sciences*. Holt, Rinehart and Winston Publ., NY.
- Vera-Badillo, F. E., R. Shapiro, A. Ocana, E. Amir, and I. F. Tannock. 2013. Bias in reporting of end points of efficacy and toxicity in randomized, clinical trials for women with breast cancer. *Annals Oncol.* 00:1–6. doi:10.1093/annonc/mds636
- Vercoe, J. E. 1969. The transfer of nitrogen from the blood to the rumen of cattle. *Aust. J. Agric. Res.* 20:191–197.
- Verghese, J. 1983. *Terpene chemistry*. McGraw-Hill. 192 p.
- Verheyden-Tixier, H., and P. Duncan. 2000. Selection for small amounts of hydrolysable tannins by a concentrate-selecting mammalian herbivore. *J. Chem. Ecol.* 26:351–358.
- Vernor, T. E. 1977. Processing of mesquite for cattle feeding. MS Thesis. Texas Tech Univ. Lubbock.
- Vetter, R. L. 1973. Evaluation of chemical and nutritional properties of crop residues. In: *Crop residue symposium*. Lincoln: Univ. of Nebraska. *in in NRC, 1983, p. 234*;

- Viallon, C., B. Martin, I. Verdier-Metz, P. Pradel, J.-P. Garel, J.-B. Coulon, and J.-L. Berdague. 2000. Transfer of monoterpenes and sesquiterpenes from forages into milk fat. *Lait*. 80:635–641.
- Viallon, C., I. Verdier-Metz, C. Denoyzer, P. Pradel, J. B. Coulon, and J. L. Berdague. 1999. Desorbed terpenes and sesquiterpenes from forages and cheeses. *J. Dairy Res.* 66:319–326.
- Viuda-Martos, . 2010. Effect of added citrus fibre and spice essential oils on quality characteristics and shelf-life of *mortadella*. *Meat Sci.* 85:568–576.
- Villalba, J. J., F. D. Provenza, and R. E. Banner. 2002a. Influence of macronutrients and polyethylene glycol on intake of a quebracho tannin diet by sheep and goats. *J. Anim. Sci.* 80:3154–3164.
- Villalba, J. J., F. D. Provenza, and R. E. Banner. 2002b. Influence of macronutrients and activated charcoal on utilization of sagebrush by sheep and goats. *J. Anim. Sci.* 80:2099–2109.
- von Rudloff, E. 1975. Chemosystematic studies of the volatile oils of *Juniperus horizontalis*, *J. scopulorum* and *J. virginiana*. *Phytochemistry*. 14:1319–1329.
- Waghorn, G. C. and W. T. Jones. 1989. Bloat in cattle. Potential of dock (*Rumex obtusifolius*) as an antibloat agent for cattle. *N. Z. J. Agric. Res.* 32:227–235.
- Waghorn G.C., and W. C. McNabb. 2003. Consequences of plant phenolic compounds for productivity and health of ruminants. *Proc. Nutr. Soc.* 62:383–392.
- Waghorn, G. C., M. J. Ulyatt, A. John, and M. T. Fisher. 1987. The effect of condensed tannins on the site of digestion of amino acids and other nutrients in sheep fed on *Lotus corniculatus* L. *Br. J. Nutr.* 57:115–126.
- Wagland, B. M., W. O. Jones, L. Hribar, T. Bendixsen, and D. L. Emery. 1992. Research note: a simplified assay for larval migration inhibition. *Int. J. Parasitol.* 22:1183–1185.
- Wagner, P. 2006. A reassessment for camphor. Action memorandum submitted to US EPA. Jan. 27.
- Walker, K. P. 2007. Productivity of four fodder tree species, their nutritional value and potential role in ruminant production in eastern Botswana. PhD. Dissertation, Univ. Stellenbosch, South Africa.
- Waller, J., T. Klopfenstein, and M. Poos. 1980. Distillers feeds as protein sources for growing ruminants. *J. Anim. Sci.* 51:1154–1167.
- Welch, J. G. 1986. Physical parameters of fiber affecting passage from the rumen. *J. Dairy Sci.* 69:2750–2754.
- Welch, K. D., D. Cook, D. R. Gardner, C. Parsons, and J. A. Pfister. 2013. A comparison of the abortifacient risk of western juniper trees in Oregon. *Rangelands*. Feb. 40–44.
- Welch, B. L., and J. C. Pederson. 1981. *In vitro* digestibility among accessions of big sagebrush by wild mule deer and its relationship to monoterpenoid content. *J. Range. Manage.* 34:497–500.
- Wester, T. J., R. A. Britton, T. J. Klopfenstein, G. A. Ham, D. T. Hickok, and C. R. Krehbiel. 1995. Differential effects of plane of protein or energy nutrition on visceral organs and hormones in lambs. *J. Anim. Sci.* 73:1674–1688.
- Weston, R. H., and J. P. Hogan. 1967. The transfer of nitrogen from the blood to the rumen in sheep. *Aust. J. Biol. Sci.* 20: 967–973.
- White, T. W., R. B. Grainger, F. H. Baker, and J. W. Stroud. 1958. Effect of supplemental fat on digestion and the ruminal calcium requirement of sheep. *J. Anim. Sci.* 17:797–803.
- White, W. H., J. A. Gutierrez, S. A. Naylor, C. A. Cook, I. C. Gonzalez, M. A. Wisehart, C. K. Smith, and W. A. Thompson. 2007. *In vitro* and *in vivo* characterization of p-amino-phenethyl-mtrifluoromethylphenyl piperazine (PAPP), a novel serotonergic agonist with anthelmintic activity against *Haemonchus contortus*, *Teladorsagia circumcincta* and *Trichostrongylus colubriformis*. *Vet. Parasitol.* 146:58–65.
- White, S. M., B. L. Welch, and J. T. Flinders. 1982. Monoterpenoid content of pygmy rabbit stomach contents. *J. Range Manage.* 35:107–109.
- Whitney, T. R. 2013a. Comparison of juniper feeds for livestock. Oral presentation. Jan. 24. Palo Alto College. San Antonio, TX.
- Whitney, T. R. 2010. Harvesting juniper for feed. 36th Annual TX AgriLife Sheep and Goat Field Day. Oral presentation and poster. San Angelo, TX. Sept. 2. *Invited*.
- Whitney, T. R. 2011. Use of the Penn State particle separator to determine if molasses can reduce sorting of ground juniper when juniper is used as a feed intake limiter for lambs. Abstract. WERA 039 annual meeting. June 5–8. p. 31–36.
- Whitney, T. R. 2012. Wood to Feed. 3rd annual Rancher’s Workshop. Poster and oral presentation. NRCS. Sonora Civic Center. May 16. *Invited*.
- Whitney, T. R. 2013b. Wood to Feed. 4th annual Rancher’s Workshop. Poster and oral presentation.
- Whitney, T. R., and K. W. Braden. 2010. Substituting cottonseed meal with dried distillers grains in lamb feedlot rations: carcass and meat characteristics. *Sheep and Goat Res. J.* 25:49–56.

- Whitney, T. R., A. E. Lee, D. R. Klein, C. B. Scott, and T. M. Craig. 2010. A modified *in vitro* larvae migration inhibition assay using rumen fluid to evaluate *Haemonchus contortus* viability. *Vet. Parasitol.* 176:217–225.
- Whitney, T. R., A. E. Lee, M. G. Williamson, C. D. Swening, and R. L. Noland. 2011a. Use of the Penn State forage particle separator to evaluate coarse-ground juniper as a supplemental feed limiter for lambs. *Anim. Feed Sci. Technol.* 168:21–29.
- Whitney, T. R., and C. J. Lupton. 2010a. Evaluating percentage of roughage in lamb finishing diets containing 40% dried distillers grains: Growth, serum urea nitrogen, nonesterified fatty acids, and insulin growth factor-1 concentrations and wool, carcass, and fatty acid characteristics. *J. Anim. Sci.* 88:3030–3040.
- Whitney, T. R., and C. J. Lupton. 2010b. Redberry juniper as a roughage source in lamb finishing rations: wool and carcass characteristics, meat fatty acid profiles, and sensory panel traits. Abstract and oral presentation. *Amer. Soc. Anim. Sci.* July 11–15, Denver, CO. 88(Suppl. 2):579.
- Whitney, T. R., C. J. Lupton, J. P. Muir, R. P. Adams, and W. C. Stewart. 2014. Effects of using ground redberry juniper and dried distillers grains with solubles in lamb feedlot diets: Growth, blood serum, fecal, and wool characteristics. *J. Anim. Sci.* 92:1119–1132.
- Whitney, T. R., C. J. Lupton, and S.B. Smith. 2011b. Redberry juniper as a roughage source in lamb feedlot rations: wool and carcass characteristics, meat fatty acid profiles, and sensory panel traits. *Meat Sci.* 89:160–165.
- Whitney, T. R., and J. P. Muir. 2010. Redberry juniper as a roughage source in lamb feedlot rations: performance and serum nonesterified fatty acids, urea nitrogen, and insulin-like growth factor-1 concentrations. *J. Anim. Sci.* 88:1492–1502.
- Whitney, T. R., and S. Smith. Unpublished Data. Effects of using ground redberry juniper material and dried distillers grains with solubles in lamb feedlot diets: carcass characteristics, adipose tissue fatty acid profiles, and sensory panel traits.
- Whitney, T. R., and W. Stewart. 2013a. Alternative Feeds: For a temporary crisis or permanent problem? Proceedings Paper and oral presentation. West. Sec. Amer. Soc. Anim. Sci. and WERA-39 joint annual meeting, June 19. Bozeman, MT.
- Whitney, T. R. and W. Stewart. 2013b. Wood to Feed. 4th annual Rancher's Workshop. Poster and oral presentation. Annual NRCS/Soil and Water Conservation District meeting. Sonora Civic Center. May 16. *Invited.*
- Whitney, T. R., C. D. Swening, J. P. Muir, C. J. Lupton, and W. C. Stewart. 2012. Substituting ground redberry juniper trees for oat hay in lamb feedlot diets: growth performance, serum urea nitrogen, serum insulin-like growth factor-1, and wool characteristics. Abstract and oral presentation. In: ASAS 2012 Joint Annual Meeting, Phoenix, AZ. *J. Anim. Sci.* 90:E-Suppl. 3:240.
- Whitney, T. R., S. Wildeus, and A. M. Zajac. 2013. Effect of using redberry juniper (*Juniperus pinchotii*) to reduce *Haemonchus contortus* fecal eggs and increase ivermectin efficacy. *Vet. Parasitol.* 197:182–188.
- Williams, R. L., and M. S. Elliot. 1997. Chapter 9: Antioxidants in grapes and wine: Chemistry and health effects. In: *Natural antioxidants: Chemistry, health effects, and applications.* Old Dominion Univ. Enological Res. Facility, Dept. of Chem. and Biochem. 150–173.
- Wingren, A. 2005. Ethanol from softwood: Techno-economic evaluation for development of the enzymatic process, Doctoral Thesis. Depart. Chem. Engin., Lund University. <http://lup.lub.lu.se/record/545138>
- Wolf, B. W., E. C. Titgemeyer, L. L. Berger, and G. C. Fahey, Jr. 1994. Effects of chemically treated, recycled newsprint on feed intake and nutrient digestibility by growing lambs. *J. Anim. Sci.* 72:2508–2517.
- Wolfe, R. M., T. H. Terrill, and J. P. Muir. 2008. Drying method and origin of standard affect condensed tannin (CT) concentrations in perennial herbaceous legumes using simplified butanol-HCL CT analysis. *J. Sci. Food Agric.* 2008:1060–1067.
- Woodward, T. E., H. T. Converse, W. R. Hale, and J. B. McNulty. 1924. Values of various new feeds for dairy cows. U.S. Dept. Agric., Dept. Bull. No. 1272:9–12. In: J. G. Archibald, The composition, digestibility, and feeding value of hydrolyzed sawdust. *J. Dairy Sci.* 9:257–271.
- Xu, L., and U. Tschriner. 2012. Peracetic acid pretreatment of alfalfa stem and aspen biomass. *Bioresources.* 7:203–206.
- Yoshida, T., Hatano, T., Ito, H., and Okuda, T. 2000. Chemical and biological perspectives of ellagitannins oligomers from medicinal plants. *Studies in Nat. Prod. Chem.* 23:395–453.
- Young, O. A., J. L. Berdague, C. Viallon, S. Rousset-Akrim, and M. Theriez. 1997. Fat-borne volatiles and sheepmeat odour. *Meat Sci.* 45:183–200.
- Young, O. A., G. A. Lane, A. Priolo, and K. Fraser. 2003. Pastoral and species flavour in lambs raised on pasture, lucerne or maize. *J. Sci. Food Agric.* 83:93–104.

- Young, O. A., D. H. Reid, and G. H. Scales. 1993. Effect of breed and ultimate pH on the odour and flavour of sheep meat. *New Zealand J. Agric. Res.* 36:363–370.
- Yu, F., T. N. Barry, W. C. McNabb, P. J. Moughan, and G. F. Wilson. 1995a. Effect of bound condensed tannin from cottonseed upon *in situ* protein solubility and dry matter degradation in the rumen. *J. Sci. Food Agric.* 69:311–319.
- Yu, C, H. Wu, T Chen, R. Yeh, and K. Chen. 2009. The valuation of blood and tissue enzymes for clinical diagnosis in New Zealand white and rex rabbits. *Taiwan Vet J.* 35:1–8.
- Yu, F., T. N. Barry, P. J. Moughan, and G. F. Wilson. 1993. Condensed tannin and gossypol concentrations in cottonseed and in processed cottonseed meal. *J. Sci. Food Agric.* 63:7–15.
- Yu, F., W. C. McNabb, T. N. Barry, and P. J. Moughan. 1996. Effect of heat treatment upon the chemical composition of cottonseed meal upon the reactivity of cottonseed condensed tannins. *J. Sci. Food Agric.* 72:263–272.
- Yu, F., W. C. McNabb, T. N. Barry, and G. C. Waghorn. 1995b. Effect of bound condensed tannin from cottonseed hulls upon the *in vitro* degradation of cottonseed kernel proteins by rumen microorganisms. *J. Sci. Food Agric.* 69:223–234.
- Yu, H., E. Bao, R. Zhao, and Q. Lv. 2007. Effect of transportation stress on heat shock protein 70 concentration and mRNA expression in heart and kidney tissues and serum enzyme activities and hormone concentrations of pigs. *Amer. J. Vet. Res.* 68:1145–1150.
- Zinn, R. A., R. Barrajas, M. Montano, and R. A. Ware. 2003. Influence of dietary urea level on digestive function and growth performance of cattle fed steam-flaked barley-based finishing diets. *J. Anim. Sci.* 81:2383–2389.