

R	Codon	Age	Start	Final	ADG	Fleece				Fiber Diameter, microns				Scores			Scrot.	Fat	Ribeye								
e	Test Flock	Birth	Birth	Wt.	Wt.	Total	Body	Gr.	Yield	Clean	Stap.	Core		Comfort	Face	Belly	Body	circ.	Depth	Area	ROM	Index					
g	No.	No.	171 date	type	Dam	9/24	2/11	lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio	
+++++																											
Pen 2 Texas Sheep Co., T.Jones, Fredericksburg																											
Sire:RABEL143 WYOMING																											
Reg	1	533	QR	3/13/8	TW	4	117	252	.96	.89	25.1	53.0	13.3	5.8	22.0	19.7	21.7	24.5	97.0	1.1	1.5	1.5	35.3	.38	2.91	134.29	118.4
Reg	2	564	QR	3/23/8	TW	3	82*	228	1.04	.99	19.9	40.6	8.1*	4.7	21.2	26.2	21.2	26.9	97.4	0.9	1.6	1.5	35.0	.31	2.68	110.37	97.3
Reg	3	569	RR	3/25/8	TW	4	113	233	.86	.81	17.5	49.1	8.6*	5.2	21.0	25.0	21.4	25.2	97.6	1.0	2.0	1.3	36.0	.31	3.05	105.61	93.1
Reg	4	570	RR	3/25/8	TW	4	102	242	1.00	.95	18.8	46.3	8.7*	5.4	20.0	25.8	21.2	23.6	98.2	0.8	1.4	1.3	41.0	.37	3.04	117.11	103.2
Reg	6	575	RR	3/31/8	S	3	127	254	.91	.85	20.5	48.1	9.9	5.6	20.8	21.6	22.8	25.7	99.0	0.9	1.1	1.6	36.0	.40	3.21	119.25	105.1
Sire:T.JONES 448																											
Reg	7	545	RR	3/19/8	TW	6	92*	229	.98	.91	23.5	53.5	12.6	5.7	20.6	19.1	21.5	21.4	99.2	1.0	1.2	1.7	37.0	.34	3.04	137.42	121.1
Reg	8	557	RR	3/21/8	S	6	97*	213	.83	.76	23.3	59.6	13.9	6.4	21.6	16.8	21.8	23.9	98.7	1.1	1.2	2.1	37.8	.34	2.74	132.41	116.7
Reg	9	561	RR	3/22/8	TW	2	116	209	.66	.61	19.5	39.1	7.6*	5.0	21.0	23.4	22.0	24.2	97.8	1.0	1.3	1.3	37.3	.28	3.28	90.88	80.1
Pen 4 Jennings, J.W., Menard																											
Sire:JW Ranch 711																											
Reg	10	738	RR	2/14/8	TW	2	131	259	.91	.87	17.5	41.4	7.3*	4.3	23.6	20.1	23.5	26.8	95.1	1.7	3.1	1.4	35.5	.35	3.61	98.41	86.8
Reg	11	740	RR	2/23/8	TW	5	114	235	.86	.82	17.5	47.8	8.4*	5.4	22.5	18.7	23.4	24.9	97.1	1.0	1.6	1.1	40.0	.37	3.13	109.06	96.1
Pen 5 Karnes, Bill, Sonora																											
Sire:																											
Com	12	80		3/ .8			85*	161*	.54*	.51	12.3	43.7	5.4*	5.0	21.1	23.8	20.4	24.0	97.8	1.1	3.1	1.1	30.0	.33	3.06	75.42	66.5
ComP	13	81		3/ .8			69*	169*	.71	.67	14.7	48.3	7.1*	5.1	22.6	22.5	23.7	25.9	96.1	1.0	1.5	1.4	35.0	.17	2.08	89.47	78.9
Com	14	82		3/ .8			75*	158*	.59	.56	12.1	50.2	6.0*	4.8	20.5	22.8	20.4	22.2	98.6	1.1	1.3	1.2	31.0	.25	2.79	83.36	73.5
Com	15	83		3/ .8			60*	155*	.68	.64	13.8	44.6	6.1*	4.7	24.0*	21.6	24.8	26.6	90.3	1.4	1.9	1.3	31.0	.24	2.47	79.15	69.8
Com	16	84		3/ .8			95*	206	.79	.75	13.7	45.1	6.2*	5.4	21.3	22.8	22.6	25.1	97.2	0.8	1.6	1.2	35.0	.32	2.93	95.56	84.2
Pen 6 Schunke Ranch, Goldthwaite																											
Sire:Schunke 1878																											
Reg	17	2335		12/13/7	S	4	158	255	.69	.63	23.1	42.7	9.8	5.2	22.0	22.7	20.9	24.6	95.8	1.3	1.3	1.7	38.6	.26	2.81	99.76	101.9
Reg	18	2337		1/14/8	TW	5	140	262	.87	.80	24.7	43.5	10.7	5.6	23.6	24.4	22.9	26.3	93.2	1.0	1.9	1.7	39.0	.33	3.12	108.02	95.2
Reg	19	2338		1/12/8	S	6	149	276	.91	.84	23.5	39.6	9.3	5.5	22.4	21.3	23.7	27.3	96.7	0.9	1.4	1.3	37.0	.29	2.78	111.99	98.7
Sire:Schunke 1992																											
Reg	20	2356		12/18/7	S	6	143	230	.62	.57	18.4	44.9	8.3*	6.0	21.6	20.4	21.5	24.8	97.8	1.0	1.5	1.1	38.0	.27	3.03	95.20	97.3
Sire:Schunke 2100																											
Reg	21	2336		2/ 5/8	S	3	118	251	.95	.89	21.3	48.5	10.3	5.3	23.3	19.9	23.9	27.4	93.8	0.9	1.5	1.2	39.4	.27	3.10	117.38	103.5
Sire:Schunke 1992																											
Reg	22	2358		10/15/7	TW	7	188	280	.66	.58	27.2	45.1	12.3	6.0	25.0*	23.0	26.7*	27.4	86.7	1.4	1.6	1.3	34.0	.45	3.35	98.66	100.8

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification

R e g No.	Codon No. 171	Flock Birth date	Birth type	Age of Dam	Start Wt. 9/24	Final Wt. 2/11	ADG		Fleece				Fiber Diameter, microns				Scores				Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	Side CV	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds						
Pen 7 Kerr Brothers, Mertzon Sire:TRSG 1223																									
Reg 23	31	2/ 8/8	TW	6	142	257	.82	.76	21.8	48.3	10.5	6.3	22.2	21.7	22.2	24.2	95.4	0.9	1.7	1.1	33.5	.32	3.20	112.40	99.1
Reg 25	35	3/ 5/8	TW	2	127	245	.84	.78	22.7	47.7	10.8	5.5	22.6	20.8	23.4	24.2	96.8	1.1	1.6	1.3	37.2	.35	3.25	114.67	101.1
Reg 26	36	3/ 5/8	TW	2	132	259	.91	.85	21.5	41.6	8.9*	5.1	21.1	20.7	21.8	23.5	98.3	1.0	1.3	1.4	39.8	.31	3.56	113.98	100.5
Pen 8 Texas Ramb. Sup. Gen.(TRSG), San Angelo Sire:TAES 7513 Sire:TRSG 1008																									
Reg 28	1826	QQ 4/18/8	TW	2	113	260	1.05	.99	22.0	44.4	9.8	6.2	21.3	20.9	20.5	24.2	98.7	1.2	1.4	1.4	39.0	.27	3.22	126.79	111.8
Reg 29	1772	QQ 2/20/8	S	2	105	224	.85	.80	18.6	45.4	8.5*	5.7	21.6	21.9	23.6	25.0	98.7	1.1	1.2	1.4	34.0	.34	2.86	107.87	95.1
Reg 30	1799	QQ 3/ 3/8	TW	6	125	248	.88	.81	24.7	50.4	12.4	6.3	20.8	21.4	22.9	26.0	98.4	1.0	1.4	1.2	34.3	.24	3.09	127.46	112.4
Sire:TRSG 1349																									
Reg 31	1823	QQ 4/18/8	S	5	108	253	1.04	.95	29.7	39.7	11.8	5.9	21.9	19.3	22.9	24.6	97.8	1.3	1.3	1.7	37.0	.28	2.83	132.84	117.1
Reg 32	1825	QR 4/18/8	TW	6	96*	224	.91	.86	20.2	54.2	10.9	6.3	21.5	18.9	21.5	24.0	97.4	1.2	1.4	1.3	34.5	.31	2.93	125.19	110.4
Sire:TRSG 1377																									
Reg 33	1753	QQ 2/12/8	S	4	130	301	1.22	1.14	28.0	45.7	12.8	6.1	24.8*	22.7	25.9*	28.9*	88.5	0.9	1.5	1.4	37.0	.24	2.91	135.20	119.2
Reg 34	1755	QQ 2/12/8	S	6	128	246	.84	.78	22.2	46.6	10.4	5.6	21.8	26.8	22.5	23.0	97.0	2.6	1.5	1.3	42.0	.30	3.47	108.53	95.7
Reg 36	1757	QR 2/18/8	S	8	126	250	.89	.83	20.0	45.3	9.1	6.3	20.8	21.6	20.9	24.2	99.1	1.1	1.4	1.2	31.8	.36	3.14	114.83	101.2
Reg 37	1770	QQ 2/20/8	S	3	135	278	1.02	.96	23.3	42.0	9.8	5.8	21.5	29.2	22.4	23.4	98.3	1.0	1.7	1.4	39.8	.35	3.48	117.87	103.9
Sire:TRSG 881 Sire:TRSG 902																									
Reg 38	1807	QQ 3/25/8	S	2	122	257	.96	.91	21.3	36.8	7.8*	4.8	23.0	25.0	24.0	29.5*	92.2	0.9	1.3	1.6	35.8	.26	3.16	100.90	89.0
Reg 39	1751	QR 2/12/8	S	4	121	242	.86	.80	24.7	47.0	11.6	6.3	21.5	21.4	23.2	24.8	97.5	1.0	1.6	1.4	33.1	.29	2.96	121.34	107.0
Reg 40	1765	QQ 2/20/8	S	5	122	239	.84	.77	25.0	43.0	10.7	5.6	23.0	25.3	23.3	27.2	94.5	1.2	1.6	1.4	36.5	.34	3.31	106.59	94.0
Reg 41	1775	QQ 2/20/8	TW	7	128	263	.96	.90	24.8	47.2	11.7	6.3	23.4	23.4	23.4	27.1	93.6	1.0	1.6	1.3	36.9	.34	2.97	119.31	105.2
Pen 11 TAES, Sonora, Sonora Sire:TAES 8036																									
Reg 42	8517	QR 3/ . /8	S	4	110	241	.94	.87	24.6	45.6	11.2	5.6	20.8	22.6	21.2	24.7	97.9	1.1	2.3	1.3	35.5	.35	3.01	124.40	109.7
Reg 43	8521	QR 3/ . /8	S	5	136	265	.92	.86	21.5	42.4	9.1	5.5	19.4	23.5	19.3	23.4	99.2	1.1	1.9	1.2	40.0	.39	3.14	117.25	103.4
Reg 44	8522	QQ 3/ . /8	S	4	135	286	1.08	1.01	23.8	50.1	11.9	5.8	21.4	21.4	22.5	25.6	98.3	1.2	1.7	1.4	39.0	.47	3.40	135.65	119.6
Sire:TAES 8055																									
Reg 45	8542	QR 3/ . /8	S	3	112	219	.76	.69	25.2	47.5	12.0	6.6	19.3	24.5	19.6	22.1	99.0	1.1	1.4	1.1	40.0	.33	2.62	117.39	103.5
Reg 47	8551	QQ 3/ . /8	S	3	115	248	.95	.87	27.5	46.1	12.7	6.6	21.1	22.5	23.0	24.0	98.2	1.1	1.5	2.0	38.8	.48	3.13	130.15	114.7
Reg 48	8553	QQ 3/ . /8	S	2	124	249	.89	.82	25.0	47.2	11.8	6.4	20.9	23.3	21.3	23.3	99.2	1.1	2.2	1.2	38.3	.26	2.99	122.92	108.4
Sire:TAES 8117																									
Reg 49	8496	QQ 3/ . /8	TW	5	121	236	.82	.75	25.2	46.1	11.6	5.9	21.7	22.1	22.9	25.4	97.1	1.0	1.2	1.4	37.0	.32	3.21	116.94	103.1
Reg 50	8519	QQ 3/ . /8	S	5	128	238	.79	.72	23.5	50.4	11.8	6.4	19.4	22.4	19.3	21.7	99.0	1.1	1.5	1.7	35.3	.36	3.08	121.14	106.8
Sire:TAES 8287																									
Reg 51	8501	RR 3/ . /8	S	2	134	260	.90	.83	26.6	48.1	12.8	6.2	20.9	20.1	20.7	23.3	98.3	1.1	1.5	1.2	35.8	.45	2.96	130.94	115.4
Reg 52	8505	RR 3/ . /8	S	2	112	227	.82	.77	18.9	47.0	8.9*	5.8	20.5	21.8	20.6	22.6	98.7	1.1	1.6	1.2	35.9	.47	3.19	111.20	98.0
Reg 53	8508	QQ 3/ . /8	S	2	113	235	.87	.80	24.2	46.3	11.2	5.5	20.1	24.8	20.2	20.6	98.9	1.7	1.9	1.4	28.1	.48	3.05	120.09	105.9

* after a value indicates reason this ram was not eligible for certification

R e g No.	Codon No.	Flock 171	Birth date	Age type	Start Dam	Final Wt. 9/24	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio				
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover						Belly Wool	Body Folds		
Pen 15 Powell, James L., FT. MCKAVETT																											
Sire:																											
Com	54	801	2/	.78	S	.	123	247	.89	.83	21.1	52.3	11.0	5.2	21.2	20.6	23.1	25.4	97.7	1.1	1.5	1.2	35.4	.28	2.91	121.59	107.2
Com	55	802	2/	.78	S	.	119	231	.80	.74	20.8	47.2	9.8	5.2	20.2	21.2	21.2	23.2	99.4	0.8	1.4	1.4	27.2	.40	3.28	113.56	100.1
Com	56	803	2/	.78	S	.	107	239	.94	.88	23.3	47.9	11.2	5.8	22.1	21.2	23.6	25.8	97.5	1.1	1.2	1.4	36.5	.24	2.80	122.95	108.4
Com	57	804	2/	.78	S	.	119	222	.74	.68	20.7	47.8	9.9	5.5	23.8*	24.6	24.8	28.7*	92.8	0.8	1.4	1.3	36.1	.34	3.33	96.13	84.7
Com	58	805	2/	.78	S	.	125	233	.77	.71	23.7	42.2	10.0	4.9	24.2*	20.9	26.4*	26.7	91.8	1.1	1.2	1.3	32.1	.23	3.08	99.41	87.6
Com	59	806	2/	.78	S	.	120	238	.84	.78	24.0	45.9	11.0	5.2	24.1*	21.7	24.1	27.7	91.2	1.2	1.4	1.3	41.0	.26	3.31	108.27	95.5
Com	60	807	2/	.78	S	.	137	239	.73	.67	20.6	42.5	8.7*	5.1	22.4	20.1	23.1	24.4	96.5	1.0	1.4	1.1	36.3	.25	3.05	99.50	87.7
Com	61	808	2/	.78	S	.	125	236	.79	.73	21.3	47.7	10.1	6.1	20.0	22.4	19.5	23.2	98.9	1.0	1.4	1.3	37.2	.30	3.30	114.76	101.2
Com	62	809	2/	.78	S	.	113	224	.79	.73	21.2	53.9	11.5	5.9	21.1	18.2	22.0	23.5	98.6	1.1	1.7	1.1	38.1	.18	3.33	121.93	107.5
Com	63	810	2/	.78	S	.	116	225	.78	.72	21.3	45.8	9.8	5.4	19.9	20.3	19.7	23.0	98.8	0.9	1.5	1.3	36.5	.28	3.42	115.23	101.6
Com	64	811	2/	.78	S	.	104	203	.71	.65	20.0	49.7	9.9	5.1	23.0	20.7	23.2	25.1	93.8	1.2	1.3	1.3	37.4	.32	2.96	100.56	88.7
Com	65	812	2/	.78	S	.	123	250	.91	.84	23.4	50.7	11.9	5.7	24.1*	20.1	25.0*	27.7	94.8	1.1	1.3	1.4	42.2	.32	3.16	118.74	104.7
Com	66	813	2/	.78	S	.	120	224	.74	.68	22.5	45.1	10.2	5.2	23.6	19.7	22.6	26.7	94.3	1.2	1.3	1.3	35.3	.32	2.99	102.91	90.7
Com	67	814	2/	.78	S	.	116	239	.88	.82	21.9	38.2	8.4*	5.4	21.4	20.3	22.6	25.2	97.5	1.0	1.6	1.4	40.2	.28	3.09	110.58	97.5
Com	68	815	2/	.78	S	.	121	241	.86	.81	17.9	43.9	7.8*	4.8	20.6	20.1	20.8	23.5	98.9	1.0	1.2	1.3	35.0	.24	3.14	108.35	95.5
Com	69	816	2/	.78	S	.	90*	221	.94	.88	21.8	43.9	9.6	5.4	23.9*	22.1	24.6	26.0	91.4	1.0	1.5	1.4	36.5	.32	2.88	109.40	96.4
Com	70	817	2/	.78	S	.	111	221	.79	.72	22.5	50.0	11.2	5.7	20.9	23.3	20.2	22.2	98.2	1.3	1.2	1.3	38.8	.27	3.17	114.64	101.1
Com	71	818	2/	.78	S	.	131	241	.79	.72	24.1	39.0	9.4	5.4	21.1	20.0	20.9	24.3	98.1	1.0	1.4	1.3	36.5	.29	3.35	109.96	96.9
Com	72	819	2/	.78	S	.	120	213	.66	.59	25.0	45.0	11.3	6.1	22.5	19.6	23.4	25.9	97.0	1.2	1.3	1.3	34.5	.37	3.15	106.95	94.3
Com	73	820	2/	.78	S	.	98*	220	.87	.81	20.9	47.2	9.8	5.8	21.7	20.0	22.1	24.5	97.7	1.0	1.3	1.4	39.5	.30	2.81	116.40	102.6
Com	75	822	2/	.78	S	.	109	213	.74	.68	24.0	44.3	10.6	5.6	22.7	20.8	22.0	24.8	96.4	1.1	1.3	1.3	36.1	.35	3.08	107.16	94.5
Com	76	823	2/	.78	S	.	121	239	.84	.78	20.9	47.8	10.0	6.0	20.9	20.8	20.7	23.3	98.8	1.2	1.4	1.3	36.2	.35	3.10	116.50	102.7
Com	77	824	2/	.78	S	.	130	273	1.02	.97	18.9	46.2	8.7*	5.2	19.5	19.3	20.2	23.2	99.5	0.7	1.5	1.2	36.1	.33	3.09	126.16	111.2
Com	78	825	2/	.78	S	.	111	221	.79	.72	22.5	48.3	10.9	5.7	21.2	22.7	21.3	25.7	97.1	1.0	1.3	1.3	35.0	.26	3.04	113.12	99.7
Com	79	826	2/	.78	S	.	110	228	.84	.77	25.2	45.9	11.6	5.8	23.4	22.6	23.6	26.0	93.1	1.2	1.2	1.5	37.2	.32	3.15	112.48	99.2
Com	80	827	2/	.78	S	.	112	224	.80	.74	21.8	41.6	9.0	5.4	22.7	19.5	23.1	25.0	96.2	1.0	1.9	1.2	41.0	.35	2.84	105.73	93.2
Com	81	829	2/	.78	S	.	131	268	.98	.91	26.4	45.7	12.0	5.3	23.6	21.7	24.1	26.3	92.9	0.9	1.3	1.3	37.0	.40	3.66	121.94	107.5
Com	82	830	2/	.78	S	.	139	255	.83	.76	25.3	47.1	11.9	5.3	23.8*	19.8	23.6	26.4	92.6	1.1	1.5	1.5	37.0	.33	2.94	114.32	100.8
Com	83	831	2/	.78	S	.	116	240	.89	.82	22.1	53.9	11.9	5.9	25.2*	19.9	26.3*	28.3*	87.1	1.2	1.3	1.2	39.5	.26	2.76	115.61	101.9

* after a value indicates reason this ram was not eligible for certification