

[1961-1962 Ram Performance Test]

Fleece Record - 365 Days

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/27/61	Final Weight 3/14/62	Total Gain	Aver. Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Weight (1)	Staple Length Inches	Fiber Diam. Microns	Spinning Count	Body Conf.	Belly Wool	Skin Folds	Face Cover	Selection Index
Pen 1 - Roger Landers, Menard - Sire: FMB 8652																		
1	102	12/60	112	211	99	.59	<i>None</i>	19.7	9.9	9.2	4.63	23.3	62s	1.5	2.5	17	3.0	74.5
2	103	12/60	102	196	94	.56		18.0	9.1	8.9	4.37	21.0	64s	1.5	2.0	27	1.3	75.3
3	J164	12/60	113	213	100	.60		20.1	9.7	9.0	4.20	23.8	60s	1.8	1.5	47	2.6	68.7
4	R771	1/61	110	194	84	.50		18.2	8.1	7.5	4.10	24.5	60s	1.5	3.0	22	2.8	59.8
Average			109.4	203.4	94.0	.56	976	19.0	9.20	8.65	4.32	23.2	62s	1.58	2.25	28.2	2.42	69.6
Pen 2 - Roger Landers, Menard - Sire: Royal 146																		
5P	F174	12/60	121	194	73	.43	<i>Big 1/2 ram</i>	19.3	8.7	7.7	3.79	23.2	62s	2.5	2.5	31	2.5	56.6
6P	R766	12/60	112	175	63	.38	<i>Big 1 ram</i>	18.5	8.3	7.6	4.10	21.4	64s	2.2	3.2	6	1.5	63.4
7	R767	12/60	120	200	80	.48	<i>None</i>	19.7	9.5	8.5	3.90	21.3	64s	1.2	2.3	56	1.5	63.4
8P	R769	12/60	116	194	78	.47	<i>Big scabby</i>	22.1	9.8	9.0	3.44	25.3	58s	1.8	2.3	58	3.5	51.4
Average			117.1	190.6	73.5	.44	1147	19.9	9.08	8.20	3.81	22.8	62s	1.92	2.58	37.8	2.25	58.7
Pen 3 - Edwin Mayer, Jr., Barnhart - Sire: MP-A-4275																		
10	501	3/61	110	203	93	.55	<i>None</i>	17.8	8.7	8.1	4.43	19.9	70s	1.8	2.7	25	1.8	71.1
11	511	3/61	84	166	82	.49		15.4	8.2	8.7	4.47	21.2	64s	2.1	3.0	27	3.5	56.5
12	521	3/61	92	182	90	.54		22.1	9.2	9.4	3.92	24.9	60s	2.0	1.7	42	3.5	58.3
Average			95.2	183.5	88.3	.53	1128	18.4	8.70	8.73	4.27	22.0	64s	1.97	2.47	31.3	2.93	62.0
Pen 4 - Edwin Mayer, Jr., Barnhart - Sire: BFB 847																		
13	489	3/61	81	152	71	.42	<i>None</i>	13.7	7.9	8.5	4.10	20.8	64s	2.5	2.3	22	3.8	49.0
14	491	3/61	98	160	62	.37		12.7	6.5	6.4	3.71	19.7	70s	2.5	3.2	18	3.8	39.6
15	507	3/61	69	134	65	.38		14.8	8.8	9.9	4.37	19.9	70s	3.9	1.3	36	3.9	48.0
16	519	3/61	88	184	96	.57		15.6	8.1	8.4	4.00	23.5	60s	2.4	1.8	21	3.4	60.7
Average			83.8	157.2	73.4	.44	1046	14.2	7.82	8.30	4.04	21.0	64s	2.82	2.15	24.2	3.72	49.3
Pen 5 - Leo and Rod Richardson, Iraan - Sires: 8568 (18 & 20) 4571 (19) and 8549 (17)																		
17	A1209	12/60	135	210	75	.45	<i>None</i>	18.5	10.0	8.4	4.78	23.7	60s	1.5	1.6	14	1.0	78.1
18	A1254	12/60	114	190	76	.45		16.4	9.8	9.0	4.47	21.4	64s	2.0	1.9	14	3.4	63.6
19	A1299	12/60	126	197	71	.42		23.4	13.1	11.9	4.84	23.0	62s	1.6	1.4	29	3.5	73.0
20	5293	12/60	110	198	88	.52		21.5	13.3	12.7	4.67	21.6	64s	2.0	1.5	31	3.9	76.6
Average			121.5	198.8	77.3	.46	1026	20.0	11.55	10.50	4.69	22.4	62s	1.78	1.60	22.0	2.95	72.8

P - Indicates polled rams. All others horned

(1) Adjusted for initial body weight.

Fleece Record - 365 Days																		
Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/27/61	Final Weight 3/14/62	Total Gain	Aver. Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Weight (1)	Staple Length Inches	Fiber Diam. Microns	Spin- ning Count	Body Conf.	Belly Wool	Skin Folds	Face Cover	Selec- tion Index
Pen 6 - Leo and Rod Richardson, Iraan - Sire: LR 8566																		
21	A1213	12/60	119	196	77	.46	<i>Horns</i>	19.3	10.8	9.8	4.72	22.3	62s	1.7	1.2	27	3.5	66.1
22	A1240	12/60	116	191	75	.45	}	21.1	12.3	11.5	5.43	23.3	62s	2.0	2.2	37	3.7	71.3
23	A1278	12/60	120	211	91	.54		21.1	11.3	10.3	4.61	24.6	60s	1.9	1.1	28	3.9	70.1
24	A1287	12/60	124	209	85	.51		20.1	11.7	10.5	4.63	24.0	60s	2.5	1.8	56	3.7	65.5
Average			119.6	201.8	82.2	.49	1112	20.4	11.53	10.52	4.85	23.6	60s	2.02	1.58	37.0	3.70	68.2
Pen 11 - P. H. Harris, Bronco - Sires: PHH 1744 and A4562 (45)																		
43	131	4/1/61	87	176	89	.53	<i>Horn</i>	19.9	9.2	9.6	4.63	20.4	70s	1.0	1.3	16	2.3	71.9
44	134	4/1/61	84	186	102	.60	}	15.8	8.2	8.7	4.82	20.6	64s	1.0	2.2	9	2.7	72.3
45	172	4/1/61	88	195	107	.64		23.6	10.8	11.1	4.57	21.6	64s	2.2	1.7	35	1.0	87.7
46	208	4/1/61	74	156	82	.49		15.6	8.5	9.4	4.72	21.8	64s	1.5	1.8	6	1.0	75.9
Average			83.2	178.1	94.9	.56	966	18.7	9.18	9.70	4.68	21.1	64s	1.42	1.75	16.5	1.75	77.0
Pen 12 - P. H. Harris, Bronco - Sire: PHH 1800																		
47	249	4/1/61	127	228	101	.60	<i>Horn</i>	24.2	10.6	9.3	4.02	22.4	62s	2.5	1.3	41	2.6	72.8
48	253	4/1/61	84	190	106	.63	}	16.2	9.3	9.8	4.20	21.7	64s	2.0	1.5	15	3.2	72.2
49	264	4/1/61	94	192	98	.58		22.6	10.6	10.7	4.22	20.4	70s	2.5	1.7	38	2.2	75.1
50	272	4/1/61	86	175	89	.53		18.2	10.2	10.6	4.92	20.1	70s	2.0	1.8	5	1.8	81.9
Average			97.8	196.2	98.4	.59	921	20.3	10.18	10.10	4.34	21.2	64s	2.25	1.58	24.8	2.45	75.5
Pen 16 - Substation No. 14, Sonora - Sire: TS 5720																		
65	6311	2/16/61	90	178	88	.53	<i>Horn</i>	16.4	8.8	9.0	3.96	21.5	64s	1.7	2.3	25	3.8	58.0
66	6328	2/21/61	77	140	63	.38(2)	}	11.7	5.5	6.3	3.59	18.7	80s	2.5	3.0	17	3.2	39.2
67	6343	2/25/61	84	168	84	.50		17.6	8.7	9.2	4.00	20.8	64s	2.2	2.2	59	2.8	54.4
68	6350	2/26/61	78	156	78	.46		15.4	7.6	8.4	4.63	20.3	70s	1.9	2.3	14	3.6	55.0
Average			82.0	160.4	78.4	.47	1194	15.3	7.65	8.22	4.04	20.3	70s	2.08	2.45	28.8	3.35	51.6
Pen 21 - Substation No. 14, Sonora - Sire: TS 6013																		
88	6354	2/27/61	74	160	86	.51	<i>Horn</i>	12.9	6.3	7.2	3.77	20.2	70s	1.8	2.5	27	2.2	54.1
89	6410	3/14/61	84	182	98	.58	}	18.9	9.8	10.3	5.10	20.1	70s	1.1	2.0	13	2.6	78.3
90	6424	3/18/61	82	169	87	.52		16.2	8.0	8.6	5.06	18.8	80s	1.5	2.2	9	1.0	76.4
91	6438	3/22/61	93	184	91	.54		19.5	9.5	9.6	4.69	22.2	62s	1.5	1.7	25	3.0	68.6
Average			83.4	173.9	90.5	.54	1036	16.9	8.40	8.92	4.66	20.4	70s	1.48	2.10	18.5	2.20	69.4

P - Indicates polled rams. All others horned.

(1) Adjusted for initial body weight.

(2) Sick, but records included in average.

Ram		Date	Initial	Final		Aver.	Feed per	Fleece Record - 365 Days												Selection
Test	Flock	of	Weight	Weight	Total	Daily	100 lbs.	Grease	Clean	Adj. Cl.	Staple	Fiber	Spinn-	Body	Belly	Skin	Face			
No.	No.	Birth	9/27/61	3/14/62	Gain	Gain	Gain (1)	Fleece	Fleece	Fleece	Length	Diam.	ning	Conf.	Wool	Folds	Cover	Index		
No.	No.	Birth	9/27/61	3/14/62	Gain	Gain	Gain (1)	Weight	Weight	Weight (1)	Inches	Microns	Count							
Pen 22 - W. L. (Tom) Davis, - Sire: WLD 1918																				
92P	A417	11/24/60	121	194	73	.43	<i>leg. stubs</i>	17.6	10.1	9.1	4.59	23.0	62s	1.7	2.2	14	1.2	75.6		
93P	A423	11/26/60	103	180	77	.46	"	18.5	10.8	10.5	4.30	24.1	60s	2.1	2.8	46	2.3	66.8		
94P	A426	11/26/60	110	206	96	.57	"	20.3	10.7	10.1	3.84	24.2	60s	2.2	1.7	28	3.0	71.2		
95P	A441	12/1/60	107	186	79	.47	<i>scabby</i>	20.1	10.2	9.7	4.08	23.2	62s	2.0	1.7	33	3.3	61.5		
Average			110.4	191.5	81.1	.48	1056	19.1	10.45	9.85	4.20	23.6	60s	2.00	2.10	30.2	2.45	68.8		
Pen 23 - Pat Rose, Jr., Del Rio - Sire Itz #72																				
96	133	3/61	96	202	106	.63	<i>Horn</i>	19.5	9.9	9.9	4.18	21.6	64s	1.8	1.5	25	3.2	72.5		
97	135	3/61	83	186	103	.62	"	20.5	10.9	11.4	4.51	24.0	60s	2.2	1.8	20	3.6	76.1		
98	137	3/61	109	220	111	.66	"	21.5	10.2	9.7	4.04	24.2	60s	1.5	1.7	42	2.7	74.2		
99	2621	3/61	94	202	108	.65	"	19.7	9.4	9.5	4.04	23.3	62s	1.8	2.2	43	2.3	72.2		
Average			95.6	202.9	107.3	.64	974	20.3	10.10	10.12	4.19	23.3	62s	1.82	1.80	32.5	2.95	73.8		
Pen 24 - Pat Rose, Jr., Del Rio - Sire: PR 2449																				
100	2591	12/60	115	188	73	.43	<i>Horn</i>	22.6	12.6	11.8	4.75	23.5	60s	1.1	1.0	38	2.8	73.0		
101	2595	12/60	99	182	83	.49	"	20.5	11.0	10.9	4.24	24.1	60s	1.4	1.0	37	1.9	73.1		
102	2597	12/60	90	160	70	.42	"	17.4	9.2	9.4	4.18	24.9	60s	2.2	1.5	26	1.9	63.6		
103	2601	12/60	112	177	65	.39	"	18.2	9.4	8.7	4.35	24.8	60s	2.1	1.0	12	3.8	56.2		
Average			103.9	176.5	72.6	.43	1174	19.7	10.55	10.20	4.38	24.3	60s	1.70	1.12	28.2	2.60	66.5		
Pen 25 - Lewis Hersey, Big Lake - Sires: CH 870 and LH 1443 (104)																				
104	1663	2/61	113	194	81	.48	<i>Horn</i>	18.2	10.5	9.8	3.94	23.4	62s	2.2	1.3	12	3.3	67.0		
105	1715	2/61	82	175	93	.55	"	18.0	9.7	10.3	3.98	25.9	58s	1.8	1.8	30	2.8	67.1		
106	1730	2/61	126	217	91	.54	"	22.6	12.1	10.9	4.24	23.4	62s	2.0	1.8	34	1.0	85.8		
107	1766	2/61	107	200	93	.56	"	19.1	10.2	9.7	4.10	22.5	62s	2.2	1.5	16	3.0	72.0		
Average			107.2	196.8	89.6	.53	1067	19.5	10.62	10.18	4.06	23.8	60s	2.05	1.60	23.0	2.52	73.0		
Pen 26 - H. H. Hughes, Mayhill, New Mexico - Sire: A2128																				
108	7783	1/29/61	100	190	90	.54	<i>Horn</i>	20.5	9.1	8.9	3.90	22.8	62s	2.0	2.0	30	3.0	62.8		
109	7786	3/9/61	90	179	89	.53	"	19.3	8.8	9.0	3.84	21.4	64s	1.8	2.0	60	2.5	57.4		
110	7787	2/19/61	95	184	89	.53	"	22.8	9.3	9.3	3.90	21.8	64s	2.0	1.5	30	1.5	70.8		
111	7788	2/20/61	96	179	83	.49	"	16.2	7.5	7.5	3.28	22.0	64s	2.3	1.8	45	3.0	47.9		
Average			94.9	182.8	87.9	.52	1049	19.7	8.68	8.68	3.73	22.0	64s	2.02	1.82	41.2	2.50	59.7		

P - Indicates polled rams. All others horned

(1) - Adjusted for initial body weight

1 2 3 4 5 6 7 8

Fleece Record - 365 Days

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/27/61	Final Weight 3/14/62	Total Gain	Aver. Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Weight (1)	Staple Length Inches	Fiber Diam. Microns	Spinning Count	Body Conf.	Belly Wool	Skin Folds	Face Cover	Selection Index
Pen 27 - L. F. and Clinton Hodges, Sterling City - Sire: Irwin A25																		
112	1163	2/15/61	96	198	102	.61	<i>Horns</i>	19.9	10.6	10.6	4.24	23.5	60s	1.8	2.0	41	3.3	70.6
113	R4377	10/15/60	178	253	75	.45	}	17.2	9.2	5.8	3.98	24.3	60s	1.6	3.3	24	1.1	69.2
114	R4530	2/15/61	108	187	79	.47		20.9	10.4	9.9	3.94	25.1	58s	2.5	1.5	31	2.0	69.0
115	R4541	3/1/61	100	198	98	.53		18.0	9.1	8.9	3.59	23.3	62s	2.1	2.3	24	1.8	71.4
Average			120.2	209.0	88.8	.53	991	19.0	9.82	8.80	3.94	24.0	60s	2.00	2.28	30.0	2.05	70.0
Pen 30 - H. C. Noelke, Jr. Estate, Sheffield - Sire: HCN 2031																		
127	2316	4/61	88	178	90	.54	<i>Horns</i>	15.4	8.0	8.3	3.73	21.1	64s	2.0	1.8	46	3.9	49.8
128	2368	4/61	96	192	96	.57	}	16.8	9.1	9.1	4.69	20.3	70s	2.5	2.5	15	3.2	69.8
129	2410	4/61	80	138	58	.35		14.6	6.6	7.3	3.28	23.9	60s	2.5	1.5	46	4.0	30.5
Average			87.5	169.2	81.7	.49	1083	15.6	7.90	8.23	3.90	21.8	64s	2.33	1.93	35.7	3.70	50.0
OPEN LOT RAMBOUILLETS																		
Substation No. 14, Sonora - Sire: TS 5720																		
130	6292	2/11/61	87	194	107	.64	<i>Horns</i>	18.5	10.5	10.9	3.73	21.6	64s	1.9	2.0	63	2.3	70.7
131	6294	2/12/61	84	183	99	.59	}	18.5	8.1	8.6	3.39	19.8	70s	2.0	2.0	57	3.1	53.9
138	6368	3/2/61	91	203	112	.67		19.5	10.7	10.9	4.24	21.0	64s	2.2	2.2	27	3.3	77.4
146	6449	3/29/61	76	174	98	.59		15.6	7.4	8.2	3.53	21.0	64s	1.9	2.3	23	1.8	65.1
Average			84.2	188.6	104.4	.62		18.0	9.18	9.65	3.72	20.8	64s	2.00	2.12	42.5	2.62	66.8
Substation No. 14, Sonora - Sire TS 5752																		
133	6318	2/18/61	80	183	103	.61	<i>Horns</i>	16.8	7.4	8.1	4.51	20.4	70s	1.9	2.5	13	2.8	67.0
134	6326	2/20/61	100	214	114	.68	}	19.9	9.8	9.6	4.20	20.5	70s	2.0	2.0	44	2.6	74.5
136	6338	2/24/61	86	166	80	.47		16.2	8.3	8.7	4.08	20.4	70s	2.2	2.0	37	2.8	55.7
Average			89.0	187.5	98.5	.59		17.6	8.50	8.80	4.26	20.4	70s	2.03	2.17	31.3	2.73	65.7
Substation No. 14, Sonora - Sire LR 4571																		
140	6388	3/9/61	78	161	83	.49	<i>Horns</i>	13.7	7.3	8.1	3.79	19.7	70s	2.4	2.5	2.0	3.7	50.6
143	6436	3/22/61	78	175	97	.58	}	21.3	12.0	12.8	4.69	20.6	64s	3.0	2.2	46	1.0	87.2
144	6437	3/22/61	91	190	99	.59		22.1	11.3	11.5	4.35	21.1	64s	1.9	1.5	47	1.2	82.4
Average			82.3	175.3	93.0	.55		19.0	10.20	10.80	4.28	20.5	70s	2.43	2.07	37.7	1.97	73.4

P - Indicates polled rams. All others horned.
(1) - Adjusted for initial body weight

Fleece Record - 365 days																		
Ram Test No.	Flock No.	Date of Birth	Initial Weight 3/14/62	Final Weight 3/14/62	Total Gain	Aver. Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Wt. (1)	Staple Length Inches	Fiber Diam. Microns	Spin- ning Count	Body Conf.	Belly Wool	Skin Folds	Face Cover	Selec- tion Index
Substation No. 14, Sonora - Sire: 5654 (Inbred Line)																		
135	6331	2/22/61	72	155	83	.50	Horn	14.1	7.1	8.1	3.59	21.6	64s	2.2	3.0	32	3.2	49.8
145	6439	3/22/61	61	152	91	.54		12.1	6.4	7.9	3.67	20.2	70s	2.0	2.8	24	3.5	49.7
Average			66.2	153.8	87.6	.52		13.1	6.75	8.00	3.63	20.9	64s	2.10	2.90	28.0	3.35	49.8
Substation No. 14, Sonora - Sire TS 6013																		
137	6351	2/27/61	78	162	84	.50		16.4	9.0	9.8	5.20	19.7	70s	2.0	2.5	10	1.7	76.0
Substation No. 14, Sonora - Sire: PHH 1975																		
139	6381	3/7/61	92	184	92	.55		20.3	10.0	10.2	4.08	22.8	62s	3.0	2.2	46	2.4	67.6
141	6397	3/12/61	71	186	114	.68		16.4	9.2	10.2	4.45	22.8	62s	2.0	2.5	34	3.3	71.4
Average			81.5	184.8	103.3	.61		18.4	9.60	10.20	4.26	22.8	62s	2.50	2.35	40.0	2.85	69.5
Substation No. 14, Sonora - Sire: TS 5877																		
147	6461	4/8/61	79	178	99	.59		21.1	9.2	9.9	4.04	21.4	64s	2.1	2.2	46	2.6	65.7
Substation No. 14, Sonora - Sire: EGB 1100																		
149	6482	4/19/61	61	154	94	.56		18.0	9.5	11.0	4.20	19.8	70s	2.6	2.0	42	4.0	59.2
150	6484	4/19/61	67	163	96	.57		18.9	10.9	12.1	4.81	21.8	64s	1.9	2.5	29	3.2	74.6
Average			64.0	158.8	94.8	.56		18.5	10.20	11.55	4.50	20.8	64s	2.25	2.25	35.5	3.60	66.9
Robert Huckaby, Ft. Stockton - Sire: R.H. 163																		
151	386	2/61	115	222	107	.64		19.1	9.8	9.0	3.59	24.0	60s	1.8	2.2	44	2.8	68.6
153	392	3/61	106	201	95	.56		21.7	12.8	12.4	4.04	24.2	60s	2.2	2.5	45	2.8	77.4
155	394	3/61	112	188	76	.45		17.4	9.0	8.3	3.94	23.8	60s	2.0	1.5	32	3.5	54.2
156	399	3/61	100	184	84	.50		16.8	9.6	9.4	3.98	22.3	62s	2.4	2.3	18	3.5	62.5
Average			108.5	198.8	90.3	.54		18.8	10.30	9.78	3.89	23.6	60s	2.10	2.12	34.8	3.15	65.7
Robert Huckaby, Ft. Stockton - Sire: RH 142																		
152	387	2/61	110	201	91	.54		19.3	10.9	10.3	4.35	23.5	60s	2.1	1.8	41	2.9	70.1
Robert Huckaby, Ft. Stockton - Sire MP A-4401																		
154	393	3.61	131	216	85	.51		19.5	10.0	8.5	4.45	22.6	62s	2.2	2.3	34	4.0	60.8

P - Indicates polled rams. All others horned.
(1) - Adjusted for initial body weight

Fleece Record - 365 Days

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/27/61	Final Weight 3/14/62	Total Gain	Aver. Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Weight (1)	Staple Length Inches	Fiber Diam. Microns	Spinning Count	Body Conf.	Belly Wool	Skin Folds	Face Cover	Selection index
W. L. (Tom) Davis, Sonora - Sire: WLD 1918																		
157P	A402	3/12/61	112	200	88	.53	<i>clean dig.</i>	18.7	9.6	8.9	3.77	22.7	62s	2.0	2.5	56	3.6	55.4
158P	A408	11/20/60	116	198	82	.49	<i>dry - skunk</i>	20.1	9.9	9.1	4.00	22.8	62s	1.8	2.2	27	3.9	59.3
Average			114.0	199.2	85.2	.51		19.4	9.75	9.00	3.89	22.8	62s	1.90	2.35	41.5	3.75	57.4
W. L. (Tom) Davis, Sonora - Sire: WLD A-60																		
159P	A518	3/10/61	95	194	99	.59	<i>dry slight knots</i>	16.4	8.5	8.5	3.67	23.7	60s	1.8	2.0	28	3.8	58.7
160P	A541	3/12/61	84	182	98	.59	<i>clean dig.</i>	17.4	9.3	9.8	4.49	21.1	64s	1.7	2.5	2.0	2.0	76.2
Average			89.5	188.2	98.7	.59		16.9	8.90	9.15	4.08	22.4	62s	1.75	2.25	24.0	2.90	67.4
Miles Pierce, Alpine - Sire: MP-A-7288																		
162	B716	11/18/60	124	214	90	.54	<i>Horn</i>	17.8	11.0	9.9	4.69	22.9	62s	1.5	1.7	18	3.2	75.0
163	B717	11/21/60	117	209	92	.55		21.9	10.3	9.4	4.20	21.9	64s	1.5	1.8	27	2.1	74.7
Average			120.2	211.5	91.3	.54		19.9	10.65	9.65	4.44	22.4	62s	1.50	1.75	22.5	2.65	74.8
Miles Pierce, Alpine - Sire: MP-A8310																		
164	B763	12/1/60	108	209	101	.60		17.6	10.0	9.5	4.61	24.0	60s	1.5	1.5	19	2.7	76.6
Miles Pierce, Alpine - Sire: MP A8301																		
165	B795	11/26/60	106	202	96	.57		18.5	11/3	10.9	4.79	21.4	64s	2.4	1.7	18	3.2	78.4
Miles Pierce, Alpine 0 Sire: MP A263																		
166	B875	3/61	88	206	118	.70		17.2	8.3	8.6	3.88	22.2	62s	1.4	2.5	37	3.4	65.6
167	B885	3/61	85	180	95	.56		17.6	10.5	11.0	4.51	22.5	62s	1.8	2.3	19	3.4	72.1
168	B895	3/61	87	173	86	.51		15.6	8.3	8.7	4.20	21.7	64s	1.8	2.2	10	3.7	59.4
Average			86.7	186.2	99.5	.59		16.8	9.03	9.43	4.20	22.1	62s	1.67	2.33	22.0	3.50	65.7
Bill Strickland, Brady - Sire: WAS 57																		
169	638	12/5/60	86	180	94	.56		16.2	8.1	8.5	4.18	23.9	60s	2.4	2.0	18	3.7	59.9
170	639	12/5/60	80	179	99	.59		16.4	7.7	8.4	3.88	24.8	60s	2.4	2.5	9	3.4	62.2
171	654	3/17/61	78	168	90	.53		13.3	6.6	7.4	3.84	21.2	64s	1.6	2.0	10	2.4	59.1
Average			81.3	175.7	94.4	.56		15.3	7.47	8.10	3.97	23.3	62s	2.13	2.17	12.3	3.17	60.4

P - Indicates polled rams. All others horned
(1)- Adjusted for initial body weight

Fleece Record - 365 Days																		
Ram	Date	Initial	Final		Aver.	Feed per	Grease	Clean	Adj. Cl.	Staple	Fiber	Spin-	Body	Belly	Skin	Face	Sele-	
Test	Flock	of	Weight	Weight	Total	Daily	Fleece	Fleece	Fleece	Length	Diam.	ning	Conf.	Wool	Folds	Cover	tion	
No.	No.	Birth	9/27/62	3/14/62	Gain	Gain	Weight	Weight	Weight (1)	Inches	Microns	Count					Index	
L. F. and Clinton Hodges, Sterling City - Sire: R3887 and A356 (173)																		
173	1114	11/15/60	152	261	109	.65	19.5	9.9	7.6	4.39	21.9	64s	1.5	3.2	19	2.8	77.8	
174	1154	2/15/61	140	214	74	.44	18.7	9.7	7.9	3.88	23.7	60s	1.4	1.5	18	1.4	69.8	
175	1176	3/1/61	119	184	65	.39	22.1	11.5	10.5	4.24	25.5	58s	2.0	1.5	46	1.2	71.0	
176	R4535	2/15/61	102	200	98	.58	14.6	8.3	8.1	4.20	20.9	64s	1.4	2.7	14	2.8	67.4	
Average			128.1	214.6	86.5	.51	18.7	9.85	8.52	4.18	23.0	62s	1.58	2.22	24.2	2.05	71.5	

COLUMBIAS																	
Pen 13 - L. A. Nordan, Boerne - Sire N9197																	
51	B19	2/9/61	67	168	101	.60	16.0	8.8	10.0	4.12	27.1	56s	1.5	2.5	10	1.0	80.5
52	B84	2/22/61	100	192	92	.55	21.5	11.8	11.6	4.61	27.9	54s	1.8	2.2	16	1.0	90.2
53	B136	4/3/61	102	173	71	.42	20.3	9.9	9.7	5.15	28.5	54s	1.5	2.2	5	1.0	79.2
54	B164	4/20/61	96	191	95	.57	20.3	10.9	10.9	5.33	31.6	48s	1.2	1.8	5	1.0	92.9
Average			91.1	180.9	89.8	.53	19.5	10.35	10.55	4.80	28.8	54s	1.50	2.18	9.0	1.00	85.7
Pen 14 - L. A. Nordan, Boerne - Sire N9193																	
55	D30	2/12/61	124	220	96	.57	18.7	10.4	9.3	4.43	26.0	58s	1.5	2.7	18	1.0	84.7
56	D56	2/18/61	93	182	89	.53	20.9	11.9	12.0	5.29	28.9	54s	1.0	1.8	6	1.0	94.2
57	D162	4/15/61	88	170	82	.49	21.7	10.0	10.3	4.67	29.4	50s	1.6	1.8	16	1.0	79.7
58	B163	4/15/61	109	223	114	.68	23.0	9.8	9.3	5.54	29.2	54s	1.5	2.0	5	1.0	96.0
Average			103.8	198.9	95.1	.57	21.1	10.52	10.22	4.98	28.4	54s	1.40	2.08	11.2	1.00	88.6

Ave. Fall Dropped Rambouillets (33 head)						.50	1082	19.3	10.2	9.4	4.36	23.3	62s	1.84	1.96	27.7	2.78	68.2
Ave. Spring Dropped Rambouillets (75 head)						.54	1041	17.9	9.2	9.3	4.15	21.8	64s	2.03	2.07	30.0	2.78	65.5
Ave. Columbias						.55	1028	20.3	10.4	10.4	4.89	28.6	54s	1.45	2.13	10.1	1.00	87.2

P indicates polled rams. All others horned.
(1) Adjusted for initial body weight

Fleece Record - 365 Days																		
Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/27/61	Final Weight 3/14/62	Total Gain	Aver. Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Weight (1)	Staple Length Inches	Fiber Diam. Microns	Spin- ning Count	Body Conf.	Belly Wool	Skin Folds	Face Cover	Selec- t on Index
PASTURE-FEEDLOT TEST GROUPS																		
Pen 7 & 8 - Roy Jacoby, Menard - Feedlot Group																		
25P	102	2/61	86	168	82	.49	1139	15.2	7.0	7.4	4.44	21.4	64s	2.3	3.5	23	2.8	56.0
26	103	2/61	92	171	79	.47		15.8	7.8	8.0	4.59	21.0	64s	1.6	3.0	16	1.1	68.9
27P	104	2/61	82	161	79	.47		18.5	8.7	9.3	4.22	21.7	64s	2.3	3.0	29	2.6	60.6
28	107	2/61	108	181	73	.43		14.4	7.0	6.5	3.83	20.0	70s	1.5	4.0	12	2.8	52.1
29P	109	2/61	112	201	89	.53		20.1	9.1	8.4	4.22	20.8	64s	2.0	3.2	11	2.8	68.3
30	110	2/61	113	191	78	.46		16.2	7.2	6.5	3.85	21.8	64s	1.5	3.2	15	3.4	51.1
31P	113	2/61	83	154	71	.42		15.0	7.7	8.2	4.18	22.3	62s	2.2	2.5	20	3.0	53.1
32	114	2/61	101	191	90	.54		15.8	7.0	6.8	3.67	21.1	64s	2.5	4.0	13	3.2	55.9
Average			97.2	177.2	80	.48	1139	16.38	7.69	7.64	4.12	21.3	64s	2.00	3.30	17.4	2.72	58.2
Roy Jacoby, Menard - Pasture Group																		
201P	101	2/61	109	127	18	.11		10.7	5.8		3.98	19.5	70s	1.9	2.5	7	2.2	60.6*
202	105	2/61	100	137	37	.23		12.1	5.7		3.72	19.0	80s	1.5	2.2	11	3.0	76.8
203	106	2/61	102	126	24	.15		10.2	5.5		3.17	19.6	70s	1.8	2.8	11	2.2	67.5
204P	108	2/61	117	144	27	.17		11.5	5.6		2.96	20.8	64s	2.0	2.7	15	2.2	63.6
205P	111	2/61	96	113	17	.11		8.6	4.8		3.26	19.0	80s	2.5	2.2	7	2.5	49.5
206	112	2/61	76	99	23	.15		10.7	4.8		2.93	20.0	70s	2.0	3.0	12	3.0	51.7
207P	115	2/61	86	110	24	.15		9.4	5.2		3.50	23.2	62s	1.9	2.0	25	3.0	53.5
Average			98.0	122.3	24.3	.15		10.46	5.34		3.37	20.2	70s	1.94	2.49	12.6	2.61	60.5
Pen 9 and 10 - Philip Robbins, Ft. Stockton - Sire 5157 - Feedlot Group																		
33	366	3/61	98	161	63	.38		16.4	8.4	8.3	4.11	23.0	62s	2.2	3.5	19	2.6	55.5
34	368	3/61	85	176	91	.54		20.7	8.9	9.4	4.83	24.2	60s	1.9	2.6	48	3.2	61.1
35	370	3/61	77	164	87	.52		17.4	8.1	8.6	4.44	22.3	62s	2.2	2.2	45	1.1	66.7
36	372	3/61	83	182	99	.59		20.5	8.5	9.0	4.44	23.1	62s	2.6	2.5	68	1.4	66.3
37	391	3/61	90	181	91	.54		16.8	9.2	9.4	4.39	22.0	64s	2.1	3.3	20	3.0	67.2
38	392	3/61	112	202	90	.54		17.0	8.1	7.5	4.66	23.0	62s	1.8	3.2	22	2.5	66.0
39	411	3/61	95	178	83	.49		16.0	8.2	8.2	4.61	21.5	64s	2.5	2.8	24	2.5	62.8
40	422	3/61	79	174	95	.57		16.2	6.9	7.6	4.28	22.8	62s	2.1	3.1	47	2.0	59.1
41	426	3/61	87	168	81	.48		17.8	9.7	10.1	5.46	22.3	62s	1.9	2.7	18	3.2	69.2
42	430	3/61	89	174	86	.51		16.4	7.6	7.9	4.04	20.8	64s	1.8	2.7	17	1.6	65.5
Average			89.6	176.2	86.6	.52	1000	17.5	8.36	8.60	4.53	22.5	62s	2.11	2.86	32.8	2.32	63.9

P after test number indicates polled rams. All others horned.

(1) Adjusted for initial body weight

*Selection index scores for rams tested on pasture have been adjusted for feedlot differences. Therefore, they are comparable to index scores for feedlot-tested rams.

1 2 3 4 6 7 8

Fleece Record - 365 Days

Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/27/61	Final Weight 3/14/62	Total Gain	Aver. Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Weight (1)	Staple Length Inches	Fiber Diam. Microns	Spinning Count	Body Conf.	Belly Wool	Skin Folds	Face Cover	Selection Index
Philip Robbins, Ft. Stocktin - Sire 5157 - Pasture Group																		
208	365	3/61	66	90	24	.15	<i>Horns</i>	10.4	4.6		3.24	20.2	70s	2.8	2.0	12	3.5	44.2*
210	379	3/61	79	111	32	.20		8.8	5.4		3.77	22.3	62s	2.0	1.7	4	4.0	63.7
211	386	3/61	95	123	28	.18		12.0	6.0		3.46	20.4	70s	1.8	2.5	10	3.2	61.9
212	393	3/61	87	105	18	.11		10.0	4.9		3.63	21.7	64s	2.0	2.0	6	3.2	46.8
214	412	3/61	87	118	31	.19		11.2	6.3		3.52	22.4	62s	2.0	2.2	11	1.0	76.6
215	415	3/61	97	132	35	.22		11.0	6.0		3.35	21.4	64s	1.5	2.0	6	3.2	71.6
216	421	3/61	80	112	32	.20		10.8	5.8		3.63	20.5	70s	2.0	1.0	11	3.0	65.4
217	6151	3/61	82	104	22	.14		13.5	6.5		3.79	19.5	70s	2.2	2.5	10	4.0	55.4
Average			84.1	111.9	27.8	.17		10.96	5.69		3.55	21.0	64s	2.04	1.99	8.8	3.14	60.7
Pen 15 - Awbrey Kothmann, Junction - Feedlot Group																		
59P	39	2/61	85	157	72	.43	<i>Dep. severe</i>	16.8	8.3	8.8	4.50	21.4	64s	2.4	2.8	17	2.5	60.6
60P	71	2/61	111	178	67	.40	<i>Dep. 1/2 severe</i>	16.8	8.0	7.4	4.72	22.4	62s	2.5	2.7	15	1.8	62.5
61P	77	2/61	102	168	66	.40	<i>Dep. severe</i>	17.6	9.0	8.8	4.66	22.5	62s	1.8	3.0	18	1.0	69.8
62P	269	2/61	85	154	69	.41	<i>Dep. clean</i>	16.4	7.4	7.9	4.44	23.9	60s	2.2	1.8	14	3.0	53.6
63P	270	2/61	82	160	78	.47	<i>Dep. 1/2 severe</i>	16.8	8.4	9.0	4.26	23.7	60s	2.5	1.8	27	1.0	68.2
64P	271	2/61	87	174	87	.52	<i>5" Horns</i>	18.9	9.4	9.8	4.26	23.1	62s	2.2	3.0	12	3.2	66.8
Average			91.8	165.3	73.5	.44	1013	17.22	8.42	8.62	4.48	22.8	62s	2.27	2.52	17.2	2.07	63.6
Awbrey Kothmann, Junction - Pasture Group																		
218P	30	2/61	86	116	30	.19	<i>Dep. clean</i>	9.2	5.6		4.41	20.5	70s	2.5	3.0	12	2.5	65.6*
219P	61	2/61	91	125	34	.22	<i>Dep. severe</i>	10.9	5.7		3.61	19.4	70s	1.9	2.3	3	1.5	76.1
220P	64	2/61	81	102	21	.13	<i>Dep. horns</i>	9.4	5.3		3.69	21.6	64s	1.8	2.5	9	2.0	55.3
221P	267	2/61	101	130	29	.18	<i>Horn stable</i>	11.5	5.0		3.50	21.4	64s	2.5	3.2	5	1.6	64.3
222P	268	2/61	88	106	18	.18	<i>Dep. scabby</i>	13.7	6.6		3.93	22.3	62s	2.8	3.2	15	2.8	65.4
Average			89.4	115.8	26.4	.17		10.94	5.64		3.82	21.0	64s	2.30	2.84	8.80	2.09	65.3
Pen 17 & 18 - Carl Martin, Menard - Sires 13 & 6 - Feedlot Group (Sire: 6 - 75, 76, 77 - All others by 13)																		
69	116	2/61	72	134	62	.37	<i>Horn</i>	14.7	6.4	7.4	4.83	19.7	70s	2.4	2.2	12	2.8	50.1
70	117	2/61	86	166	80	.48	"	15.5	7.5	7.9	4.66	20.0	70s	1.3	2.5	15	1.6	66.1
71	123	2/61	76	146	70	.42	"	17.1	8.2	9.0	5.64	21.0	64s	2.0	1.8	22	1.4	68.9
72P	125	2/61	78	147	69	.41	<i>Dep. slight severe</i>	15.9	5.5	6.3	3.93	20.0	70s	1.6	2.8	5	1.6	53.0

P after test number indicates polled rams. All others horned.
 (1) - Adjusted for initial body weight.
 *Selection index scores for rams tested on pasture have been adjusted for feedlot differences. Therefore, they are comparable to index scores for feedlot-tested rams.

= 13 =

1 2 3 4 5 6 7 8

								Fleece Record - 365 Days											Selection Index
Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/27/61	Final Weight 3/14/62	Total Gain	Aver. Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Weight (1)	Staple Length Inches	Fiber Diam. Microns	Spinning Count	Body Conf.	Belly Wool	Skin Folds	Face Cover		
X Pen 17 & 18 - Continued:																			
73P	131	2/61	88	175	87	.51	<i>Reg. severe</i>	17.7	6.8	7.1	4.33	22.8	62s	1.0	1.5	14	2.4	59.8	
74P	132	2/61	82	164	82	.49	<i>Reg. severe</i>	16.3	6.2	6.8	3.89	20.6	64s	1.1	3.2	16	2.4	54.1	
75	133	2/61	84	163	79	.47	<i>Horn</i>	16.5	8.2	8.7	4.55	23.1	62s	2.6	2.2	28	2.2	62.2	
76	135	2/61	73	162	89	.53	<i>Horn</i>	15.7	8.0	9.0	4.39	20.6	64s	1.6	2.2	27	2.1	65.1	
77	136	2/61	92	177	85	.50	<i>Horn</i>	15.5	7.2	7.4	4.77	21.5	64s	1.4	2.5	13	1.0	70.1	
X Average			81.3	159.4	78.1	.46	1105	16.1	7.11	7.73	4.55	21.0	64s	1.67	2.32	16.9	1.96	61.0	
X Carl Martin, Menard - Sires 13 & 6 (Sire 6: 232 - all others by 13)																			
224	118	2/61	71	116	45	.28	<i>Horn</i>	13.7	5.4		3.76	21.2	64s	1.5	2.7	25	1.0	62.6*	
225	119	2/61	74	120	46	.29	"	15.7	6.3		4.13	20.0	70s	1.9	2.2	17	1.0	71.0	
226	122	2/61	86	121	35	.22	"	11.6	4.9		3.50	18.6	80s	2.0	2.5	15	1.2	53.2	
227	126	2/61	63	111	48	.30	"	14.5	6.7		4.48	20.3	70s	1.8	2.0	5	1.0	78.6	
228	127	2/61	62	101	39	.25	"	11.6	4.8		4.15	20.4	70s	2.0	2.5	9	1.0	61.7	
229P	128	2/61	69	110	41	.26	<i>Reg. 1" sear</i>	10.4	5.3		4.24	20.7	64s	1.8	1.7	7	1.2	64.7	
230	129	2/61	74	119	45	.28	<i>Horn</i>	12.9	5.0		4.04	20.2	70s	1.5	3.0	13	1.0	64.6	
231	130	2/61	70	113	43	.27	<i>" stubb 5"</i>	11.8	5.8		3.59	20.0	70s	2.2	2.7	19	1.0	64.0	
232P	134	2/61	72	114	42	.27	<i>" stubb 2 1/2"</i>	13.3	6.0		4.04	19.6	70s	1.8	2.5	20	1.0	66.6	
Average			71.2	113.9	42.7	.27		12.8	5.58		3.99	20.1	70s	1.83	2.42	14.4	1.06	65.2	
Pens 19 & 20 - J. M. Auld, Jr., Mountain Home - Feedlot Group																			
78P	172	2/61	93	184	91	.54	<i>Reg. clean</i>	20.7	10.0	10.1	4.33	24.1	60s	2.2	1.5	35	1.6	74.4	
79P	173	2/61	90	169	79	.47	<i>Reg. clean</i>	18.2	9.7	9.9	4.72	22.3	62s	1.8	2.5	32	1.8	70.1	
80P	176	2/61	107	189	82	.49	<i>Horn stubb</i>	15.8	8.4	7.9	4.87	23.6	60s	2.0	2.5	11	2.8	65.7	
81P	178	2/61	94	180	86	.51	<i>Reg. slight sear</i>	19.1	8.6	8.7	4.61	22.0	64s	1.8	2.5	41	1.5	67.4	
82P	181	2/61	86	168	82	.49	<i>4" Horn</i>	16.6	8.5	8.9	4.15	24.3	60s	2.0	1.2	33	3.5	55.2	
83P	182	2/61	90	174	84	.50	<i>Horn stubb</i>	18.0	7.9	8.1	4.48	26.0	58s	2.2	1.8	62	2.6	53.6	
84P	183	2/61	97	164	67	.40	<i>Reg. slight sear</i>	17.0	8.1	8.1	4.70	24.4	60s	3.6	2.8	37	1.0	62.6	
85P	186	2/61	85	144	59	.35	<i>Reg. clean</i>	14.6	7.3	7.8	4.77	22.4	62s	2.0	2.2	10	2.0	56.9	
86P	187	2/61	78	154	76	.45	<i>Horn stubb</i>	16.8	8.2	9.0	4.44	25.5	58s	1.7	1.8	13	2.5	62.0	
87P	190	2/61	79	158	79	.47	<i>Reg. maffy</i>	17.6	8.9	9.6	4.66	23.5	60s	2.0	1.0	45	3.0	57.8	
X Average			89.8	168.5	78.7	.47	1090	17.4	8.56	8.81	4.57	23.8	60s	2.13	1.98	31.9	2.24	62.6	

P after test number indicates polled rams. All others horned
(1) - Adjusted for initial body weight.

*Selection index scores for rams tested on pasture have been adjusted for feedlot differences. Therefore, they are comparable to index scores for feedlot-tested rams.

		Fleece Record - 365 Days																	
Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/27/61	Final Weight 3/14/62	Total Gain	Aver. Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Weight (1)	Staple Length Inches	Fiber Diam. Microns	Spinning Count	Body Conf.	Belly Wool	Skin Folds	Face Cover	Selection Index	
J. M. Auld, Jr., Mt. Home - Pasture Group																			
234P	175	2/61	90	117	27	.17	<i>Reg. clean</i>	13.3	6.6		4.19	21.6	64s	2.2	2.5	16	2.8	68.0*	
235P	177	2/61	98	118	30	.13	<i>Horns</i>	9.0	4.8		3.28	23.3	62s	2.1	2.2	8	2.8	49.8	
236P	179	2/61	85	110	25	.16	<i>well developed horns</i>	10.8	4.7		3.93	21.9	64s	2.6	3.3	5	2.0	63.3	
237P	180	2/61	94	118	24	.15	<i>Reg. slight horns</i>	12.6	6.6		3.76	24.5	60s	2.3	1.5	14	1.8	68.7	
238P	184	2/61	89	115	26	.16	<i>Horns</i>	10.0	6.0		3.61	19.6	70s	2.0	2.3	12	2.0	66.2	
239P	188	2/61	80	112	32	.20	<i>well dev. horns</i>	10.6	4.9		3.91	21.7	64s	2.0	2.3	14	3.2	60.4	
240P	189	2/61	78	99	21	.13	" " "	9.6	4.5		4.13	22.6	62s	2.6	3.0	12	2.5	51.0	
241P	191	2/61	95	119	24	.15	" " "	10.6	5.2		3.65	19.0	80s	2.8	2.3	12	2.0	59.4	
242P	193	2/61	84	114	30	.19	<i>Reg. clean</i>	11.4	5.5		4.09	22.3	62s	2.9	2.2	10	1.8	72.9	
Average			88.1	113.6	25.5	.16		10.9	5.42		3.84	21.8	64s	2.39	2.40	11.4	2.31	62.2	
Pen 28 and 29 - Virgil Powell, Big Lake - Feedlot Group																			
116	137	4/61	93	186	93	.55	<i>Horns</i>	19.4	10.1	10.2	4.50	24.9	60s	1.8	2.0	24	1.0	81.4	
117	141	4/61	90	187	97	.58		22.4	11.3	11.5	4.72	24.2	60s	2.0	1.5	20	1.8	85.5	
118	148	4/61	92	186	94	.56		16.1	8.9	9.1	4.39	21.1	64s	1.9	2.2	13	1.0	79.0	
119	149	4/61	88	174	86	.51		13.5	6.9	7.2	3.96	21.0	64s	2.0	2.0	6	1.5	65.0	
120	153	4/51	102	204	102	.61		19.2	9.8	9.6	4.55	23.0	62s	1.5	2.3	28	1.0	83.2	
121	155	4/61	76	160	84	.50(2)		13.1	6.1	6.9	3.50	23.4	62s	2.0	2.8	27	1.2	56.8	
122	163	4/61	86	180	94	.56		16.1	8.3	8.7	4.48	23.3	62s	1.8	2.5	14	1.8	72.5	
123	164	4/61	85	174	89	.53		17.1	9.3	9.8	4.98	23.8	60s	2.0	2.0	15	1.0	80.7	
124	1651	4/61	93	190	97	.58		18.2	8.9	9.0	4.66	22.2	62s	2.0	2.7	12	1.2	80.4	
125	170	4/61	106	186	80	.48		15.9	8.2	7.8	4.50	23.0	62s	1.8	1.8	9	2.0	67.4	
Average			91.0	182.6	91.6	.55	973	17.10	8.78	8.98	4.42	23.0	62s	1.88	2.18	16.8	1.36	75.2	
Virgil Powell, Big Lake - Big Lake Pasture Group																			
243	142	4/61	94	106	12	.08	<i>Horns</i>	8.6	5.3		3.30	20.4	70s	2.0	2.5	7	1.2	76.7*	
244	144	4/61	93	98	5	.03		9.6	5.8		3.52	21.7	64s	1.8	1.8	4	1.0	80.6	
246	152	4/61	83	95	12	.08		9.6	4.9		3.24	22.3	62s	1.5	2.0	6	1.0	75.4	
247	154	4/61	88	96	8	.05		7.6	4.3		3.20	20.6	64s	2.0	2.5	2	2.0	65.2	
248	157	4/61	85	99	14	.09	<i>clean</i>	9.4	5.2		3.56	20.0	70s	1.8	1.5	8	1.0	78.0	
249	159	4/61	80	91	11	.07	<i>Reg. clean</i>	7.6	4.7		3.89	21.1	64s	2.5	2.5	1	1.0	80.3	
250	162	4/61	83	100	17	.11		9.0	5.1		3.80	19.9	70s	2.0	1.5	4	1.0	83.4	

P after test number indicates polled rams. All others horned.
 (1) - Adjusted for initial body weight.

*Selection index scores for rams tested on pasture have been adjusted for feedlot differences. Therefore, they are comparable to index scores for feedlot-tested rams.

Fleece Record - 365 Days																		
Ram Test No.	Flock No.	Date of Birth	Initial Weight 9/27/61	Final Weight 3/14/62	Total Gain	Aver. Daily Gain	Feed per 100 lbs. Gain (1)	Grease Fleece Weight	Clean Fleece Weight	Adj. Cl. Fleece Weight (1)	Staple Length Inches	Fiber Diam. Microns	Spinning Count	Body Conf.	Belly Wool	Skin Folds	Face Cover	Selection Index
Virgil Powell - Big Lake Pasture Group, continued:																		
251	166	4/61	82	91	9	.06	<i>Horns</i>	8.8	5.2		3.15	20.5	70s	2.0	2.0	3	1.0	76.9
252	169	4/61	99	101	2	.01	<i>cc</i>	9.0	4.7		3.48	20.8	64s	2.1	2.0	5	1.0	70.4
Average			87.4	97.4	10.0	.06		8.80	5.02		3.46	20.8	64s	1.97	2.03	4.4	1.14	76.3
Virgil Powell Big Lake - Ft. McKavett Pasture Group																		
253	138	4/61	84	100	16	.10	<i>Horns</i>	7.3	3.9		3.22	19.5	70s	1.5	2.7	9	1.0	72.7*
254	140	4/61	93	100	7	.04		8.4	4.3		3.59	21.2	64s	2.0	2.5	5	1.5	71.7
255	143	4/61	85	93	8	.05		7.8	4.8		3.32	19.7	70s	2.2	2.7	1	1.2	78.3
256	146	4/61	80	95	15	.09		8.4	5.0		3.59	20.7	64s	1.8	2.2	14	1.0	80.9
257	150	4/61	82	94	12	.08		8.2	4.6		3.65	20.4	70s	2.1	2.2	8	2.2	73.6
258	156	4/61	88	101	13	.08		7.8	4.4		3.15	18.9	80s	1.7	2.0	5	1.4	74.9
259	160	4/61	80	100	20	.13		9.0	5.2		3.15	22.1	62s	2.5	2.2	16	1.0	81.2
260	161	4/61	84	94	10	.06		6.7	3.6		2.93	19.1	80s	2.0	3.0	5	1.5	63.8
262	167	4/61	81	87	6	.04		9.4	5.2		3.37	21.1	64s	2.2	2.0	5	2.8	70.5
Average			84.1	96.0	11.9	.08			8.11	4.56		3.33	20.3	70s	2.00	2.39	7.6	1.52
Average: All Pasture-Tested Rams						.15		10.38	5.29		3.62	20.8	64s	2.06	2.33	9.7	1.92	66.7
Average: All Feedlot-Tested Rams						.49	1053	16.98	8.17	8.42	4.45	22.4	62s	1.99	2.50	22.8	2.08	64.4

P after test number indicates polled rams. All others horned.
 (1) - Adjusted for initial body weight.

*Selection index scores for rams tested on pasture have been adjusted for feedlot differences. Therefore, they are comparable to index scores for feedlot-tested rams.