

Reg No.	No.	Birth date	Birth type	Age of Dam	Start	Final	ADG		Fleece		Fiber Diameter, microns				Scores			Scrot. circ.	Fat Depth	Ribeye Area	ROM	Index Ratio
							Wt. 10/1	Wt. 2/18	Total	Body Gr.	Yield	Clean	Stap. len.	Core	Comfort	Face	Belly					
Pen 1 Prescott, Kenny, GOLDTHWAITE Sire:978554 RDE0328																						
Reg	1	203																				
Pen 2 Henson, Don, GOLDTHWAITE Sire:S MENZIES 866																						
Reg	2	326																				
Reg	3	375																				
Pen 3 Schunke Ranch, GOLDTHWAITE Sire:BF 388																						
Reg	4	1988																				
Reg	5	1989																				
Reg	6	1991																				
Sire:CSM 2454																						
Reg	7	1992																				
Sire:SCHUNKE 286																						
Reg	8	1990																				
Pen 4 River Creek Farms, MANHATTAN, KS Sire:BOYER 1716																						
Reg	9	971																				
Sire:Mertz 347																						
RegP	11	979																				
Pen 5 Gainer Ranch, MENARD Sire:																						
ComP	12	749																				
Com	13	750																				
Com	14	751																				
Com	15	752																				
Com	16	753																				
Com	17	754																				
Com	18	755																				
Com	19	756																				
Com	20	757																				
Sire:985105																						
Reg	21	3105																				
Reg	22	3111																				
RegP	23	3127																				

P before the test number designates a Polled ram

\* after a value indicates reason this ram was not eligible for certification

R e Test g No.	Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 10/1	Final Wt. 2/18	ADG		Fleece		Fiber Diameter, microns				Scores			Scrot. Fat Ribeye		ROM Index	Index Ratio					
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds			circ. cm.	Depth in.	Area sq.in.		
*****																										
Pen 36 Menzies, C & S, SAN ANGELO																										
Sire:CSM 2464																										
Reg	24	2887	11/ 2/2	TW	3	175	274	.71	.64	23.8	46.4	11.0	5.0	19.9	19.8	20.5	21.9	99.3	1.0	1.8	1.0	39.5	.35	4.24	114.06	103.8
Reg	25	2888	11/ 2/2	TW	3	178	263	.61	.55	20.8	55.0	11.4	4.9	23.1	19.6	23.1	24.6	96.9	1.2	1.9	1.3	35.1	.30	3.62	100.52	91.5
Reg	26	2895	11/ 2/2	S	3	184	315	.94	.85	31.4	46.3	14.6	5.4	20.8	19.9	21.5	24.0	97.8	1.1	1.6	1.4	41.0	.28	4.14	139.48	126.9
Sire:CSM 2532																										
Reg	28	2917	3/ ./3	TW	6	133	218	.61	.56	17.9	50.3	9.0	5.1	19.6	17.2	19.6	22.8	99.7	1.2	1.6	1.4	32.1	.24	3.20	103.67	84.3
Reg	29	2919	3/ ./3	TW	6	157	313	1.11	1.06	20.5	49.5	10.1	4.8	22.7	22.7	22.7	26.2	97.3	1.0	1.1	1.5	33.4	.43	3.64	122.71	99.8
Reg	30	2940	3/ ./3	S	7	177	314	.98	.91	23.7	45.4	10.7	4.8	25.3*	23.1	24.6	29.8*	89.8	0.7	1.1	1.7	36.3	.35	4.30	109.49	89.1
Reg	31	2941	3/ ./3	S	8	149	293	1.03	.95	27.6	47.1	13.0	4.9	24.5*	26.9	24.2	27.2	90.1	1.2	1.1	1.6	37.8	.51	3.73	118.64	96.5
Reg	32	2953	3/ ./3	S	6	145	262	.84	.78	20.3	58.0	11.8	4.8	21.4	21.9	20.7	23.6	97.4	1.1	1.5	1.3	35.7	.31	3.90	117.62	95.7
Sire:CSM 2626																										
Reg	34	2907	12/ 2/2	S	3	187	272	.61	.56	16.9	48.4	8.2*	4.5	21.0	17.5	21.8	22.5	99.3	0.9	1.7	1.3	36.0	.46	4.34	95.28	86.7
Reg	35	2910	12/ 2/2	TW	3	177	273	.69	.61	25.4	51.8	13.2	5.7	22.4	25.7	24.1	24.5	97.8	1.3	1.3	1.3	38.6	.37	4.11	108.35	98.6
Sire:CSM 2720																										
Reg	36	2966	3/ ./3	S	3	160	282	.87	.80	26.1	54.5	14.2	5.0	23.7	19.2	24.9	27.1	95.1	1.0	1.3	1.6	35.1	.32	3.76	125.81	102.4
Reg	37	2967	3/ ./3	TW	3	122	250	.91	.86	18.0	50.7	9.1	5.1	23.3	22.4	23.0	28.5*	94.8	1.2	2.3	1.1	39.9	.28	3.42	107.14	87.2
Reg	38	2976	3/ ./3	S	3	137	254	.84	.78	20.6	55.8	11.5	5.6	21.6	20.1	22.1	24.4	98.5	0.9	1.4	1.1	33.6	.47	3.08	120.87	98.3
Reg	39	2982	3/ ./3	S	3	130	275	1.04	.97	24.3	53.5	13.0	5.1	24.8*	20.9	26.0*	30.7*	89.7	1.2	1.4	1.4	40.5	.30	4.04	126.40	102.8
*****																										
Pen 8 Sullivan, Michael, GENTRY, AR																										
Sire:FINCHER 1693																										
Reg	40	110	3/10/3	S	3	136	267	.94	.87	22.6	56.4	12.7	5.1	22.2	17.7	22.7	24.6	98.2	1.0	1.4	1.4	32.0	.36	3.26	130.84	106.4
Sire:HELLWIG 575																										
Reg	41	111	3/15/3	S	3	123	266	1.02	.96	21.6	56.4	12.2	5.8	21.1	17.3	22.2	24.3	99.2	1.0	1.3	1.5	35.3	.29	4.28	138.71	112.8
Sire:TVB 702-96																										
Reg	42	101	10/ 9/2	S	2	158	324	1.19	1.12	24.2	46.7	11.3	4.5	24.4*	18.9	25.7*	28.9*	91.3	3.1*	1.1	1.4	39.9	.47	3.94	129.37	117.7
*****																										
Pen 9 Hellwig Rambouillets, PAINT LICK, KY																										
Sire:W Fincher 142																										
Reg	43	723	3/24/3	TW	3	146	268	.87	.79	28.6	56.4	16.1	6.1	21.2	18.8	22.3	26.4	98.2	1.1	1.1	1.6	35.7	.33	3.31	142.96	116.3
Reg	44	731	3/29/3	TW	4	134	258	.89	.83	20.8	52.3	10.9	5.5	22.3	18.6	23.9	25.6	97.8	1.0	1.5	1.4	34.5	.28	3.70	121.42	98.8
Reg	45	734	3/29/3	TW	5	151	278	.91	.84	23.0	53.8	12.3	5.8	21.8	20.2	23.4	25.4	98.2	1.6	1.4	1.2	36.0	.33	3.13	127.55	103.8
Reg	46	762	4/ 9/3	TW	3	136	284	1.06	.99	23.2	55.8	13.0	5.8	22.2	20.6	23.3	24.9	97.0	2.2	1.7	1.4	37.0	.38	3.89	137.17	111.6
*****																										
Pen 10 H & C Livestock, SAN ANGELO																										
Sire:TAES 7171																										
Reg	47	290	3/25/3	S	4	141	263	.87	.80	25.9	51.2	13.3	5.5	21.8	17.6	23.2	25.6	97.8	1.3	1.4	1.6	36.3	.33	3.47	131.31	106.8
Reg	48	293	4/14/3	TW	3	108	218	.79	.71	26.1	43.8	11.4	5.0	21.5	17.7	23.4	23.4	99.2	1.1	1.4	2.0	35.8	.37	3.66	117.54	95.6
Reg	49	298	4/14/3	TW	4	113	235	.87	.80	24.2	45.6	11.0	5.3	21.5	18.9	22.5	24.5	98.4	1.6	1.7	1.4	38.0	.28	3.51	121.77	99.1

Reg 47 290

P before the test number designates a Polled ram

\* after a value indicates reason this ram was not eligible for certification

R	Age	Start	Final	ADG		Fleece		Fiber Diameter, microns					Scores			Scrot. Fat		Ribeye							
e Test Flock	Birth	Birth of	Wt.	Wt.	Total	Body	Gr.	Yield	Clean	Stap.	Core		Comfort	Face	Belly	Body	circ.	Depth	Area	ROM	Index				
g No.	No.	date	type	Dam	10/1	2/18	lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio
Pen 11 Texas Sheep Co., T.Jones, FREDERICKSBURG																									
Sire:T JONES 1-83																									
Reg 50	TX140	3/ 5/3	TW	2	117	243	.90	.85	17.6	52.4	9.2	4.7	21.5	17.3	22.3	22.8	98.8	1.0	1.2	1.5	35.0	.29	3.18	116.03	94.4
Reg 51	TX166	2/26/3	TW	4	114	262	1.06	.99	24.8	56.2	13.9	5.7	22.5	18.4	23.5	24.6	97.9	1.8	1.2	2.3	38.0	.37	3.25	142.64	116.0
Reg 52	TX168	2/28/3	TR	5	120	252	.94	.90	16.0	44.5	7.1*	4.9	21.0	17.4	22.2	24.3	99.2	1.0	2.0	1.3	33.0	.39	3.16	112.66	91.7
Reg 53	TX173	3/ 2/3	TW	5	110	232	.87	.82	18.2	51.0	9.3	5.8	20.6	25.1	21.5	23.8	99.8	1.1	1.3	1.3	35.1	.36	3.07	111.33	90.6
Reg 54	TX181	3/ 3/3	TW	2	98*	233	.96	.91	19.3	57.1	11.0	5.3	20.9	30.9	21.4	22.4	99.0	1.0	1.1	2.0	33.2	.38	3.07	120.88	98.3
Reg 55	TX184	3/ 3/3	S	3	116	238	.87	.82	20.0	53.3	10.6	5.8	21.9	20.4	22.5	22.9	98.3	1.3	1.4	1.4	35.5	.31	3.48	118.68	96.6
Reg 56	TX192	3/ 6/3	S	3	110	237	.91	.85	20.8	52.3	10.9	5.3	21.0	20.7	22.6	24.0	98.8	1.1	1.1	1.4	35.0	.44	3.22	123.15	100.2
Pen 34 Texas Ramb. Sup. Gen.(TRSG), SAN ANGELO																									
Sire:CSM 2626																									
Reg 58	804	3/ 3/3	S	3	124	264	1.00	.93	24.0	51.8	12.4	5.7	21.6	20.1	22.7	23.8	97.8	1.1	1.4	1.3	38.0	.32	4.29	133.84	108.9
Sire:HCR 622																									
Reg 59	645	12/31/2	TW	4	168	290	.87	.81	20.1	51.8	10.4	5.8	23.0	23.8	23.4	26.4	94.8	1.1	2.1	1.2	38.4	.46	4.11	109.98	100.1
Reg 60	712	1/13/3	TW	4	165	298	.95	.88	24.7	45.9	11.3	5.7	22.3	19.0	24.0	25.0	97.0	1.0	1.8	1.6	39.0	.35	4.13	125.68	102.2
Reg 61	757	2/17/3	TW	3	151	280	.92	.84	28.0	47.1	13.2	5.8	22.6	18.3	23.3	26.0	96.5	1.1	1.2	1.4	38.6	.35	3.15	130.84	106.4
Reg 62	773	2/20/3	S	2	135	289	1.10	1.02	28.1	48.2	13.6	5.3	21.3	17.7	23.1	24.4	99.0	0.9	1.2	1.4	37.1	.37	3.59	146.47	119.2
Reg 63	790	2/20/3	TW	2	142	278	.97	.91	23.1	47.3	10.9	5.2	21.2	17.5	22.3	23.8	99.6	1.2	1.5	1.4	37.3	.59	3.99	128.93	104.9
Sire:TAES 2888																									
Reg 64	719	2/ 7/3	TW	2	127	248	.86	.80	22.3	56.9	12.7	5.8	20.9	18.4	22.0	23.2	98.5	1.1	1.4	1.3	31.0	.37	3.86	131.32	106.8
Reg 65	723	2/ 7/3	S	5	156	269	.81	.74	24.9	48.7	12.1	6.2	20.5	16.1	21.6	24.3	99.7	1.0	1.4	1.3	34.1	.44	3.00	127.07	103.4
Reg 66	753	2/17/3	TW	2	155	277	.87	.80	26.8	50.6	13.6	5.7	21.5	17.9	22.5	24.7	98.6	1.0	1.4	1.3	36.0	.34	4.40	133.26	108.4
Reg 67	780	2/20/3	S	2	127	263	.97	.91	22.9	54.0	12.4	6.5	23.0	22.5	24.1	26.1	96.5	1.0	1.4	1.3	34.2	.43	3.67	125.11	101.8
Reg 68	794	3/ 3/3	TW	2	147	280	.95	.88	26.3	53.1	14.0	5.5	23.7	18.6	25.7*	26.1	96.0	1.1	1.6	1.3	36.7	.34	4.10	132.17	107.5
Reg 69	802	3/ 3/3	S	2	156	261	.75	.69	22.5	53.7	12.1	5.1	20.3	15.8	21.3	22.8	99.7	1.2	1.3	1.3	38.0	.34	3.94	122.90	100.0
Reg 70	827	3/10/3	S	3	134	249	.82	.76	21.5	51.3	11.0	5.1	20.8	18.1	22.2	23.7	99.2	1.0	1.5	1.3	36.1	.28	3.62	121.40	98.8
Sire:TAES 3403																									
Reg 71	740	2/12/3	TR	5	126	251	.89	.84	20.4	53.3	10.9	6.0	20.7	19.1	21.4	24.3	98.9	1.0	1.9	1.1	37.6	.29	3.68	125.76	102.3
Reg 72	754	2/17/3	TW	4	136	252	.83	.76	25.6	56.7	14.5	5.8	21.1	17.4	22.4	23.2	99.3	1.3	1.6	1.3	37.2	.25	4.26	135.84	110.5
Reg 74	815	3/ 3/3	S	2	122	248	.90	.84	21.6	51.8	11.2	6.5	20.2	17.3	21.0	22.6	99.5	1.0	1.7	1.3	38.0	.45	3.88	130.29	106.0
Reg 75	823	3/15/3	TW	4	114	251	.98	.91	25.6	50.8	13.0	5.8	21.7	22.5	22.2	25.6	97.7	1.0	1.4	1.4	35.0	.33	4.04	131.42	106.9
Reg 76	866	5/ 1/3	S	4	108	218	.79	.72	22.8	52.7	12.0	6.1	21.3	17.9	23.3	25.1	98.8	1.1	2.2	1.4	33.0	.35	3.12	123.13	100.2
Sire:TRSG 298																									
Reg 77	761	2/17/3	TW	4	129	247	.84	.78	21.7	49.0	10.7	5.7	21.4	19.0	22.1	24.6	98.2	1.0	1.7	1.5	39.2	.31	3.69	119.83	97.5
Reg 78	776	2/20/3	S	5	138	290	1.09	1.01	25.8	53.2	13.7	5.5	21.7	16.7	23.4	25.9	98.8	3.0*	1.8	1.3	34.5	.45	3.73	146.28	119.0
Pen 13 Yates, Janelle, MENARD																									
Sire:MERINO																									
Com 79	62	9/ .2	S	4	157	280	.88	.83	17.4	45.7	8.0*	4.1	22.5	18.4	23.4	25.1	97.8	0.9	1.3	1.3	35.1	.44	4.57	103.79	94.5
Com 80	63	9/ .2	S	4	150	248	.70	.66	15.4	46.1	7.1*	4.4	21.5	18.7	22.6	24.1	99.2	1.1	1.8	1.2	35.6	.48	4.30	93.48	85.1
Com 81	64	9/ .2	S	4	131*	244	.81	.77	13.9	45.9	6.4*	4.2	21.2	17.0	22.7	25.4	99.0	1.0	1.8	1.1	35.5	.57	3.07	98.51	89.7

P before the test number designates a Polled ram

\* after a value indicates reason this ram was not eligible for certification

R e g No.	Flock No.	Birth date	Start type	Final Dam	Age of 10/1	Wt. 2/18	ADG		Fleece			Fiber Diameter, microns			Scores			Scrot. Fat		Ribeye					
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	Side CV	Britch (%)	Comfort Cover	Face Wool	Belly Folds	Body cm.	Depth in.	Area sq.in.	ROM Index	Index Ratio		
*****																									
Pen 14 Hill Country Rambouillet, SONORA																									
Sire:HCR 634																									
Reg 83	683	2/14/3	TW	5	124	268	1.03	.98	18.0	44.3	8.0*	5.2	21.1	19.5	23.2	27.7	98.2	0.7	1.9	1.1	36.3	.46	3.98	120.08	97.7
Reg 84	684	2/14/3	TW	5	116	250	.96	.90	19.5	45.3	8.8*	5.3	20.9	32.1	21.5	25.0	98.3	1.1	1.5	1.2	33.3	.44	3.90	111.93	91.1
Reg 85	688	2/14/3	S	4	140	241	.72	.68	13.4	46.8	6.3*	5.2	21.0	17.5	22.4	25.4	99.0	0.9	2.2	1.2	31.6	.36	3.01	97.75	79.5
Reg 86	691	2/15/3	TW	3	143	302	1.14	1.09	16.9	44.2	7.5*	4.8	20.7	26.1	21.8	25.2	98.3	0.5	2.5	1.1	36.0	.32	4.06	116.04	94.4
Reg 87	696	2/15/3	S	8	129	276	1.05	.99	21.5	46.7	10.0	5.5	21.6	21.0	23.5	26.2	98.3	0.9	1.3	1.3	37.2	.30	3.88	126.79	103.1
Reg 88	697	3/ 1/3	S	4	127	236	.78	.71	22.9	43.3	9.9	4.8	23.2	20.8	26.6*	27.4	93.8	1.0	1.2	1.3	35.9	.40	3.17	102.34	83.3
Sire:TRSG 310																									
Reg 89	699	3/ 1/3	TW	7	112	252	1.00	.94	20.9	52.3	10.9	5.3	22.4	19.9	24.1	26.7	96.2	1.1	1.5	1.5	38.2	.33	3.47	125.49	102.1
Reg 90	706	3/ 5/3	S	4	133	267	.96	.89	23.7	47.3	11.2	5.8	21.2	19.7	22.2	24.0	97.7	0.9	1.9	1.3	38.9	.28	3.20	128.14	104.2
Reg 91	717	3/14/3	TW	4	110	251	1.01	.94	24.7	50.5	12.5	5.8	22.1	20.6	22.4	24.3	97.3	1.4	1.5	1.3	35.0	.42	3.50	132.45	107.8
*****																									
Pen 37 TAES, Sonora, SONORA																									
Sire:TAES 6987																									
Reg 92	7741	2/ ./3	S	3	144	281	.98	.91	25.2	51.3	12.9	5.7	21.5	18.1	22.2	23.9	98.3	1.0	1.3	1.4	36.0	.34	3.14	137.08	111.5
Reg 93	7747	2/ ./3	TW	4	136	287	1.08	1.00	26.2	44.9	11.7	5.8	23.6	25.3	23.9	27.0	94.8	1.0	1.3	1.2	39.1	.33	3.07	123.00	100.1
Reg 94	7752	2/ ./3	TW	4	129	273	1.03	.96	25.4	49.3	12.5	5.3	21.9	19.9	22.6	24.8	97.0	1.0	1.4	1.6	37.3	.32	3.66	134.37	109.3
Reg 95	7760	2/ ./3	TW	4	119	252	.95	.89	20.7	55.0	11.4	5.8	20.5	22.3	20.7	22.1	98.8	2.0	1.8	1.3	36.0	.41	2.98	128.08	104.2
Reg 96	7761	2/ ./3	TW	4	119	231	.80	.74	20.5	53.1	10.9	5.6	20.0	19.1	20.8	22.0	99.5	1.1	1.5	1.2	34.2	.33	3.72	122.34	99.5
Reg 97	7763	2/ ./3	TW	3	109	252	1.02	.96	21.5	50.5	10.9	5.6	20.6	19.2	20.2	22.9	98.7	1.0	1.2	1.4	36.3	.39	3.15	133.63	108.7
Reg 98	7782	2/ ./3	S	3	123	250	.91	.84	24.2	55.3	13.4	6.3	21.5	17.6	22.0	24.3	98.5	1.0	1.3	1.2	35.0	.35	3.59	135.02	109.8
Reg 99	7785	2/ ./3	TW	3	133	271	.99	.91	26.6	49.2	13.1	6.2	21.1	16.9	22.0	24.3	98.7	0.9	1.2	1.2	35.2	.32	3.24	139.48	113.5
Sire:TAES 7193																									
Reg 100	7734	2/ ./3	S	2	142	273	.94	.85	28.7	55.0	15.8	6.4	21.6	15.2	22.5	23.3	99.3	0.9	1.3	1.4	35.0	.36	3.51	145.26	118.2
Reg 101	7824	3/ ./3	S	3	145	281	.97	.89	28.3	47.3	13.4	6.5	19.2	16.5	19.6	21.0	99.9	1.1	1.4	1.3	38.0	.36	4.22	143.16	116.5
Sire:TAES 7363																									
Reg 102	7777	2/ ./3	TW	3	123	240	.84	.78	21.5	47.1	10.1	6.0	20.3	24.8	20.8	23.4	99.0	0.9	1.5	1.4	36.0	.30	3.24	113.37	92.2
Sire:TAES B3167																									
Reg 103	7682	2/ ./3	TW	6	120	248	.91	.84	25.9	51.3	13.3	5.5	21.0	20.2	22.0	24.1	98.9	1.0	1.4	2.0	37.0	.33	3.39	133.70	108.8
Reg 104	7683	2/ ./3	S	6	134	241	.76	.69	25.0	52.2	13.1	5.7	20.1	18.2	19.9	22.8	99.3	1.2	1.6	2.9	36.2	.29	3.46	129.00	104.9
Reg 105	7693	2/ ./3	TW	5	117	262	1.04	.95	30.2	45.4	13.7	5.8	20.7	20.4	21.1	23.2	98.6	1.0	1.5	1.8	37.0	.28	3.54	142.35	115.8
Reg 107	7716	2/ ./3	TW	6	134	293	1.14	1.06	26.1	46.0	12.0	5.3	21.2	19.1	22.4	26.0	98.8	0.9	1.4	1.5	41.9	.32	4.00	141.62	115.2
Reg 108	7722	2/ ./3	S	6	146	278	.94	.87	26.1	44.7	11.7	5.8	21.5	22.0	23.0	25.0	99.0	1.1	1.1	1.5	36.4	.35	3.37	125.20	101.9
Reg 109	7796	3/ ./3	S	2	136	264	.91	.84	26.4	46.8	12.3	5.4	21.2	18.0	21.9	24.9	98.7	0.9	1.1	1.4	35.2	.36	3.21	131.63	107.1
Reg 110	7804	3/ ./3	S	2	122	267	1.04	.96	28.5	43.9	12.5	6.1	20.8	23.1	21.8	24.0	98.8	0.8	1.2	1.6	38.0	.30	3.19	134.32	109.3
Sire:TAES B3252																									
Reg 111	7754	2/ ./3	TW	4	146	254	.77	.70	26.7	41.8	11.2	6.1	19.6	23.6	20.5	22.3	99.0	1.1	1.3	1.5	36.0	.39	3.54	115.43	93.9
Reg 112	7755	2/ ./3	TW	4	143	280	.98	.91	25.0	49.1	12.3	5.8	22.0	16.9	22.0	24.2	98.5	1.0	1.1	1.3	38.0	.36	3.60	133.20	108.4
Reg 113	7770	2/ ./3	S	5	127	250	.88	.82	21.2	54.9	11.6	6.0	20.4	21.6	21.0	22.7	99.3	1.0	1.7	1.3	35.2	.29	3.99	125.88	102.4
Reg 114	7776	2/ ./3	TW	4	117	265	1.06	.98	26.8	43.4	11.6	6.1	20.5	16.2	21.1	23.5	99.7	1.1	1.3	1.6	35.3	.36	4.25	139.65	113.6
Reg 115	7832	3/ ./3	TW	4	103	245	1.01	.94	25.6	48.9	12.5	6.3	21.2	18.3	23.3	23.7	99.0	1.1	1.6	1.4	38.0	.33	3.14	138.17	112.4
Reg 116	7834	3/ ./3	TW	4	121	241	.86	.79	24.6	41.9	10.3	5.6	20.7	25.6	20.6	22.9	98.7	1.1	1.4	1.4	35.0	.34	3.67	112.44	91.5

P before the test number designates a Polled ram

\* after a value indicates reason this ram was not eligible for certification

R	Age	Start	Final	ADG	Fleece	Fiber Diameter, microns	Scores	Scrot.	Fat	Ribeye																									
e Test Flock	Birth	Birth of	Wt.	Wt.	Total Body Gr.	Yield Clean Stap.	Core	Comfort	Face	Belly	Body	circ.	Depth	Area	ROM	Index																			
g No.	No.	date	type	Dam	10/1	2/18	lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio										
*****																																			
Pen 16 Landers Ranch, MENARD																																			
Sire:TAES 7003																																			
Reg 118	791	2/ .3	S	6	133	275	1.01	.95	23.5	42.9	10.1	5.1	20.6	20.4	22.8	25.7	98.7	1.0	1.7	1.2	38.0	.38	3.98	126.31	102.8										
Reg 119	815	2/ .3	S	7	126	293	1.19	1.12	25.3	49.1	12.4	5.1	23.4	20.8	24.4	25.9	95.4	2.3	1.3	1.3	37.0	.28	3.40	137.58	111.9										
Reg 120	821	2/ .3	S	6	120	268	1.06	.99	24.0	45.8	11.0	4.8	21.4	19.1	23.6	24.5	98.2	1.2	1.5	1.2	36.2	.30	3.51	130.82	106.4										
Reg 121	831	2/ .3	TW	6	125	242	.84	.77	23.9	47.7	11.4	5.8	21.9	17.6	24.0	25.3	98.0	2.8*	2.0	1.1	36.6	.35	3.07	121.78	99.1										
Pen 17 Angelo State Univ., SAN ANGELO																																			
Sire:ASU 5196																																			
Reg 122	1000	3/ 1/3	TW	3	140	256	.83	.76	24.2	47.3	11.5	4.5	21.6	24.6	21.9	26.2	97.3	1.2	1.2	1.1	35.2	.40	3.62	110.28	89.7										
Sire:WB 2715																																			
Reg 124	5516	2/ 1/3	TW	3	151	270	.85	.79	20.8	42.7	8.9*	4.4	23.1	20.0	24.7	27.3	95.2	2.8*	1.5	1.3	39.0	.35	3.70	102.41	83.3										
Pen 18 Karnes, Bill, SONORA																																			
Sire:																																			
Com 126	66	./ .3	.		107	247	1.00	.94	20.5	46.1	9.5	5.0	20.9	25.1	21.7	24.8	97.8	1.1	1.3	1.3	40.4	.30	3.11	116.62	94.9										

P before the test number designates a Polled ram

\* after a value indicates reason this ram was not eligible for certification

R e Test Flock g No.	Birth No.	Age Start Birth of date	Final Wt. 2/18	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. circ.	Fat Depth	Ribeye Area	ROM	Index			
				Total	Body	Gr.	Yield	Clean	Stap.	Core	Comfort	Face	Belly	Body									
				lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio	
*****																							
Pen 35 Our Father's Place, Moore, FT. STOCKTON																							
Sire:0103																							
Com 127	3117	3/ ./.3	. 138	267	.92	.85	26.5	50.5	13.4	4.9	24.8*	20.0	26.0*	28.2*	89.9	0.7	1.2	2.1	38.3	.30	3.60	120.66	98.2
Com 128	3120	3/ ./.3	. 106	212	.76	.68	25.7	50.5	12.9	5.3	22.3	20.2	23.0	23.6	97.5	1.3	1.1	2.0	34.0	.35	3.07	118.18	96.1
Com 129	3121	3/ ./.3	. 122	258	.97	.88	30.8	50.7	15.6	5.9	21.9	16.6	22.0	24.6	98.3	0.9	1.2	1.7	37.9	.35	3.14	145.45	118.3
Sire:517																							
Com 130	3115	3/ ./.3	. 118	249	.94	.87	24.8	58.0	14.4	5.9	24.1*	22.7	26.6*	28.0*	93.5	1.1	1.8	1.3	34.2	.33	3.21	127.06	103.4
Sire:805																							
Com 131	3128	3/ ./.3	. 109	269	1.14	1.06	28.4	50.8	14.4	5.8	21.3	30.7	23.2	24.0	97.0	1.6	1.3	3.4	38.2	.37	3.39	143.22	116.5
Com 132	3137	3/ ./.3	. 91*	209	.84	.77	26.6	63.0	16.8	6.4	22.3	21.5	23.3	23.4	96.8	1.6	1.3	1.6	35.2	.25	3.09	137.60	111.9
Sire:OFF																							
Com 133	3004	3/ ./.3	. 106	224	.84	.77	27.1	45.2	12.3	5.1	23.9*	22.3	24.7	26.2	94.1	1.2	1.2	1.6	36.4	.24	3.33	112.05	91.2
Com 134	3008	3/ ./.3	. 107	222	.82	.75	26.6	47.1	12.5	5.8	21.4	19.7	22.4	23.3	99.3	1.6	1.3	1.3	35.0	.27	3.21	124.26	101.1
Com 135	3010	3/ ./.3	. 100	202	.73	.66	24.8	58.7	14.5	5.8	23.2	19.2	23.3	25.9	94.8	1.1	1.4	2.4	36.0	.24	3.17	122.32	99.5
Com 136	3018	3/ ./.3	. 109	231	.87	.81	21.0	50.7	10.7	5.4	22.5	19.6	23.3	25.6	97.8	1.1	1.8	1.6	36.8	.36	3.20	117.30	95.4
Com 137	3031	3/ ./.3	. 105	236	.94	.88	21.5	53.0	11.4	5.6	23.7	18.8	24.1	27.7	94.0	0.9	1.1	1.2	36.0	.32	3.55	121.84	99.1
Com 138	3032	3/ ./.3	. 125	271	1.04	.98	23.5	52.8	12.4	5.8	21.2	20.7	22.8	23.8	99.0	1.2	1.6	1.3	38.0	.37	3.43	136.90	111.4
Com 139	3043	3/ ./.3	. 121	231	.79	.72	23.6	55.4	13.1	5.8	20.6	19.6	21.1	23.1	99.0	1.0	1.3	1.4	39.2	.26	3.27	127.46	103.7
Com 140	3046	3/ ./.3	. 117	253	.97	.89	27.8	48.4	13.5	6.2	21.8	25.4	23.5	26.8	97.0	1.1	1.2	1.3	38.0	.32	3.29	128.39	104.4
Com 141	3048	3/ ./.3	. 121	241	.86	.79	23.9	55.8	13.3	5.9	22.0	19.4	23.1	26.4	97.5	1.1	1.6	1.3	37.7	.27	3.31	128.62	104.6
Com 142	3053	3/ ./.3	. 126	249	.88	.80	26.9	46.2	12.4	5.1	22.5	17.3	23.3	25.7	97.4	1.0	1.1	3.2	39.0	.30	3.28	124.55	101.3
Com 143	3057	3/ ./.3	. 117	234	.84	.76	28.5	56.4	16.1	6.1	21.4	16.7	22.8	24.3	98.7	1.4	1.4	1.3	35.2	.25	2.50	141.21	114.9
Com 144	3067	3/ ./.3	. 106	215	.78	.70	29.6	50.8	15.0	6.0	23.5	21.2	24.8	28.8*	94.3	1.4	1.1	1.3	34.8	.28	2.59	122.93	100.0
Com 145	3069	3/ ./.3	. 112	221	.78	.70	29.3	51.1	15.0	6.5	19.4	21.6	20.8	22.4	99.2	1.0	1.1	1.3	36.4	.27	2.71	133.15	108.3
Com 146	3073	3/ ./.3	. 122	237	.82	.75	27.1	56.8	15.4	5.5	21.0	26.5	21.1	22.2	97.5	1.4	1.6	1.5	36.1	.35	3.25	129.05	105.0
Com 147	3074	3/ ./.3	. 118	247	.92	.85	26.1	50.1	13.1	5.4	24.0*	21.1	25.8*	25.7	90.7	1.8	1.5	1.4	35.4	.38	3.50	122.81	99.9
Com 148	3076	3/ ./.3	. 120	262	1.01	.94	27.7	51.4	14.2	5.3	20.8	18.5	21.8	23.3	99.0	1.4	1.5	1.6	37.5	.32	3.76	145.12	118.1
Com 149	3078	3/ ./.3	. 117	252	.96	.90	22.8	58.3	13.3	5.9	22.6	17.0	23.8	24.7	98.3	1.2	1.3	1.2	38.3	.32	3.65	135.18	110.0
Com 150	3088	3/ ./.3	. 136	266	.93	.84	30.6	54.8	16.8	5.5	23.2	19.7	24.0	24.8	95.5	1.4	1.2	1.4	41.0	.31	3.63	141.69	115.3
Com 151	3089	3/ ./.3	. 129	280	1.08	1.00	28.1	47.5	13.3	5.7	22.4	21.3	22.5	25.5	97.2	1.1	2.0	1.3	39.1	.34	4.12	137.74	112.1
Com 152	3093	3/ ./.3	. 125	204	.56	.50	23.0	52.9	12.2	6.4	19.6	19.7	20.0	22.4	99.1	1.2	1.4	1.3	34.2	.27	3.03	112.56	91.6
Com 153	3096	3/ ./.3	. 102	227	.89	.81	27.9	48.9	13.6	6.0	22.5	21.9	24.8	28.6*	93.3	1.1	1.3	1.4	36.9	.28	3.16	126.81	103.2
Com 154	3104	3/ ./.3	. 107	237	.93	.85	27.7	50.7	14.1	5.5	21.8	19.1	22.8	26.1	97.6	0.9	1.4	1.3	34.0	.26	3.24	136.21	110.8
Com 155	3108	3/ ./.3	. 127	236	.78	.70	27.8	59.4	16.5	6.4	21.3	17.0	21.2	23.6	99.0	1.5	1.4	1.9	35.6	.28	3.09	139.84	113.8
Com 156	3109	3/ ./.3	. 120	205	.61	.55	19.7	46.9	9.2	5.6	21.1	20.3	21.6	23.7	98.4	1.1	1.4	1.2	36.3	.44	2.70	99.36	80.8

P before the test number designates a Polled ram

\* after a value indicates reason this ram was not eligible for certification

R e g No.	Test Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 10/1	Final Wt. 2/18	ADG		Fleece			Fiber Diameter, microns			Scores				Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio			
							Total lbs	Body lbs	Gr. Yield Wt.	Clean (%)	Stap. len.	Core AFD	Side CV	Britch Side	Comfort (%)	Face Cover	Belly Wool	Body Folds								
*****																										
Pen 32 Powell, James L., FT. MCKAVETT																										
Sire:																										
Com 157	401	2/	./3	TW	.	115	231	.83	.76	23.6	56.4	13.3	6.3	23.2	17.6	24.5	25.9	97.3	1.1	1.1	1.2	37.9	.27	3.17	125.02	101.7
Com 158	402	2/	./3	TW	.	132	236	.74	.68	21.0	56.6	11.9	6.3	23.4	15.5	24.0	26.0	97.5	1.1	1.2	1.2	35.2	.34	2.91	113.95	92.7
Com 159	403	2/	./3	TW	.	116	202	.61	.56	18.8	54.8	10.3	5.6	23.4	19.8	23.9	24.6	96.1	1.2	1.2	1.1	36.2	.27	3.37	98.13	79.8
Com 160	404	2/	./3	TW	.	111	222	.79	.73	21.2	57.9	12.3	5.8	22.8	17.9	24.0	27.0	98.4	1.1	1.2	1.2	35.0	.26	3.62	120.34	97.9
Com 162	406	2/	./3	TW	.	127	250	.88	.82	21.4	54.1	11.6	5.2	22.3	21.4	23.1	25.2	96.0	1.1	1.4	1.2	35.0	.44	3.03	118.95	96.8
Com 163	407	2/	./3	TW	.	131	255	.89	.83	19.5	57.3	11.1	5.2	22.1	16.4	23.3	25.5	98.9	1.0	1.1	1.1	36.2	.32	3.24	122.83	99.9
Com 164	408	2/	./3	TW	.	136	268	.94	.86	29.5	46.4	13.7	5.5	24.5*	22.2	25.5*	27.5	92.0	1.1	1.3	1.3	36.8	.36	3.25	123.23	100.3
Com 165	409	2/	./3	TW	.	118	244	.90	.84	19.6	52.2	10.2	5.1	21.4	19.5	21.8	23.7	98.7	1.1	1.5	1.2	38.2	.33	2.96	119.45	97.2
Com 166	410	2/	./3	TW	.	117	239	.87	.82	19.2	51.7	9.9	5.5	21.6	20.6	23.0	25.4	98.7	1.1	1.3	1.2	38.9	.37	3.35	116.33	94.6
Com 168	412	2/	./3	S	.	118	249	.94	.88	19.2	48.3	9.3	5.5	21.0	18.1	21.2	25.4	98.8	1.1	1.4	1.2	35.0	.36	3.54	122.57	99.7
Com 169	413	2/	./3	S	.	143	261	.84	.78	21.7	50.5	11.0	4.9	22.7	16.9	23.0	27.0	97.3	1.0	1.8	1.2	36.2	.33	3.78	116.03	94.4
Com 170	415	2/	./3	S	.	141	246	.75	.70	18.1	49.2	8.9*	5.1	21.5	17.1	23.2	26.4	99.1	1.0	1.4	1.1	35.0	.35	3.94	107.23	87.2
Com 171	416	2/	./3	S	.	127	233	.76	.71	17.0	53.6	9.1	5.1	22.8	19.4	25.4*	27.4	95.7	1.2	1.1	1.2	38.2	.31	3.70	102.64	83.5
Com 173	418	2/	./3	S	.	122	246	.89	.81	27.1	47.6	12.9	5.7	25.2*	20.9	25.6*	27.6	86.7	1.1	1.4	1.3	38.2	.29	3.41	117.52	95.6
Com 174	419	2/	./3	S	.	143	259	.83	.77	22.1	54.2	12.0	5.0	23.8*	18.5	25.3*	28.6*	94.7	1.1	1.0	1.6	40.6	.39	3.59	115.42	93.9
Com 175	420	2/	./3	S	.	138	249	.79	.75	14.2	53.5	7.6*	4.6	21.5	20.4	21.3	24.6	97.8	0.8	2.0	1.2	36.2	.27	3.25	100.45	81.7
Com 176	422	2/	./3	S	.	141	226	.61	.55	21.2	55.8	11.8	5.6	23.1	19.7	23.1	26.0	96.0	1.1	1.3	1.2	39.8	.36	3.66	104.62	85.1
Com 177	423	2/	./3	S	.	139	255	.83	.77	21.0	55.1	11.6	5.6	24.5*	16.2	24.9	28.3*	95.3	1.0	1.4	1.2	35.8	.40	3.57	114.58	93.2
Com 178	425	2/	./3	S	.	121	223	.73	.67	20.0	53.6	10.7	5.2	21.8	17.3	23.1	25.2	98.5	1.1	1.3	1.2	35.0	.39	3.15	112.51	91.5
Com 179	426	2/	./3	S	.	129	231	.73	.68	15.9	54.2	8.6*	5.0	23.6	19.0	24.8	29.0*	93.5	1.0	1.0	1.2	38.2	.39	3.35	96.89	78.8
Com 180	427	2/	./3	S	.	135	232	.69	.65	14.8	59.3	8.8*	4.8	23.3	18.6	25.4*	30.7*	95.1	1.0	1.1	1.1	35.2	.33	3.70	96.42	78.4
Com 181	428	2/	./3	S	.	127	261	.96	.90	21.0	51.3	10.8	5.5	24.0*	17.6	26.6*	28.0*	94.3	1.0	1.3	1.2	38.0	.37	3.17	120.56	98.1
Com 182	429	2/	./3	S	.	131	247	.83	.77	21.7	49.4	10.7	5.3	23.1	25.6	24.3	24.7	95.7	1.0	1.4	1.2	36.0	.32	3.53	105.01	85.4
Com 183	430	2/	./3	S	.	133	227	.67	.61	22.0	56.2	12.4	5.4	23.3	19.7	23.4	27.2	96.3	0.8	1.4	1.2	35.0	.39	2.53	109.46	89.0
Com 184	431	2/	./3	S	.	121	239	.84	.79	20.2	45.6	9.2	4.9	22.1	17.9	22.9	25.6	97.8	1.0	1.3	1.2	36.2	.37	3.93	111.06	90.4
Com 185	432	2/	./3	S	.	136	278	1.01	.96	20.3	51.0	10.3	5.7	23.0	17.2	24.5	26.6	97.0	1.0	1.2	1.1	37.2	.40	3.70	125.37	102.0
Com 186	433	2/	./3	S	.	128	241	.81	.73	26.1	53.7	14.0	5.8	25.1*	18.1	26.3*	28.0*	88.7	1.2	1.1	1.3	36.2	.33	3.28	121.00	98.4
Com 187	434	2/	./3	S	.	137	272	.96	.90	21.1	44.4	9.4	4.8	25.8*	19.6	27.2*	30.9*	83.9	1.1	1.1	1.1	41.0	.39	3.22	107.95	87.8
Com 188	435	2/	./3	S	.	135	260	.89	.82	25.9	58.0	15.0	6.2	23.0	17.4	23.3	27.0	96.0	1.1	1.1	1.2	37.2	.47	3.90	136.00	110.6
Com 189	436	2/	./3	S	.	136	257	.86	.79	27.2	48.5	13.2	5.3	23.2	23.0	24.5	28.0*	91.9	1.0	1.1	1.6	40.3	.31	3.28	119.05	96.9
Com 190	437	2/	./3	S	.	121	215	.67	.62	18.0	49.7	9.0*	5.0	20.3	18.5	20.8	23.1	99.3	1.7	1.7	1.2	32.9	.32	3.53	105.14	85.5
Com 191	438	2/	./3	S	.	150	272	.87	.82	18.7	44.3	8.3*	5.4	21.9	18.3	23.2	24.7	97.6	0.7	1.4	1.2	38.2	.48	3.52	111.51	90.7
Com 192	439	2/	./3	S	.	148	258	.79	.71	25.3	55.2	14.0	5.4	22.8	19.3	24.2	26.2	96.4	1.0	1.2	1.6	38.0	.31	3.53	124.22	101.1
Com 193	440	2/	./3	S	.	129	238	.78	.71	23.7	44.6	10.6	5.2	23.8*	21.1	24.7	27.4	93.9	1.0	1.2	1.2	38.1	.36	3.49	104.29	84.8
Com 194	441	2/	./3	S	.	136	254	.84	.78	24.0	43.1	10.3	5.1	22.4	20.6	23.9	25.5	95.9	1.1	1.1	1.2	36.2	.37	3.29	111.31	90.6
Com 195	442	2/	./3	S	.	133	241	.77	.71	22.1	52.4	11.6	5.5	21.8	20.8	23.3	27.5	98.0	1.0	1.3	1.2	34.2	.48	3.87	115.67	94.1
Com 196	443	2/	./3	S	.	141	254	.81	.74	24.2	43.8	10.6	5.0	22.4	17.2	22.0	24.8	97.4	1.0	1.5	1.2	39.3	.38	3.84	113.28	92.2

P before the test number designates a Polled ram

\* after a value indicates reason this ram was not eligible for certification