

R	e	g	No.	Flock No.	Birth date	Age Birth type	Start of Dam	Final Wt. 9/28	Final Wt. 2/15	ADG Total lbs	Body Gr. Yield (%)	Fleece Clean Wt.	Stap. len.	Fiber Diameter, microns Core AFD	Side Britch (%)	Scores Face Cover	Belly Wool	Body Folds	Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio					

Pen 2 Yates, Janelle, Menard																												
Sire:MEAT MERINO X																												
ComP	1	95			3/ .5	TR	3	156	307	1.08	1.02	21.9	42.3	9.3	4.8	24.2*	21.5	25.8*	28.2*	90.5	0.9	1.2	1.2	37.5	.42	4.09	113.91	93.4
Com	2	96			9/ .4	TW	3	148	264	.83	.77	20.2	43.0	8.7*	4.0	20.8	23.4	20.8	24.4	98.5	0.7	1.6	1.1	39.5	.36	3.57	101.73	87.1
ComP	3	100			2/ .5	S	4	135	301	1.19	1.14	18.3	40.8	7.4*	4.4	20.8	17.8	22.1	26.2	99.3	0.9	1.7	1.1	39.2	.49	4.07	126.65	103.8
Pen 3 H & C Livestock, San Angelo																												
Sire:TAES B3403																												
Reg	4	317			2/25/5	TW	3	117	242	.89	.83	24.2	42.7	10.3	5.4	21.5	22.4	22.9	25.9	96.7	0.8	1.6	1.2	36.2	.32	2.60	116.22	95.2
Reg	5	322			3/ 7/5	S	3	129	262	.95	.88	25.3	45.5	11.5	6.7	18.7	15.7	19.6	22.5	99.9	0.9	1.3	1.1	37.2	.28	2.85	134.87	110.5
Reg	6	324			3/14/5	TW	3	117	230	.81	.75	21.1	43.4	9.2	6.0	21.3	19.0	21.8	24.8	98.7	1.4	2.2	1.1	31.2	.28	3.20	112.24	92.0
Pen 4 Menzies, Scotty, Menard																												
Sire:TAES 7171																												
Reg	7	1105			3/16/5	S	6	135	239	.74	.68	21.9	42.6	9.3	5.3	20.9	18.6	21.7	24.7	98.8	1.0	1.8	1.1	33.5	.37	3.19	109.75	89.9
Reg	8	1106			3/10/5	S	6	135	252	.84	.75	29.8	37.1	11.0	4.9	20.8	18.8	21.0	23.3	98.6	1.0	1.3	1.6	37.3	.31	3.00	119.09	97.6
Reg	9	1107			11/ 4/4	TW	5	177	250	.52*	.45	26.0	43.3	11.3	4.9	22.1	16.1	23.3	23.9	98.8	2.4	1.3	1.2	37.2	.34	2.65	99.06	84.8
Pen 32 Our Father's Place, Moore, FT. STOCKTON																												
Sire:TAES 7570																												
Reg	10	6			3/ 5/5	TW	2	128	251	.88	.82	21.9	46.2	10.1	5.3	20.4	21.5	21.5	24.0	99.2	0.9	2.5	1.1	35.8	.26	3.33	118.89	97.4
Reg	11	21			3/12/5	S	2	134	244	.79	.72	24.7	46.8	11.5	5.1	19.5	18.0	19.7	21.8	99.5	1.0	1.5	1.1	35.0	.29	3.30	123.38	101.1
Reg	12	23			3/15/5	TW	2	115	244	.92	.86	21.7	48.9	10.6	5.7	21.0	20.5	21.8	24.6	99.4	1.1	1.2	1.1	36.2	.37	2.97	123.63	101.3
Reg	13	27			3/20/5	TW	2	105	240	.96	.89	25.3	44.4	11.3	5.1	20.2	18.6	21.5	23.0	99.4	0.9	1.2	1.4	35.6	.30	2.79	131.38	107.7
Reg	14	31			3/22/5	S	2	117	256	.99	.91	28.1	43.1	12.1	5.8	21.6	18.5	23.3	25.4	98.8	1.0	1.6	1.5	37.0	.36	3.00	133.47	109.4
Reg	15	37			3/27/5	TR	2	110	224	.81	.76	20.5	53.7	11.0	5.7	21.2	21.8	21.9	24.2	98.1	0.9	1.3	1.3	39.0	.32	3.01	116.73	95.7
Reg	16	39			4/ 4/5	TW	2	111	217	.76	.70	21.3	52.4	11.2	5.3	21.7	17.2	22.2	25.4	98.4	0.9	1.8	1.2	31.5	.31	2.86	116.42	95.4
Reg	17	40			4/ 4/5	TW	2	100	225	.89	.84	19.3	46.2	8.9*	6.2	21.4	17.1	21.9	24.2	98.5	0.9	1.8	1.2	35.9	.37	2.68	117.39	96.2
Reg	18	41			4/ 4/5	TW	2	113	247	.96	.89	22.6	49.5	11.2	6.6	24.3*	19.3	25.4*	28.5*	92.3	0.9	1.1	1.1	35.0	.43	3.41	119.69	98.1
Reg	19	47			4/10/5	S	2	146	264	.84	.77	22.6	45.6	12.6	5.3	21.9	20.0	22.8	26.2	97.5	0.9	1.2	1.4	35.3	.35	2.73	123.23	101.0
Reg	21	52			3/16/5	S	2	108	232	.89	.82	22.0	47.1	10.4	6.0	20.7	16.6	21.0	23.3	99.3	0.9	1.5	1.1	33.6	.35	2.72	124.58	102.1
Reg	22	53			3/15/5	S	2	124	260	.97	.89	27.8	44.9	12.5	5.8	21.6	15.8	22.2	24.7	99.1	0.9	1.1	1.2	38.1	.32	2.74	134.48	110.2
Sire:OFF																												
Com	23	5002			3/ .5	.		122	224	.73	.67	21.9	49.1	10.8	6.0	19.9	20.0	20.5	24.0	99.3	1.0	1.7	1.2	37.0	.37	2.48	116.51	95.5
Com	24	5004			3/ .5	.		105	232	.91	.84	23.7	46.6	11.0	6.3	18.5	15.9	18.8	20.7	99.8	2.2	1.3	1.3	37.2	.27	3.07	130.64	107.1
Com	26	5009			3/ .5	.		134	247	.81	.73	26.5	42.8	11.3	5.1	20.3	18.5	20.3	23.8	99.1	0.9	1.8	1.2	36.0	.34	3.37	121.83	99.8
Com	27	5011			3/ .5	.		120	238	.84	.77	25.1	46.8	11.7	5.8	20.4	17.7	20.1	22.3	99.5	1.0	2.0	1.2	37.0	.34	2.82	127.81	104.7
Com	28	5012			3/ .5	.		130	231	.72	.66	21.4	44.8	9.6	5.9	18.8	18.4	19.8	21.4	99.4	1.0	2.1	1.2	33.2	.25	3.20	113.48	93.0
Com	29	5013			3/ .5	.		122	229	.76	.69	26.7	48.6	13.0	5.6	19.7	20.0	20.3	21.7	99.2	1.0	1.2	1.6	37.2	.28	2.38	126.76	103.9
Com	30	5015			3/ .5	.		129	251	.87	.80	26.3	53.4	14.0	6.5	19.6	18.9	20.3	22.7	99.2	0.9	2.3	1.1	37.2	.25	2.70	138.92	113.8
Com	31	5016			3/ .5	.		124	233	.78	.70	27.9	49.8	13.9	5.9	19.7	18.3	21.1	22.5	99.4	1.0	1.2	1.2	35.0	.30	2.79	133.18	109.1
Com	32	5018			3/ .5	.		125	259	.96	.88	27.3	48.2	13.2	6.3	19.7	17.7	19.8	23.1	99.5	1.2	1.6	1.3	41.0	.26	2.94	141.55	116.0
Com	33	5023			3/ .5	.		115	255	1.00	.94	23.0	41.6	9.6	6.2	18.2	17.3	18.9	20.9	99.7	0.9	1.4	1.2	38.0	.43	3.28	130.47	106.9
Com	34	5034			3/ .5	.		100	229	.92	.83	31.1	50.2	15.6	6.6	21.9	19.1	22.0	24.9	98.2	0.9	1.1	1.5	37.0	.30	2.59	141.15	115.7
Com	35	5037			3/ .5	.		116	248	.94	.88	21.8	46.9	10.2	5.8	18.8	19.3	20.1	24.0	99.7	0.8	1.7	1.3	36.0	.42	3.48	128.30	105.1

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e Test g No.	Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 9/28	Final Wt. 2/15	ADG		Fleece			Fiber Diameter, microns			Scores				Scrot. Fat Ribeye								
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds	circ. cm.	Depth in.	Area sq.in.	ROM Index	Index Ratio		
Pen 32 Our Father's Place, Moore, FT. STOCKTON																											
Com	36	5038	3/	.5	.	98*	213	.82	.75	24.2	49.3	11.9	5.0	23.0	18.0	24.5	26.9	96.3	1.3	1.2	2.0	35.9	.37	3.01	117.38	96.2	
Com	37	5039	3/	.5	.	134	243	.78	.71	26.4	41.9	11.0	5.8	24.4*	17.6	26.2*	26.2	93.2	0.9	1.0	1.6	35.1	.28	2.88	109.07	89.4	
Com	38	5049	3/	.5	.	110	234	.89	.82	24.3	53.1	12.9	6.4	21.6	18.0	22.7	24.5	98.6	1.7	1.7	1.1	36.0	.40	2.69	131.64	107.9	
Com	39	5053	3/	.5	.	133	250	.84	.77	24.0	42.2	10.1	5.3	21.4	19.8	21.9	24.9	98.5	2.1	1.7	1.7	36.0	.49	3.18	115.27	94.5	
Com	40	5054	3/	.5	.	118	228	.79	.72	22.7	53.1	12.1	6.0	21.9	15.4	23.8	24.5	99.3	2.6	1.2	1.2	35.0	.23	2.40	121.77	99.8	
Com	41	5055	3/	.5	.	104	213	.78	.70	27.0	44.8	12.1	6.0	22.1	17.4	21.2	22.7	97.1	1.2	1.5	1.3	38.6	.41	2.26	119.96	98.3	
Com	42	5061	3/	.5	.	121	251	.93	.85	27.2	44.3	12.0	5.8	21.0	16.9	21.9	23.7	99.0	0.9	1.5	1.5	39.6	.32	3.07	132.06	108.2	
Com	43	5063	3/	.5	.	118	237	.85	.79	21.2	54.0	11.4	6.2	21.7	15.1	22.2	24.7	99.4	1.2	1.4	1.3	35.2	.34	2.99	123.67	101.4	
Com	44	5066	3/	.5	.	107	210	.74	.67	24.1	48.7	11.8	6.1	22.0	20.3	23.0	24.9	98.4	1.2	1.3	1.4	35.0	.41	2.61	113.95	93.4	
Com	45	5068	3/	.5	.	129	251	.87	.80	26.1	47.9	12.5	5.4	20.3	18.1	21.9	23.6	99.5	0.7	1.8	1.2	38.9	.36	2.71	132.25	108.4	
Com	46	5070	3/	.5	.	120	232	.80	.73	24.1	43.2	10.4	5.4	22.2	19.3	22.6	24.9	98.1	1.3	2.7	1.2	36.0	.41	3.01	112.70	92.4	
Pen 5 Gainer Ranch, Menard Sire:GAINER 01119																											
Com	47	481	3/	.5	.	131	279	1.06	.99	23.3	46.7	10.9	5.3	22.0	23.6	23.4	24.2	96.2	1.2	1.3	1.2	37.0	.32	3.10	124.92	102.4	
Com	48	482	3/	.5	.	112	262	1.07	1.00	26.3	56.4	14.8	6.1	24.3*	18.5	25.3*	26.4	92.0	3.8*	1.0	1.2	33.8	.36	3.31	141.44	115.9	
Com	49	483	3/	.5	.	127	249	.87	.80	26.1	45.0	11.8	5.5	20.2	18.6	20.8	23.8	99.3	3.3*	1.7	1.4	39.0	.31	3.75	129.19	105.9	
Com	50	484	3/	.5	.	135	300	1.18	1.11	26.3	44.1	11.6	6.2	19.9	18.3	21.8	23.6	99.1	1.1	1.8	1.2	38.8	.49	2.82	148.37	121.6	
Com	51	485	3/	.5	.	138	276	.99	.92	24.9	40.7	10.1	5.3	24.3*	18.7	24.6	26.8	92.6	1.0	1.5	1.1	37.0	.35	2.89	116.67	95.6	
Com	52	486	3/	.5	.	108	239	.94	.88	20.2	49.5	10.0	5.4	21.8	17.4	22.7	26.7	98.6	1.2	1.5	1.1	35.0	.45	3.48	122.75	100.6	
Com	53	487	3/	.5	.	129	274	1.04	.96	26.9	41.1	11.0	5.8	22.2	17.4	23.5	25.8	98.2	2.5	2.6	1.2	37.5	.40	3.33	130.87	107.2	
Com	54	488	3/	.5	.	109	236	.91	.85	19.6	48.2	9.4	5.6	22.5	16.9	23.0	27.4	97.4	2.7	1.8	1.2	39.4	.45	3.18	117.15	96.0	
Com	55	489	3/	.5	.	136	237	.72	.67	17.1	48.0	8.2*	4.7	19.7	29.5	21.0	23.4	98.9	1.0	3.1	1.1	38.0	.30	2.54	96.11	78.8	
Sire:GAINER 3119																											
RegP	56	5023	2/15/5	TW	3	130	269	.99	.93	22.8	44.6	10.2	5.3	22.6	20.8	24.1	26.8	96.3	2.8*	2.1	1.1	35.2	.31	2.64	120.28	98.6	
Sire:S MENZIES 865																											
RegP	57	5012	2/	1/5	S	3	116	254	.99	.92	22.2	33.6	7.5*	4.5	21.3	21.0	22.7	25.6	98.8	1.0	1.9	1.2	34.8	.39	3.07	109.18	89.5
Reg	58	5013	2/	4/5	TR	8	151	290	.99	.94	19.1	36.1	6.9*	4.3	22.6	20.4	24.4	26.4	96.2	2.6	2.8	1.1	36.9	.35	2.94	104.14	85.3
Pen 8 Prescott, Ricky, Goldthwaite Sire:C&S MENZIES 2720																											
Reg	59	226	12/15/4	S	3	146	291	1.04	.96	26.6	48.8	13.0	5.8	22.7	19.4	23.0	24.7	96.3	0.9	1.6	1.3	39.0	.47	3.35	135.60	116.1	
Pen 9 Schunke Ranch, Goldthwaite Sire:B FARIS 388																											
Reg	60	2098	10/	.4	S	6	163	277	.81	.75	22.1	45.0	9.9	5.4	22.4	20.2	24.6	24.8	95.2	1.0	2.1	1.1	38.0	.46	3.21	110.22	94.4
Sire:SCHUNKE 1878																											
Reg	61	2085	3/	.5	S	2	121	246	.89	.84	20.4	39.3	8.0*	4.7	20.2	19.0	21.5	24.0	99.3	2.2	1.4	1.1	36.2	.35	3.07	113.02	92.6
Reg	62	2097	2/	.5	S	6	138	271	.95	.88	26.7	36.3	9.7	5.1	21.2	21.0	22.7	26.1	98.2	1.3	1.6	1.2	38.2	.36	3.88	118.41	97.0
Sire:SCHUNKE 1989																											
Reg	63	2093	10/	.4	S	3	161	294	.95	.89	21.3	47.8	10.2	6.0	22.0	16.8	22.5	25.6	98.6	0.6	1.4	1.1	41.0	.44	3.69	123.95	106.1
Reg	64	2099	10/	.4	TW	6	155	284	.92	.86	21.5	44.9	9.7	5.3	21.3	19.2	22.4	24.1	98.7	1.0	1.6	1.2	40.0	.36	4.12	120.03	102.8
Reg	65	2100	10/	.4	TW	5	163	264	.72	.66	21.4	52.8	11.3	6.5	20.3	20.0	22.2	24.5	99.1	0.8	1.1	1.1	36.2	.29	3.73	117.19	100.3
Sire:SCHUNKE 1992																											
Reg	66	2091	10/	.4	TW	5	160	272	.80	.73	24.5	41.8	10.2	5.7	22.3	18.0	23.9	25.5	97.9	1.0	1.6	1.1	38.0	.31	3.52	113.81	97.4
Reg	67	2092	10/	.4	TW	4	160	285	.89	.83	24.2	41.2	10.0	5.6	23.2	20.7	24.7	27.5	95.9	1.5	1.4	1.3	40.0	.43	3.17	112.18	96.0

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e g No.	Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 9/28	Final Wt. 2/15	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. Fat Ribeye							
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds	circ. cm.	Depth in.	Area sq.in.	ROM Index	Index Ratio	
Pen 18 TAES, Sonora																										
Sire:TAES 7193																										
Reg	68	8138	3/ .5	TW	6	119	254	.96	.89	26.4	44.5	11.8	5.9	21.1	21.3	21.9	24.0	98.8	1.1	1.7	1.3	38.8	.29	3.02	128.65	105.4
Sire:TAES 7363																										
Reg	69	8092	2/ .5	TW	2	118	245	.91	.84	25.4	46.2	11.7	6.5	22.4	17.3	22.8	25.1	98.0	0.8	1.8	1.3	36.9	.38	2.90	125.62	102.9
Reg	70	8100	2/ .5	S	4	114	238	.89	.82	23.0	42.3	9.7	5.5	20.8	19.1	20.6	21.4	98.8	1.1	1.6	1.3	39.0	.31	3.37	120.20	98.5
Reg	71	8105	2/ .5	TW	5	116	236	.86	.80	20.8	44.2	9.2	5.5	18.2	28.9	18.3	20.3	99.5	1.1	1.4	1.2	27.7	.30	3.07	110.78	90.8
Reg	72	8106	2/ .5	TW	5	114	245	.94	.86	26.6	44.3	11.8	6.4	19.8	20.3	19.7	21.5	99.1	1.6	1.9	1.5	37.2	.23	2.69	132.00	108.2
Reg	73	8107	2/ .5	S	4	112	242	.93	.86	24.5	41.3	10.1	5.1	23.1	20.2	24.2	25.8	95.0	1.4	1.0	2.2	34.2	.32	3.27	113.94	93.4
Reg	74	8108	2/ .5	S	2	118	270	1.09	1.01	26.1	44.1	11.5	5.8	21.2	17.7	22.9	24.8	98.8	1.0	1.1	1.8	35.0	.41	3.15	138.75	113.7
Reg	76	8117	2/ .5	S	6	124	274	1.07	.99	29.8	45.2	13.5	5.8	20.1	20.2	20.4	22.1	99.5	0.9	1.3	1.4	35.6	.34	2.94	146.02	119.7
Reg	77	8121	2/ .5	S	4	118	273	1.11	1.02	32.2	48.1	15.5	6.2	20.9	17.5	21.6	23.7	99.2	1.0	1.4	1.7	37.2	.35	3.22	155.92	127.8
Sire:TAES 7610																										
Reg	78	8068	2/ .5	S	5	113	230	.84	.77	25.1	51.1	12.8	6.5	19.4	18.9	20.0	21.5	99.4	2.1	1.3	1.4	39.1	.39	2.99	132.10	108.3
Reg	79	8079	2/ .5	TW	6	126	266	1.00	.93	25.8	41.0	10.6	6.4	18.4	21.4	18.5	20.6	99.5	0.9	2.1	1.2	35.5	.23	3.13	129.70	106.3
Sire:TAES 7693																										
Reg	80	8046	2/ .5	S	2	103	226	.88	.80	27.5	44.5	12.3	6.5	21.2	20.5	22.0	25.9	98.6	1.1	1.0	2.4	38.0	.31	2.74	126.28	103.5
Reg	82	8055	2/ .5	S	3	116	251	.96	.89	27.3	47.2	12.9	5.9	19.7	17.0	20.3	21.9	99.8	1.0	1.5	1.4	34.0	.29	2.60	140.87	115.4
Sire:TAES B3252																										
Reg	83	8017	2/ .5	TW	4	120	258	.99	.93	21.3	43.3	9.2	4.6	20.9	19.2	22.0	25.2	98.9	1.0	1.2	2.1	32.9	.29	2.96	120.64	98.9
Reg	84	8019	2/ .5	S	3	122	264	1.01	.93	31.8	43.2	13.7	5.6	21.9	19.0	23.2	24.9	97.9	1.8	1.1	1.3	39.0	.28	2.82	139.32	114.2
Reg	85	8022	2/ .5	TW	5	109	248	.99	.92	27.2	44.1	12.0	5.8	21.3	18.1	22.7	24.6	99.3	1.0	1.1	1.3	35.7	.34	3.35	134.91	110.6
Reg	86	8024	2/ .5	S	2	116	248	.94	.89	20.7	50.2	10.4	5.9	20.2	22.0	20.9	23.4	99.2	1.2	1.3	1.2	37.0	.38	3.25	124.88	102.3
Reg	87	8031	2/ .5	TW	4	105	250	1.04	.96	26.9	48.3	13.0	6.0	20.7	23.3	22.2	26.2	98.2	1.0	1.0	1.7	36.6	.34	3.42	136.68	112.0
Reg	88	8034	2/ .5	S	4	120	261	1.01	.92	32.6	47.1	15.4	6.6	20.7	19.2	21.5	22.3	98.7	2.8*	1.5	1.5	36.2	.41	2.94	148.34	121.6
Reg	89	8036	2/ .5	TW	4	120	273	1.09	1.03	22.8	39.2	8.9*	5.3	19.3	18.4	19.4	23.2	99.7	0.7	1.9	1.3	41.0	.34	3.27	132.30	108.4
Reg	90	8040	2/ .5	TW	6	113	254	1.01	.94	24.1	43.1	10.4	6.1	20.9	16.9	21.1	22.9	99.0	1.7	1.4	1.2	35.2	.46	2.75	130.98	107.3
Reg	91	8043	2/ .5	TW	4	110	247	.98	.90	27.1	47.5	12.9	6.3	21.8	18.4	21.6	25.0	98.3	1.0	1.6	1.2	37.0	.31	2.99	135.57	111.1
Pen 11 Texas Sheep Co., T.Jones, Fredericksburg																										
Sire:AJ 04-169																										
Reg	92	340	2/13/5	S	4	120	248	.91	.84	27.0	43.8	11.8	5.1	22.9	21.0	23.7	26.1	96.8	1.1	1.5	1.6	35.1	.33	2.86	119.53	98.0
Reg	93	356	2/20/5	S	4	126	249	.88	.81	24.5	51.2	12.6	5.5	20.5	22.3	22.6	24.5	98.8	0.8	1.1	1.3	35.3	.33	2.62	127.70	104.7
RegP	94	366	2/23/5	TW	3	114	243	.92	.87	17.7	41.4	7.3*	4.4	21.1	20.6	21.8	23.0	98.2	0.8	2.1	1.2	35.0	.41	2.71	106.10	87.0
Sire:HAGEMAN 2713																										
Reg	95	3051	1/29/5	TW	4	145	297	1.09	1.02	24.1	51.5	12.4	5.0	21.1	17.6	21.1	23.4	99.3	0.9	1.7	1.3	38.2	.38	2.75	141.10	115.6
Sire:T.JONES 144																										
Reg	96	419	5/18/5	TW	3	75*	213	.99	.92	23.9	47.2	11.3	6.5	21.6	17.4	22.1	23.5	98.9	1.1	1.3	1.7	36.0	.38	2.50	131.33	107.6
Reg	97	421	5/25/5	S	2	77*	202	.89	.84	19.7	53.2	10.5	6.1	18.0	20.0	18.6	19.7	99.7	1.0	2.0	1.2	33.6	.35	2.69	125.61	102.9
Reg	98	423	5/26/5	S	2	69*	201	.94	.89	17.5	44.2	7.7*	5.5	18.7	19.1	19.0	20.0	99.6	1.0	2.3	1.5	36.0	.35	2.64	119.20	97.7
Sire:TAES 7610																										
Reg	99	350	2/18/5	TW	3	123	263	1.00	.93	26.5	44.4	11.8	6.1	19.9	22.2	21.5	24.2	99.0	1.2	1.3	1.6	40.0	.50	3.18	133.33	109.3
Reg	100	351	2/18/5	TW	3	110	232	.87	.81	21.2	46.0	9.8	5.8	19.5	17.2	20.1	22.4	99.7	1.0	1.4	1.2	34.0	.39	2.85	123.77	101.4
Reg	101	369	2/24/5	TW	3	119	266	1.05	.99	22.8	49.9	11.4	5.7	22.3	22.8	22.0	24.3	97.8	1.0	2.0	1.3	39.0	.36	3.63	127.54	104.5
Reg	102	370	2/24/5	TW	3	119	266	1.05	.99	22.4	53.9	12.1	6.4	20.7	19.2	20.9	25.0	99.3	0.9	1.5	1.1	35.0	.46	3.10	139.56	114.4
Reg	103	387	2/28/5	TW	4	110	256	1.04	.97	24.5	46.0	11.3	5.3	21.8	21.4	21.9	24.4	96.7	1.3	1.2	2.8	36.8	.40	2.55	129.00	105.7
Sire:TAES 7734																										
Reg	104	331	2/ 8/5	TW	3	115	240	.89	.83	22.5	51.9	11.7	6.5	21.1	15.9	22.0	22.6	99.5	0.9	1.6	1.3	37.3	.28	2.98	128.86	105.6
Reg	106	338	2/13/5	TW	3	134	280	1.04	.97	25.8	48.4	12.5	5.2	23.5	18.7	25.6*	28.1*	94.8	0.8	1.2	2.1	36.9	.41	3.08	131.44	107.7

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

Reg No.	Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 9/28	Final Wt. 2/15	ADG		Fleece			Fiber Diameter, microns			Scores			Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Ribeye Index Ratio			
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)						Face Cover	Belly Wool	Body Folds
Pen 14 Menzies, C & S, San Angelo																									
Sire:C&S MENZIES 2532																									
Reg 107	3131	4/ .5	S	8	120	254	.96	.89	24.8	53.7	13.3	5.5	20.9	19.9	21.4	24.0	99.0	1.0	1.2	1.3	36.2	.36	3.02	137.33	112.5
Reg 109	3138	3/ .5	S	5	136	309	1.24	1.17	24.9	40.9	10.2	5.0	19.0	22.4	19.8	21.5	99.3	1.0	1.9	1.2	36.3	.45	3.61	139.05	114.0
Reg 110	3142	3/ .5	TW	3	93*	249	1.11	1.06	19.9	51.0	10.1	5.5	20.0	20.0	20.5	22.3	99.4	1.1	1.5	1.2	35.8	.42	3.12	137.19	112.4
Reg 111	3144	3/ .5	S	7	146	284	.99	.93	20.2	44.2	8.9*	4.5	21.9	19.1	22.4	26.3	98.2	1.0	2.6	1.1	36.0	.53	3.68	115.76	94.9
Reg 113	3151	3/ .5	S	8	119	280	1.15	1.09	20.7	46.5	9.6	5.1	22.4	18.5	23.2	25.3	96.9	1.2	2.0	1.4	32.0	.36	3.69	130.08	106.6
Sire:C&S MENZIES 2626																									
Reg 114	3121	12/ .4	S	2	148	285	.98	.91	25.5	48.9	12.5	5.5	21.8	23.2	22.8	24.1	97.4	1.0	1.4	1.1	41.4	.33	3.61	128.04	109.6
Reg 115	3124	12/ .4	S	2	132*	276	1.03	.96	23.1	54.8	12.7	5.3	21.9	22.9	22.0	23.8	97.8	1.0	2.1	1.4	36.2	.29	2.88	131.74	112.8
Reg 116	3125	12/ .4	S	2	138	271	.95	.89	20.5	40.2	8.2*	4.7	22.4	22.5	22.7	25.3	96.8	0.9	1.4	1.1	37.8	.36	3.40	106.38	91.1
Sire:RAMB.																									
Com 117	8	3/ .5	S	.	156	325	1.21	1.15	20.0	49.7	9.9	5.5	21.8	19.0	22.6	24.3	98.4	0.9	1.4	1.1	33.4	.53	3.74	137.78	112.9
Com 118	10	3/ .5	S	.	142	297	1.11	1.05	20.9	46.2	9.7	5.4	21.5	20.8	23.1	23.7	98.1	0.9	2.2	1.1	40.8	.47	3.32	128.93	105.7
Sire:YATES 79																									
Com 120	1	12/ .4	S	.	168	291	.88	.82	21.5	52.1	11.2	5.1	22.7	18.2	23.3	24.8	97.6	1.0	1.3	1.1	36.2	.41	3.69	119.75	102.5
Com 121	2	12/ .4	S	.	178	308	.93	.88	17.9	47.9	8.6*	4.6	19.7	21.1	19.5	22.0	98.5	1.1	2.8	1.2	38.2	.38	3.76	115.69	99.0
Pen 34 Texas Ramb. Sup. Gen.(TRSG), San Angelo																									
Sire:HCR 622																									
Reg 122	969	4/27/5	S	4	117	243	.90	.83	24.6	38.7	9.5	5.3	22.2	18.7	23.7	25.4	97.3	1.0	1.5	1.2	36.8	.41	3.69	115.42	94.6
Reg 123	1098	2/20/5	TW	3	135	288	1.09	1.01	29.2	43.9	12.8	5.8	21.4	19.9	22.8	23.4	98.5	1.0	1.4	1.6	38.2	.35	3.50	140.99	115.5
Reg 125	1127	2/20/5	S	3	155	282	.91	.83	27.7	48.7	13.5	6.0	21.5	17.3	22.7	26.8	98.6	1.0	1.3	1.1	40.2	.41	2.68	134.93	110.6
Reg 126	1143	3/ 1/5	TW	4	124	265	1.01	.95	22.0	44.0	9.7	5.1	21.4	18.4	21.3	23.9	98.6	1.0	2.1	1.4	34.1	.51	3.43	124.56	102.1
Reg 127	1149	3/ 1/5	TW	4	131	273	1.01	.94	25.6	51.4	13.1	5.1	22.1	20.7	22.1	23.8	97.3	1.1	1.7	1.6	41.8	.32	3.48	133.66	109.5
Reg 128	1150	3/ 1/5	TW	4	137	264	.91	.84	25.8	49.5	12.8	5.7	21.4	21.7	22.1	24.3	98.1	2.8*	1.9	1.4	35.3	.34	3.66	128.22	105.1
Reg 129	1154	3/ 1/5	S	4	156	290	.96	.89	23.6	46.4	11.0	4.9	22.7	17.4	23.0	24.2	97.4	1.0	1.0	1.2	39.0	.44	3.00	122.46	100.4
Reg 131	1177	3/ 1/5	TW	4	124	259	.96	.89	25.9	45.6	11.8	5.8	22.6	19.8	22.3	24.3	96.3	1.0	1.4	1.4	39.3	.40	3.78	126.37	103.6
Reg 132	1223	4/13/5	TW	4	130	263	.95	.89	21.3	48.7	10.3	6.0	21.1	18.8	21.9	25.0	98.4	0.9	1.7	1.1	36.6	.28	3.52	126.32	103.5
Reg 134	1229	4/13/5	S	3	123	269	1.04	.96	31.3	41.4	13.0	5.5	23.0	16.5	24.0	26.6	97.2	1.0	1.3	1.1	39.0	.42	3.71	136.04	111.5
Reg 136	1235	4/18/5	TW	3	141	271	.93	.87	19.4	40.0	7.8*	5.1	20.5	19.4	22.0	24.6	99.1	0.7	1.7	1.2	35.0	.51	3.43	114.25	93.6
Reg 137	1249	4/18/5	S	7	116	237	.86	.80	23.3	49.3	11.5	5.6	22.6	19.6	23.4	25.6	96.9	1.0	1.7	1.2	37.0	.32	3.01	119.81	98.2
Reg 138	1255	4/27/5	TW	4	115	257	1.01	.95	23.6	48.4	11.4	5.4	23.8*	20.4	26.1*	28.4*	92.9	0.8	1.6	1.2	37.1	.60	3.10	123.50	101.2
Reg 139	1259	4/27/5	S	4	122	269	1.05	.98	26.0	45.3	11.8	5.8	21.1	18.1	22.5	24.8	98.4	1.0	1.5	1.2	39.0	.55	3.27	138.11	113.2
Reg 140	1260	4/27/5	S	4	110	255	1.04	.98	21.5	49.1	10.6	5.6	21.4	17.8	22.5	24.7	99.1	0.9	1.7	1.2	34.3	.44	3.29	132.28	108.4
Reg 141	1263	4/27/5	S	4	125	255	.93	.86	26.3	50.3	13.3	5.6	21.2	17.3	21.7	24.3	98.7	1.0	1.1	.	35.0	.	.	136.49	111.9
Sire:TRSG 298																									
Reg 142	1106	2/20/5	TW	6	154	278	.89	.83	21.3	48.4	10.3	5.1	22.0	19.2	23.0	26.7	97.1	1.0	1.9	1.2	34.2	.37	3.09	117.11	96.0
Reg 143	1112	2/20/5	TW	4	153	292	.99	.93	21.9	51.9	11.4	5.7	22.6	19.1	23.7	25.2	97.0	1.0	1.8	1.1	38.0	.44	3.42	127.77	104.7
Reg 144	1147	3/ 1/5	TR	7	128	254	.90	.84	21.1	48.3	10.2	4.9	24.6*	19.7	25.9*	27.1	92.0	1.1	1.6	1.2	37.1	.38	3.24	108.56	89.0
Reg 145	1148	3/ 1/5	TR	7	125	245	.86	.79	23.0	46.8	10.8	5.2	23.4	18.9	24.4	26.3	95.5	1.5	2.3	1.2	35.5	.33	2.98	114.07	93.5
Reg 146	1157	3/ 1/5	TW	4	141	273	.94	.89	20.7	46.4	9.6	5.1	23.2	21.9	23.9	26.0	96.3	1.3	1.8	1.2	39.5	.43	2.87	111.15	91.1
Reg 148	1169	3/ 1/5	TW	3	139	263	.89	.83	20.6	44.1	9.1	4.7	21.3	20.9	21.1	24.6	98.5	1.1	2.2	1.2	36.0	.49	3.60	111.11	91.1
Reg 149	1178	3/ 1/5	TR	7	122	248	.90	.84	20.0	45.5	9.1	4.7	24.7*	18.7	25.8*	27.7	91.4	1.0	1.4	1.3	35.9	.40	2.96	104.68	85.8
Reg 150	1188	3/ 7/5	TW	5	120	246	.90	.83	25.8	47.3	12.2	5.6	20.9	17.8	21.8	24.2	98.9	1.1	1.0	1.3	39.2	.34	3.52	131.45	107.7
Reg 151	1206	3/20/5	TW	2	130	284	1.10	1.03	25.1	43.1	10.8	4.8	22.2	18.5	23.0	24.8	97.7	1.2	1.2	1.2	38.2	.50	3.41	130.67	107.1
Reg 152	1212	3/ 1/5	TW	4	144	269	.89	.84	20.1	50.0	10.1	5.3	19.9	19.6	21.2	23.1	99.1	2.1	2.4	1.1	39.1	.37	3.28	123.72	101.4
Reg 153	1221	4/13/5	S	3	99*	244	1.04	.97	23.9	48.2	11.5	5.3	19.2	21.8	20.2	21.2	99.1	1.6	1.1	1.4	40.0	.36	2.95	134.64	110.3
Reg 154	1239	4/18/5	S	3	142	278	.97	.90	24.0	40.9	9.8	4.8	21.0	18.0	22.8	23.1	99.0	1.1	1.2	1.2	36.2	.59	3.05	123.48	101.2
Reg 155	1270	4/27/5	TW	2	100	215	.82	.77	18.5	53.0	9.8	5.6	21.7	17.5	21.9	24.9	98.9	0.9	1.2	1.2	35.0	.35	3.21	115.96	95.0

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R	Age	Start	Final	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. Fat Ribeye									
e Test Flock	Birth	Birth of	Wt.	Wt.	Total	Body	Gr.	Yield	Clean	Stap.	Core		Comfort	Face	Belly	Body	circ.	Depth	Area	ROM	Index				
g No.	No.	date	type	Dam	9/28	2/15	lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio

Pen 34 Texas Ramb. Sup. Gen.(TRSG), San Angelo																									
Sire:TRSG 753																									
Reg 156	1096	2/20/5	TW	7	155	274	.85	.79	23.0	45.0	10.3	5.9	23.0	18.5	26.0*	27.5	95.9	0.7	1.1	1.2	36.0	.48	3.33	114.68	94.0
Reg 158	1108	2/20/5	TW	4	148	258	.79	.73	18.3	51.7	9.4	5.8	21.4	19.2	22.8	24.3	98.5	0.9	1.2	.	38.0	.43	3.01	111.82	91.6
Reg 161	1123	2/20/5	S	2	135	267	.94	.86	29.5	46.1	13.6	5.6	23.0	18.1	24.5	25.8	96.6	1.1	1.1	1.3	36.2	.31	3.06	132.74	108.8
Reg 164	1179	3/ 1/5	S	4	122	270	1.06	.99	23.9	40.3	9.6	5.1	21.1	21.6	22.0	27.5	97.9	2.2	1.1	1.3	38.0	.46	3.60	124.37	101.9
Reg 165	1196	3/ 7/5	S	2	121	244	.88	.82	22.4	53.1	11.9	6.3	19.4	20.8	20.2	21.5	99.1	1.2	1.5	1.2	35.3	.41	3.44	129.02	105.7
Reg 167	1204	3/20/5	TW	4	133	238	.75	.68	25.3	46.5	11.8	5.1	21.6	18.1	21.3	22.3	97.7	1.0	1.3	1.2	34.0	.33	3.40	117.16	96.0
Sire:TRSG 773																									
Reg 168	1091	2/20/5	S	4	168	328	1.14	1.06	31.1	48.4	15.1	5.2	23.6	16.0	24.0	26.4	96.4	1.0	2.4	1.3	36.3	.54	3.48	147.63	121.0
Reg 169	1121	2/20/5	S	3	154	274	.86	.78	27.1	50.8	13.8	5.5	23.7	18.7	24.3	26.3	94.2	1.1	1.3	2.2	37.8	.33	3.74	125.81	103.1
Reg 170	1133	2/20/5	TW	5	142	261	.85	.78	25.3	51.8	13.1	5.9	20.7	19.9	20.9	23.9	99.2	1.0	1.2	1.2	39.5	.27	3.58	130.49	106.9
Reg 171	1160	3/ 1/5	TW	3	123	266	1.02	.95	23.9	50.3	12.0	6.0	20.0	19.9	20.4	21.8	99.4	1.0	1.2	1.2	37.6	.35	3.41	138.72	113.7
Reg 172	1161	3/ 1/5	TW	3	123	261	.99	.92	22.6	47.2	10.7	6.2	21.0	20.1	20.4	22.1	98.6	1.0	1.7	1.2	35.0	.43	2.96	128.20	105.1
Reg 173	1165	3/ 1/5	TW	3	148	278	.93	.86	25.3	38.4	9.7	5.1	21.7	20.1	23.1	25.1	98.6	1.1	1.4	1.2	39.0	.43	3.77	116.99	95.9
Reg 174	1173	3/ 1/5	TW	3	145	253	.77	.71	22.6	48.4	11.0	5.7	20.0	19.1	21.1	23.7	99.1	0.9	1.5	1.2	36.2	.33	3.02	120.78	99.0
Reg 175	1189	3/ 7/5	TW	3	117	248	.94	.88	20.0	44.4	8.9*	5.7	21.0	20.9	22.8	24.3	98.7	0.8	1.5	1.2	37.0	.28	3.30	117.38	96.2
Sire:TRSG 767																									
Reg 180	3151	2/15/5	TW	.	142	285	1.02	.94	29.0	51.4	14.9	6.0	21.2	19.7	22.1	24.3	98.7	0.9	1.2	1.3	36.2	.32	3.18	146.06	119.7
Sire:HAGEMAN 2517																									
Reg 181	3159	2/16/5	S	.	142	248	.76	.70	21.2	55.1	11.7	5.7	21.9	20.7	23.8	27.5	97.2	0.9	1.0	1.2	32.0	.31	3.02	115.25	94.5

Pen 17 Karnes, Bill, Sonora																									
Sire:X																									
Com 182	23	1/ .5	S	.	100	206	.76	.71	15.4	47.0	7.2*	5.3	18.7	21.8	19.3	22.0	99.4	0.9	1.6	1.2	40.3	.32	3.19	102.32	83.9
Com 183	24	3/ .5	S	.	130	238	.77	.72	18.1	51.6	9.3	5.4	23.2	22.4	23.4	27.2	93.4	1.0	1.1	1.2	37.1	.35	3.22	100.99	82.8

Pen 36 Powell, James L., FT. MCKAVETT																									
Sire:																									
Com 184	551	2/ .5	S	.	96*	219	.88	.82	21.3	53.0	11.3	5.6	20.2	19.1	21.0	22.9	99.1	1.4	1.5	1.1	37.0	.29	3.47	127.81	104.7
Com 185	552	2/ .5	S	.	134	267	.95	.89	19.9	51.4	10.2	5.2	21.1	23.9	21.8	24.7	98.9	0.9	2.0	1.2	35.5	.38	3.50	118.49	97.1
Com 186	553	2/ .5	S	.	135	253	.84	.78	23.4	51.5	12.1	6.7	22.1	19.4	22.8	26.9	97.5	1.0	1.1	1.1	36.1	.66	3.43	122.75	100.6
Com 187	554	2/ .5	S	.	144	245	.72	.66	21.8	51.0	11.1	5.7	22.1	19.9	23.4	26.2	96.1	0.8	1.0	1.2	36.1	.39	3.16	111.17	91.1
Com 188	555	2/ .5	S	.	139	224	.61	.56	16.7	53.9	9.0	5.7	20.0	15.9	19.9	22.2	99.7	0.9	1.6	1.1	36.3	.31	3.36	105.48	86.4
Com 189	556	2/ .5	S	.	140	236	.69	.62	24.0	50.7	12.2	5.2	24.5*	19.5	24.6	27.2	91.1	0.9	1.6	.	40.8	.40	3.27	105.19	86.2
Com 190	557	2/ .5	S	.	117	237	.86	.80	21.5	48.5	10.4	5.1	23.2	22.1	23.8	26.4	95.4	1.0	1.3	2.6	37.5	.37	3.00	108.71	89.1
Com 191	558	2/ .5	S	.	147	267	.86	.80	20.0	47.7	9.5	5.1	24.6*	16.4	26.4*	29.3*	93.6	1.0	1.2	1.6	38.0	.41	3.73	106.70	87.4
Com 192	559	2/ .5	S	.	138	267	.92	.87	19.2	58.1	11.2	5.8	20.9	19.4	21.5	25.4	98.2	1.0	1.1	1.2	39.0	.44	3.58	127.97	104.9
Com 193	560	2/ .5	S	.	142	239	.69	.64	20.7	47.0	9.8	4.5	25.2*	20.5	26.2*	29.6*	87.6	0.7	1.1	1.3	36.3	.25	3.28	90.87	74.5
Com 194	561	2/ .5	S	.	147	227	.57	.53	16.4	50.3	8.3*	4.5	21.7	16.1	23.0	24.8	99.1	0.9	1.9	1.4	33.5	.33	3.06	91.10	74.7
Com 195	562	2/ .5	S	.	123	234	.79	.72	24.5	44.3	10.9	5.0	22.1	19.0	22.5	25.1	97.9	1.1	1.1	1.3	38.9	.36	3.17	112.87	92.5
Com 196	563	2/ .5	S	.	132	247	.82	.76	20.8	52.2	10.9	5.3	21.8	17.3	22.4	24.2	98.4	1.1	1.2	1.2	35.5	.40	3.81	118.93	97.5
Com 197	564	2/ .5	S	.	139	267	.91	.85	23.4	45.3	10.6	5.3	21.8	20.9	22.8	26.1	97.6	0.8	1.3	1.3	36.0	.42	3.56	119.25	97.7
Com 198	565	2/ .5	S	.	145	255	.79	.71	25.9	50.4	13.1	5.8	23.1	20.1	24.2	27.7	94.2	1.0	1.2	1.4	33.9	.42	2.73	118.90	97.4
Com 199	566	2/ .5	S	.	130	251	.86	.81	18.7	36.2	6.8*	4.5	21.6	20.9	22.0	26.0	97.2	0.9	1.0	1.4	39.0	.35	3.02	99.26	81.3
Com 200	567	2/ .5	S	.	129	210	.58	.52	21.0	46.5	9.8	5.1	24.5*	21.8	25.2*	29.0*	91.4	0.8	1.1	1.2	33.5	.46	3.04	86.23	70.7

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e Test g No.	Flock No.	Birth date	Birth type	Age of Dam	Start 9/28	Final Wt. 2/15	ADG		Fleece			Fiber Diameter, microns			Scores			Scrot. Fat Ribeye								
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds	circ. cm.	Depth in.	Area sq.in.	ROM Index	Index Ratio	

Pen 36 Powell, James L., FT. MCKAVETT																										
Com 201	568	2/ .5	S	.		148	254	.76	.70	21.7	46.7	10.1	5.4	22.1	18.8	23.4	27.2	97.9	0.9	1.1	1.4	38.1	.49	3.41	110.40	90.5
Com 202	569	2/ .5	S	.		131	235	.74	.69	18.0	46.2	8.3*	4.9	21.2	21.5	21.4	25.3	98.2	1.0	1.8	1.2	34.2	.34	3.33	100.23	82.1
Com 203	570	2/ .5	S	.		143	266	.88	.83	19.0	50.3	9.6	4.8	20.8	21.8	21.8	24.9	99.2	0.7	1.3	1.2	37.2	.40	3.53	113.67	93.2
Com 204	571	2/ .5	S	.		138	279	1.01	.95	19.9	42.7	8.5*	4.7	22.8	18.7	24.2	26.4	97.9	0.8	1.4	1.1	41.0	.33	3.52	114.25	93.6
Com 205	572	2/ .5	S	.		147	221	.53*	.48	17.4	51.3	8.9*	5.4	21.3	20.0	21.4	23.7	98.5	1.0	1.3	1.2	35.0	.30	2.98	93.41	76.6
Com 206	573	2/ .5	S	.		143	272	.92	.87	18.7	42.4	7.9*	5.2	20.3	19.5	21.0	23.7	99.0	0.7	1.6	1.3	39.1	.34	3.18	115.79	94.9
Com 207	574	2/ .5	S	.		129	247	.84	.78	22.3	46.9	10.5	5.8	21.3	17.5	21.2	26.5	98.3	1.0	1.1	1.4	34.2	.38	3.49	120.50	98.8
Com 208	575	2/ .5	S	.		126	221	.68	.63	19.2	42.4	8.1*	4.8	22.6	20.9	22.4	26.7	95.3	0.8	1.1	1.2	34.5	.56	3.47	91.64	75.1
Com 209	576	2/ .5	S	.		113	203	.64	.60	16.6	48.8	8.1*	5.5	19.5	16.3	20.9	23.2	99.8	0.7	1.2	1.1	34.5	.32	3.07	104.22	85.4
Com 210	577	2/ .5	S	.		135	275	1.00	.95	18.4	46.2	8.5*	5.5	21.5	25.7	21.4	24.6	98.4	0.9	1.4	1.1	39.5	.39	3.04	112.33	92.1
Com 211	578	2/ .5	S	.		124	252	.91	.86	19.9	44.5	8.8*	4.8	21.4	17.7	21.1	24.5	98.7	0.9	1.9	1.2	37.8	.28	3.33	115.76	94.9
Com 212	579	2/ .5	S	.		129	232	.74	.68	19.4	54.0	10.5	6.3	21.5	20.7	22.7	26.9	97.0	0.9	1.1	1.2	36.0	.36	3.50	110.46	90.5
Com 213	580	2/ .5	S	.		136	273	.98	.91	23.9	47.8	11.4	5.9	19.0	18.5	18.8	20.6	99.5	1.0	1.3	1.3	39.4	.42	3.01	135.89	111.4
Com 214	581	2/ .5	S	.		124	239	.82	.76	20.9	50.0	10.5	6.1	20.4	20.6	22.3	24.0	99.4	0.8	1.5	1.1	40.2	.36	3.06	118.84	97.4
Com 215	582	2/ .5	S	.		137	256	.85	.80	19.4	47.7	9.3	5.3	21.8	19.7	21.5	26.7	97.5	0.7	1.3	1.3	37.7	.50	3.29	112.44	92.1
Com 216	583	2/ .5	S	.		120	224	.74	.69	18.0	46.7	8.4*	5.0	20.9	22.6	20.4	23.1	98.9	0.5	1.2	1.2	38.9	.48	3.05	100.32	82.2
Com 217	584	2/ .5	S	.		126	231	.75	.70	18.8	43.8	8.2*	5.3	20.8	18.2	20.6	23.8	98.9	0.8	1.5	1.5	32.6	.44	3.20	107.21	87.9
Com 218	585	2/ .5	S	.		141	244	.74	.67	23.3	51.9	12.1	6.0	21.0	19.2	21.0	23.4	98.0	0.9	1.3	1.2	37.2	.32	3.22	119.87	98.2
Com 219	586	2/ .5	S	.		140	241	.72	.67	20.2	46.9	9.5	5.0	22.9	21.7	22.8	27.0	94.6	0.9	1.0	1.5	37.2	.31	2.69	98.03	80.3
Com 220	587	2/ .5	S	.		129	227	.70	.66	15.5	47.5	7.4*	4.8	22.0	21.1	22.0	25.5	96.8	1.0	1.6	1.2	37.6	.38	3.69	91.91	75.3
Com 221	588	2/ .5	S	.		142	251	.78	.72	19.4	45.9	8.9*	5.5	21.2	19.5	21.7	26.2	98.6	0.4	1.2	1.3	35.2	.56	2.99	109.11	89.4
Com 222	589	2/ .5	S	.		164	283	.85	.78	27.0	52.2	14.1	6.0	20.7	18.4	21.3	23.7	99.0	0.9	1.2	1.2	36.6	.35	3.29	135.88	111.4
Com 223	590	2/ .5	S	.		145	254	.78	.71	23.9	48.8	11.7	6.2	21.2	19.0	21.8	25.5	99.0	0.9	1.2	1.2	37.1	.41	3.23	120.17	98.5
Com 224	591	2/ .5	S	.		122	217	.68	.63	17.4	42.3	7.4*	4.9	22.7	17.5	23.2	28.3*	96.8	1.1	1.4	1.2	39.8	.31	3.12	92.46	75.8
Com 225	592	2/ .5	S	.		136	260	.89	.83	18.8	47.3	8.9*	4.8	22.4	17.7	22.3	24.5	97.8	0.8	1.2	1.3	39.0	.28	3.13	111.12	91.1
Com 226	593	2/ .5	S	.		136	237	.72	.67	18.2	48.6	8.8*	5.8	22.4	19.0	22.8	25.9	97.2	1.0	1.1	1.2	35.0	.33	3.13	103.00	84.4

* after a value indicates reason this ram was not eligible for certification