

Reg No.	Flock No.	Codon 171	Birth date	Age Birth of type	Start Wt. 9/27	Final Wt. 2/14	ADG		Fleece			Fiber Diameter, microns				Scores				Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	Index ROM Ratio			
							Total lbs	Body lbs	Gr. Yield Wt. (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds							
Karnes,Bill, Sonora																										
Sire:Karnes 63																										
Reg 1	66	QR	4/ . /17	S	8	72*	199*	.91	.85	21.9	51.7	11.3	5.2	21.3	22.6	23.6	24.8	4.8	1.0	1.4	1.6	39	.29	3.29	121.01	98.8
Reg 2	67	RR	4/ . /17	S	8	79*	226	1.05	.99	21.4	43.3	9.3	5.0	20.1	18.4	23.3	24.3	3.7	1.0	1.7	1.1	37	.23	3.45	129.29	105.6
Reg 3	68	QR	4/ . /17	S	8	80*	191*	.79	.74	17.8	50.0	8.9*	4.9	18.7	20.2	20.1	21.5	3.8	1.0	2.0	1.2	36	.24	3.01	111.15	90.8
Ketterling Family, Gillete,WY																										
Sire:83 Romeo																										
Reg 4	126	RR	2/14/17	S	4	124	277	1.09	1.03	22.1	54.9	12.1	4.0	21.7	19.5	22.9	24.6	4.2	1.0	2.0	1.7	40	.31	3.55	133.23	108.8
Sire:84 Buff Barn																										
Reg 5	127	RR	2/ 9/17	S	4	111	253	1.01	.97	17.3	46.0	8.0*	4.4	19.8	22.7	21.3	24.5	4.5	1.0	1.6	1.0	40	.23	4.02	115.48	94.3
Pflugger,Bob, San Angelo																										
Sire:Pflugger 45																										
Com 6	43		3/ 1/17	Tw .		100	220	.86	.79	25.9	45.9	11.9	5.2	19.8	19.0	20.6	21.8	3.8	1.0	1.9	1.0	41	.32	3.52	128.37	104.8
Sire:Sawyer 68392																										
Com 7	2		3/ 1/17	S .		121	245	.89	.83	20.2	45.9	9.2	5.1	20.8	19.1	21.1	23.6	4.0	1.0	2.0	1.0	36	.39	3.56	117.17	95.7
Sire:TAEX 8985																										
Com 9	24		3/ 1/17	S .		100	239	.99	.93	24.4	48.8	11.9	5.2	19.0	19.8	20.6	21.6	3.8	1.0	1.4	1.1	38	.27	3.52	135.89	111.0
Com 10	27		3/ 1/17	S .		112	231	.85	.78	25.2	43.1	10.9	5.3	19.3	17.3	20.2	22.4	3.3	1.0	1.3	1.0	35	.35	3.36	125.61	102.6
Sire:Pflugger 45																										
Com 11	46		3/ 1/17	Tw .		97*	213	.83	.76	24.4	49.8	12.2	6.0	21.3	17.6	21.3	23.8	3.7	1.0	1.7	1.3	35	.20	3.20	126.30	103.1
Rabel,Matt, Buffalo,WY																										
Sire:Forbes 2401																										
Reg 12	355	RR	2/22/17	Tr	7	125	280	1.11	1.05	21.4	53.7	11.5	4.5	21.2	19.2	22.0	24.0	4.1	1.0	1.9	1.2	41	.25	3.16	135.14	110.3
Schunke Ranch, Goldthwaite																										
Sire:S2390																										
Reg 14	3630	QR	10/11/16	Tw	2	121*	263	1.01	.95	22.7	46.7	10.6	5.5	21.2	17.3	21.1	25.1	3.7	1.0	1.5	1.0	42	.33	3.41	131.50	103.8
Sire:S3447																										
Reg 15	3631	RR	10/25/16	S	6	128*	256	.91	.85	23.8	48.8	11.6	4.9	19.9	18.7	20.9	21.1	3.7	1.0	1.7	1.0	42	.22	3.68	130.16	102.7
Sire:S3449																										
Reg 17	3633	QR	11/ 4/16	S	3	109*	269	1.14	1.08	24.6	42.9	10.6	4.8	23.5	20.2	23.7	26.4	4.7	2.2	2.2	1.0	39	.31	3.73	126.53	99.9
Reg 18	3635	QR	12/17/16	S	2	104*	238	.96	.90	22.3	41.5	9.3	4.8	22.4	19.3	24.3	27.3	4.3	1.0	1.5	1.0	36	.31	3.45	115.08	90.8
Sire:S3537																										
Reg 19	3634	RR	12/20/16	S	2	121*	258	.98	.92	20.0	51.4	10.3	5.0	20.6	19.4	21.7	25.3	4.0	1.0	2.0	1.0	41	.28	3.28	126.63	99.9
TAES, San Angelo																										
Sire:Erk 093																										
Reg 20	9258	QR	3/26/17	Tw	3	86*	215	.92	.85	24.9	47.9	11.9	5.6	20.4	17.8	22.3	23.7	3.6	1.8	2.1	1.5	36	.27	3.34	133.51	109.0
Reg 21	9263	RR	3/27/17	Tw	4	65*	217	1.09	1.03	22.0	48.6	10.7	5.4	19.8	19.3	19.9	21.2	3.8	1.0	1.7	2.5	35	.27	3.03	138.24	112.9
Reg 22	9309	RR	4/23/17	Tw	3	83*	232	1.06	1.00	22.5	45.8	10.3	5.3	19.3	18.5	19.8	22.1	3.6	1.0	2.3	1.0	40	.33	3.46	136.10	111.1
Reg 23	9314	QR	5/16/17	Tw	3	61*	202	1.01	.96	17.9	49.5	8.9*	4.9	19.2	18.3	20.5	21.9	3.5	1.1	3.0	1.0	36	.32	3.16	126.22	103.0

R e g No.	Codon No.	Birth date	Age Birth type	Start of Dam	Final Wt. 2/14	ADG		Fleece			Fiber Diameter, microns				Scores				Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	Index ROM Ratio			
						Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	Side CV	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds							
Sire:TAES 8762																									
Reg 24	9217	QR	3/19/17	Tw 4	74*	211	.98	.93	18.0	48.6	8.8*	4.7	18.0	18.6	18.7	21.3	3.4	1.0	2.0	1.0	35	.25	3.67	122.87	100.3
Reg 25	9277	QQ	3/31/17	S 4	77*	203	.90	.84	22.8	49.4	11.3	5.5	18.5	18.7	17.8	20.3	3.5	1.1	1.6	1.0	38	.32	3.26	130.46	106.5
Sire:TAES 9115																									
Reg 27	9252	QR	3/25/17	Tw 3	76*	230	1.10	1.05	19.6	48.6	9.5	5.0	20.4	19.4	21.1	23.9	4.0	1.0	1.7	1.4	38	.30	3.32	131.44	107.3
Waldrop,Riley, Robert Lee																									
Sire:Schunke 3486																									
Reg 28	1378	RR	11/ 5/16	S 5	163	300	.98	.91	24.0	52.2	12.5	5.1	21.5	18.8	22.1	23.9	4.1	1.0	1.5	1.0	43	.30	3.57	133.21	105.1
JP Family, Ft. Mckavitt																									
Sire:																									
Com 32	701	2/	./17	S .	118	232	.81	.75	23.4	44.9	10.5	4.9	20.5	20.0	22.3	25.6	4.1	1.0	1.5	1.0	37	.26	4.02	116.27	94.9
Com 33	702	2/	./17	S .	133	238	.75	.68	25.9	56.2	14.6	6.1	23.5	16.5	24.9	27.3	3.9	1.0	2.0	1.2	40	.33	3.38	124.25	101.4
Com 34	703	2/	./17	S .	131	246	.82	.76	21.4	44.6	9.6	4.6	21.9	20.6	23.0	24.9	4.5	1.0	1.5	1.5	37	.33	3.09	107.27	87.6
Com 35	704	2/	./17	S .	120	236	.83	.75	28.4	47.4	13.5	6.0	20.6	17.4	22.0	25.1	3.6	1.0	1.5	1.1	37	.23	2.95	132.70	108.3
Com 36	705	2/	./17	S .	139	259	.86	.80	21.6	42.2	9.1	4.7	20.1	18.6	21.8	25.1	3.7	1.0	2.5	1.0	38	.28	4.03	115.78	94.5
Com 37	706	2/	./17	S .	136	263	.91	.85	22.6	49.5	11.2	4.8	23.3	18.7	25.3*	27.6	4.4	1.0	1.7	1.2	36	.25	3.49	117.39	95.8
Com 38	707	2/	./17	S .	133	259	.90	.84	23.7	46.5	11.0	6.1	22.1	17.9	22.4	26.6	3.9	1.0	1.4	1.3	39	.30	3.68	123.67	101.0
Com 39	708	2/	./17	S .	134	253	.85	.79	20.3	48.7	9.9	5.3	21.6	19.5	22.6	26.4	4.2	1.0	1.7	1.0	40	.31	3.94	115.57	94.4
Com 40	709	2/	./17	S .	124	236	.80	.74	22.5	42.4	9.5	5.4	21.0	20.4	23.0	26.5	4.3	1.0	1.7	1.4	40	.27	3.83	111.58	91.1
Com 42	711	2/	./17	S .	139	261	.87	.79	29.6	46.3	13.7	6.1	21.8	18.0	23.1	25.6	3.9	1.0	1.5	1.9	38	.35	3.13	132.73	108.4
Com 43	712	2/	./17	S .	131	268	.98	.91	26.0	44.9	11.7	5.5	21.3	20.8	22.8	26.0	4.4	1.0	1.4	1.0	36	.24	3.86	129.33	105.6
Com 44	713	2/	./17	S .	133	258	.89	.82	25.2	45.1	11.3	5.2	21.4	18.9	21.5	25.4	4.0	1.0	1.8	1.1	39	.28	3.92	124.22	101.4
Com 45	714	2/	./17	S .	129	252	.88	.82	22.9	39.8	9.1	5.1	21.6	17.8	22.7	26.3	3.8	1.0	1.6	1.0	40	.27	3.07	115.09	94.0
Com 46	715	2/	./17	S .	131	255	.89	.82	22.5	42.2	9.5	5.0	22.3	18.8	23.5	26.1	4.2	1.0	1.4	1.1	39	.23	3.39	113.19	92.4
Com 47	716	2/	./17	S .	116	224	.77	.71	23.0	50.6	11.6	5.5	21.8	17.3	22.5	25.4	3.8	1.1	1.3	1.2	38	.32	3.60	119.33	97.4
Com 48	717	2/	./17	S .	127	226	.71	.65	20.1	45.7	9.2	5.7	20.6	17.9	23.2	25.1	3.7	1.0	1.5	1.0	34	.33	3.70	109.70	89.6
Com 49	718	2/	./17	S .	152	276	.89	.82	25.1	51.6	13.0	5.1	22.2	18.2	24.5	27.9*	4.0	1.0	1.5	1.0	41	.29	3.98	127.95	104.5
Com 50	719	2/	./17	S .	140	264	.89	.82	25.6	54.2	13.9	5.0	22.9	18.1	23.5	25.4	4.1	1.2	1.7	1.0	36	.27	3.28	129.34	105.6
Com 51	720	2/	./17	S .	122	240	.84	.79	21.0	47.0	9.9	4.9	21.6	18.1	22.6	24.1	3.9	1.1	1.5	1.0	39	.31	4.07	115.00	93.9
Com 52	721	2/	./17	S .	129	241	.80	.74	20.7	49.3	10.2	5.0	22.6	18.4	23.0	25.9	4.2	1.0	1.5	1.1	35	.21	3.36	110.81	90.5
Com 53	722	2/	./17	S .	128	260	.94	.87	25.1	41.2	10.4	4.3	23.2	20.4	24.3	27.2	4.7	1.0	1.5	1.1	38	.30	3.95	112.11	91.5
Com 54	723	2/	./17	S .	129	256	.91	.84	22.9	47.9	11.0	5.4	23.2	18.2	24.1	26.7	4.2	1.0	1.5	1.0	37	.23	3.77	119.98	98.0
Com 55	724	2/	./17	S .	132	229	.69	.64	18.1	49.5	9.0*	4.9	22.0	19.3	23.3	28.0*	4.3	1.0	1.6	1.0	38	.30	3.78	100.01	81.7
Com 56	725	2/	./17	S .	128	259	.94	.88	21.1	49.5	10.5	5.5	21.4	18.4	22.4	25.4	3.9	1.0	1.5	1.0	38	.39	3.16	125.69	102.6
Com 57	726	2/	./17	S .	127	259	.94	.87	25.0	45.2	11.3	5.2	21.2	18.2	22.8	24.8	3.9	1.4	1.7	1.2	41	.21	4.03	128.44	104.9
Com 58	727	2/	./17	S .	132	261	.92	.87	19.9	48.5	9.6	5.6	20.7	17.1	21.5	24.5	3.5	1.0	1.8	1.0	34	.41	4.11	124.25	101.4
Com 59	728	2/	./17	S .	131	275	1.03	.97	21.2	50.5	10.7	5.1	21.1	16.6	22.6	24.7	3.5	1.0	1.8	1.2	39	.25	3.13	131.50	107.4
Com 60	729	2/	./17	S .	142	268	.90	.83	24.5	55.7	13.7	5.8	21.6	19.3	23.2	25.1	4.2	1.0	1.8	1.0	40	.32	4.23	134.09	109.5
Com 61	730	2/	./17	S .	134	237	.74	.67	24.5	48.4	11.8	5.2	21.9	18.7	22.8	25.4	4.1	1.0	1.4	1.3	39	.46	4.06	115.62	94.4

* after a value indicates reason this ram was not eligible for certification
P after the test number designates a Polled ram

